TM 11-5815-257-35P

DEPARTMENT OF THE ARMY TECHNICAL MANUAL

TECHNICAL DATA

FIELD AND DEPOT MAINTENANCE REPAIR PARTS AND SPECIAL TOOL LISTS

REPERFORATORS, TELETYPE-WRITER TT-107/FG, TT-107B/FG, TT-109/FG, TT-345/FG, TT-345A/FG, TT-346/FG AND TT-346A/FG

HEADQUARTERS, DEPARTMENT OF THE ARMY
20 MARCH 1964

EMFO LIBRARY

TECHNICAL DATA

Technical Manual
No. 11-5815-257-35P

HEADQUARTERS,
DEPARTMENT OF THE ARMY
WASHINGTON 25, D. C., *20 March 1964*

REPERFORATORS, TELETYPEWRITER TT-107/FG, TT-107B/FG, TT-109/FG, TT-345/FG, TT-345A/FG, TT-346/FG, AND TT-346A/FG

			Paragraph	Page
SECTION	I.	INTRODUCTION		
		Scope	1	3
		Parts for maintenance	2	4
		List arrangement	3	4
		Other service stock numbers	4	4
		Additional repair parts authorization	5	4
		Requisitioning information	6	4
		References	7	4
		Reporting of equipment manual improvements	8	4
	II.	FUNCTIONAL PARTS (TT-107/FG, TT-107B/FG)		
		Group 1 Cover		6
		2 Motor		8
		2A Motor, ac, manufactured by Bodine Electric Co. (Furnished on various procurements of TT-107/FG and TT-107B/FG)		8
		2B Motor, ac, manufactured by Howard Industries Ins. (Furnished on various procurements of TT-107B/FG but may also be used on TT-107/FG)		9
		3 Tape supply		10
		4 Printing and punching		14
		5 Function and selector		23
		6 Base assembly		42
	III.	FUNCTIONAL PARTS LIST (TT-109/FG)		
		Group 1 Cover		49
		2 Motor and governor		51
		2A Governor		51
		2B Motor, Universal, 1/23 hp, Bodine		53
		2C Motor, Universal, 1/23 hp, Howard		54
		2D Motor, Universal, 1/20 hp, Howard		56
		3 Tape Supply		58
		4 Printing and punching		61
		5 Function and selector		68
		6 Base assembly		83
	IV.	FUNCTIONAL PARTS LIST (TT-345/FG, TT-345A/FG)		
		Group 1 Cover		89
		2 Motor		91
		2A Motor, ac, manufactured by Bodine Electric Co.		91
		2B Motor, ac, manufactured by Howard Industries Inc.		92
		3 Tape supply		92
		4 Printing and punching		96
		5 Function and selector		104
		6 Base assembly		120

*** This manual supersedes TM 11-5815-257-35P, 7 December 1960, including C2, 11 December 1961.**

Paragraph Page

V. FUNCTIONAL PARTS LIST (TT-346/FG, TT-346A/FG,

Group 1 Cover 126
2 Motor and governor 128
2A Governor 128
2B Motor, Universal, 1/23 hp, Bodine 130
2C Motor, Universal, 1/23 hp, Howard 131
2D Motor, Universal, 1/20 hp, Howard 133
3 Tape supply 134
4 Printing and punching 138
5 Function and selector 148
6 Base assembly 164

SECTION I
INTRODUCTION

1. Scope

a. This manual lists the quantities of repair parts for third, fourth, and fifth echelon field maintenance and is a basis for requisitioning authorized parts. It is also a guide for fifth echelon in establishing initial levels of spare parts.

b. Columns are as follows:

(1) *Source, maintenance, and recoverability code.* Source, maintenance, and recoverability codes indicate the technical service responsible for supply, the echelons where an item is stocked, echelons where an item is installed or repaired, and whether an item is repairable or salvageable. The source code column is divided into four parts.

(a) Column A. This column indicates the materiel code and designates the area of responsibility for supply. AR 310-1 defines the basic numbers used to identify the materiel code. If the part is Signal materiel responsibility, the column is left blank.

(b) Column B. This column indicates the point within the maintenance system where the part is available. "P" indicates that the repair part is a high mortality part; procured by technical services, stocked in and supplied from the technical service depot system, and authorized for use at indicated maintenance echelons. "P1" indicates that the repair part is a low mortality part; procured by technical services, stocked only in and supplied from technical service *key* depots, and authorized for installation at indicated maintenance echelons.

(c) Column C. This column indicates the lowest maintenance echelon authorized to install the part.

"O" – Organizational maintenance (1st and 2d echelon).
"F" – Field maintenance (3d echelon).
"H" – Field maintenance (4th echelon).

(d) Column D. Not used.

(2) *Federal stock number.* This column lists the 11-digit Federal stock number.

(3) *Designation by model.* The dagger (†) indicates model in which part is used, and further, by its position, designates the item number by which the item is identified.

(4) *Description.* Nomenclature or the standard item name and brief identifying data for each item are listed in this column. When requisitioning, enter the nomenclature and description.

(5) *Unit of issue.* The unit of issue is each unless otherwise indicated and is the supply term by which the individual item is counted for procurement, storage, requisitioning, allowances, and issue purposes.

(6) *Expendability.* Nonexpendable items are indicated by NX. Expendable items are not annotated.

(7) *Quantity incorporated in unit.* This column lists the quantity of each part found in a given assembly, component, or equipment.

(8) *Field (third echelon).* This column indicates quantities of repair parts authorized for initial stockage for use in the third echelon maintenance and in supply support to second echelon. The quantities are based on 100 equipments to be maintained for a 15-day period.

(9) *Field (fourth echelon).* The numbers in this column indicate quantities of repair parts authorized for initial stockage for use in fourth

echelon maintenance. The quantities are based on 100 equipments to be maintained for a 15-day period.

(10) *Depot (fifth echelon).* The numbers in this column indicate quantities of repair parts authorized for depot maintenance and for inital stockage for maintenance, and for supply support to lower echelons. The entries are based on the quantity required for rebuild of 100 equipments.

(11) *Illustration.* The "Item No." column lists the reference symbols used for identification of the items in the illustration or text of the manual.

2. Parts for Maintenance

When this equipment is used by signal service organizations organic to the theater headquarters or communication zones to provide theater communications, those repair parts authorized up to and including fourth echelon are authorized for stockage by the organization operating this equipment.

3. List Arrangement

This list is arranged in groups by electrical reference symbols in alpha-numerical order and followed in numerical sequence by manufacturer's part number.

4. Other Service Stock Numbers

Other service items listed herein are authorized in accordance with AR 700-51.

5. Additional Repair Parts Authorization

An asterisk (*) in the column titled "15 Day Maintenance Allowance per 100 Equipments" indicates that an item is not authorized for stockage but if required, may be requisitioned for immediate use only.

6. Requisitioning Information

a. The allowance factors are based on 100 equipments. In order to determine the number of parts authorized for initial stockage for the specific number of equipments supported, the following formula will be used and carried out to two decimal places.

Specific number of equipments supported

$$\times \frac{\text{allowance factor}}{100} =$$

Number of parts authorized for initial stockage.

b. Fractional values obtained from above computation will be rounded to whole numbers as follows:

(1) When the total number of parts authorized is less than 0.5, the quantity authorized will be zero.

(2) When the total number of parts authorized is between 0.5 and 1.0, the quantity authorized will be one.

(3) For all values above one, fractional values below 0.5 will revert to the next lower whole number and fractional value 0.5 and above will advance to the next higher whole number.

c. The quantities determined in accordance with the above computation represent the initial stockage for a 15-day period.

7. References

A maintenance allocation chart and basic issue items list are contained in TM 11-2226. Additional instructions concerning maintenance of this equipment are contained in TM 11-5815-257-20P.

8. Reporting of Equipment Manual Improvements

The direct reporting, by the individual user, of errors, omissions, and recommendations for improving this equipment manual, is authorized and encouraged. DA Form 2028 will be used for reporting these improvements. This form may be completed using pencil, pen, or typewriter. DA Form 2028 will be completed in triplicate and forwarded by the individual using the manual. An original and one copy will be forwarded direct to: Commanding Officer, U. S. Army Electronics Materiel Support

Agency, ATTN: SELMS-ML, Fort Monmouth, New Jersey, 07703. One information copy will be furnished to the individual's immediate supervisor (officer, noncommissioned officer, supervisor etc).

SECTION II. FUNCTIONAL PARTS LIST (TT-107/FG, TT-107B/FG)

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL		DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D											FIGURE NO.	ITEM NO.
	5815-503-1168			REPERFORATOR,TELETYPEWRITER TT-107/FG, TT-107B/FG: 7.42 unit code; English communication characters;Murray style pallets;accomodates 7/8 in. wd. tape; Synchronous motor;60,75, 100 wpm oper speeds; operating power requirements, 115v,60 cyc, single ph, ac; Spec MIL-R-11985A NOTE: Model column 1 refers to TT-107/ FG; Column 2 refers to TT-107B/FG. GROUP I COVER		NX						
5 P 0	6240-143-3084	†		LAMP,INCANDESCENT: 115v,15w; GE part No. GE15T7/DC			1	1.4	0.5	10.0		I1,
			†				1	1.4	0.5	10.0		DS1
11P1F	5815-322-5591	†		CONTACT,ELECTRICAL: Sig dwg SC-B-70198			2	1.0	0.3	10.0		P4
			†				2	1.0	0.3	10.0		P3
11P1F	5305-550-9690		†	SCREW,MACHINE: Kleinschmidt p/n 10124			4	1.2	0.4	20.0		10124
11P1F	5305-207-7484		†	SCREW,MACHINE: Kleinschmidt p/n 10357 (Authorized allowances based on a total of 6 per equipment)			2	1.4	0.5	30.0		10357
11P1F	5305-207-5582		†	SCREW,MACHINE: Kleinschmidt p/n 10393			4	1.2	0.4	20.0		10393
11P1f	5310-209-3990		†	WASHER,LOCK: MIL STD MS35333-71 (Authorized allowances based on a total of 11 per equipment)			4	1.4	0.5	55.0		10403
11P1F	5310-543-2739		†	WASHER,LOCK: MIL STD MS35333-72 (Authorized allowances based on a total of 21 per equipment)			4	1.4	0.6	105.0		10404
11P1F	5310-013-1196	†	†	WASHER,LOCK: MIL STD MS35337-60 (Authorized allowances based on a total of 52 per equipment)			2	2.8	1.5	260.0		10429
11P1F	5310-514-7435		†	WASHER,LOCK: Kleinshcmidt p/n 10435			4	0.8	0.2	20.0		10435

Army-Ft Monmouth,NJ-MC

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-107/FG,TT-107B/FG (continued)								
11P1F	5310-429-2274	†	WASHER,FLAT: Murphy Diesel p/n MD1974			0	1.1	0.4	35.0		10463
		†	(Authorized allowances based on a total of 7 per equipment)			4	1.1	0.4	35.0		10463
11P1F	5310-551-7541	†	NUT,SELF-LOCKING,HEXAGONAL: Esna Type No. 79TM60 (Authorized allowances			0	1.9	0.8	40.0		10500
		†	based on a total of 8 per equip in TT-107/FG and24 per equip in TT-107B /FG.)			8	2.8	1.5	120.0		10500
11P1F	5310-596-8272	†	NUT,PLAIN,HEXAGONAL: GE p/n C2B3,dwg No. N207			1	0.5	0.1	5.0		10511
11P1F	5310-514-8471	†	NUT,PLAIN,HEXAGON: Chrysler & Koppin p/n 118549			4	1.2	0.4	20.0		10515
11P1F	5940-642-4428	†	TERMINAL LUG: Thomas & Betts p/n STA-KONV33 (Authorized allowances based on a total of 2 per equip)			1	0.5	0.1	10.0		20379
11P1F	5940-643-5260	†	TERMINAL LUG: AMP p/n 31890			2	0.5	0.1	10.0		20707
11P1F	5940-283-5387	†	POST,BINDING: Kleinschmidt p/n 20825			1	0.5	0.1	5.0		20825
5 P1F	6250-228-0418	†	LAMPHOLDER: Dialco type No. 12-06			1	0.5	0.1	5.0		51115
11P1F	5310-590-8021	†	NUT,LATCH,PLATE: Sig dwg SM-B-157240 (Authorized allowances based on a total of 2 per equipment)			1	0.8	0.2	10.0		52561
11P1F	5305-584-8985	†	SCREW,SHOULDER: Kleinschmidt p/n 56206			4	1.2	0.4	20.0		56206
11P1F	5815-586-7766	†	SPRING,HELICAL,TORSION: Sig dwg SM-B-314965			1	0.7	0.2	5.0		57168
11P1F	5815-586-7767	†	SPRING,HELICAL,TORSION: Sig dwg SM-B-314749-1			1	0.7	0.2	5.0		57169
11P1F	5815-588-0941	†	LATCH ASSEMBLY: Sig dwg SM-B-314752			1	0.5	0.1	5.0		57175A
11P1F	5815-588-0942	†	SPRING,FORMED WIRE: Sig dwg SM-B-314754			1	0.7	0.2	5.0		57177

Army-Ft Monmouth,NJ-MON

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D															FIGURE NO.	ITEM NO.
								TT-107/FG,TT-107B/FG (continued)								
11P1F	5310-588-0978		†					NUT,PLAIN,PLATE: Sig dwg No. SM-B-314755			2	4.8	0.2	10.0		57179
								GROUP 2 MOTOR								
								GROUP 2A MOTOR,AC,MANUFACTURED BY BODINE ELECTRIC CO. (FURNISHED ON VARIOUS PROCUREMENTS OF TT-107/FG AND TT-107B/FG)								
11P1F	6105-047-3876	†	†					MOTOR,ALTERNATING CURRENT: Kleinschmidt p/n 53537A			1	0.7	0.2	5.0		B1
11P1F	5935-241-0252	†						CONNECTOR,PLUG,ELECTRICAL: MIL-C-5015B type No. AN3106A-14S-2P			1	0.5	0.1	5.0		P3,J
			†								1	0.5	0.1	5.0		P6
11P1F	5305-333-4254	†	†					SETSCREW: MIL STD MS51020-51			1	0.5	0.1	5.0		10211
11P1H	5975-295-9325	†	†					NUT,COUPLING,ELECTRICAL CONDUIT: MIL type AN3054-6			1		0.1	5.0		10533
9 P1H	3110-542-0120	†	†					BEARING,BALL,ANNULAR: Kleinschmidt p/n 10760			2		0.4	10.0		10760
P1H	5315-547-9203	†	†					PIN,STRAIGHT,HEADLESS: Sig dwg SC-B-69682			1		0.2	5.0		50359
11P1H	6105-521-0419	†	†					ROTOR,MOTOR: Sig dwg SM-B-148667			1		0.1	5.0		53361A
P1F	5355-579-7023	†	†					KNOB: Sig dwg SM-B-149064			1	0.5	0.1	5.0		54217
P1H	5330-542-1077	†	†					FELT,MECHANICAL,PREFORMED: Kleinschmidt p/n 60530			2		0.5	10.0		60530
11P1H	5310-619-2479	†	†					WASHER,SPRING,TENSION: Bodine p/n 3098-5-020			2		0.3	10.0		60531
11P1H	5310-264-0072	†	†					SHIM: Bodine p/n N-162			2		0.3	10.0		60532
P1H	5305-619-4695	†	†					SCREW,MACHINE: Bodine p/n K-569			4		0.4	20.0		60533

Army-Ft Monmouth,NJ-MOI

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			TT-107/FG,TT-107B/FG (continued)								
11P1H	5310-619-2480	† †	NUT,PLAIN,HEXAGON: Bodine p/n K-509			4		0.4	20.0		60534
11P1H	5310-619-2135	† †	WASHER,LOCK: Bodine p/n K-1018			4		0.2	20.0		60535
			GROUP 2B MOTOR,AC,MANUFACTURED BY HOWARD INDUSTRIES,INC. (FURNISHED ON VARIOUS PROCUREMENTS OF TT-107B/FG BUT MAY BE USED ON TT-107/FG)								
11P1F	6105-609-4160	† †	MOTOR,ALTERNATING CURRENT: Kleinschmidt p/n 56854A			1	0.7	0.2	5.0		B1
11P1F	5935-241-0252	† †	CONNECTOR,PLUG,ELECTRICAL: MIL-C-5015B Type No. AN3106A-14S-2P			1 1	0.5 0.5	0.1 0.1	5.0 5.0		P3 P6
11P1F	5305-333-4254	† †	SETSCREW: MIL STD MS-51020-51			1	0.7	0.2	5.0		10211
11P1H	5305-579-5448	† †	SCREW,MACHINE: Kleinshmidt p/n 10333			8		0.8	40.0		10333
11P1H	5305-208-6168	† †	SCREW,MACHINE: Kleinschmidt p/n 10367			8		0.8	40.0		10367
11P1H	5310-579-1252	† †	WASHER,LOCK: Kleinschmidt p/n 10422			8		0.4	40.0		10442
9 P1H	3110-542-0120	† †	BEARING,BALL,ANNULAR: Kleinschmidt p/n 10760			2		0.4	10.0		10760
P1H	5315-547-9203	† †	PIN,STRAIGHT,HEADLESS: Sig dwg No. SC-B-69682			1		0.2	5.0		50359
P1F	5355-579-7023	† †	KNOB: Sig dwg SM-B-149064			1	0.5	0.1	5.0		54217
11P1H	6105-542-6563	† †	ROTOR,MOTOR: Kleinschmidt p/n 56853			1		0.1	5.0		56853
11P1H	5310-579-3492	† †	WASHER,SPRING,TENSION: Kleinschmidt p/n 56887			2		0.3	10.0		56887

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-107/FG,TT-107B/FG (continued)								
11P1H	5310-285-4451	† †	SHIM: Kleinschmidt p/n 56888			2		0.3	10.0		56888
			GROUP 3 TAPE SUPPLY								
5 P1F	6350-132-8377	†	BUZZER: Sig dwg No. SC-C-65251			1	0.7	0.2	5.0		I3
		†				1	0.7	0.2	5.0		DS2
11P1F	5935-149-3083	†	CONNECTOR,RECEPTACLE,ELECTRICAL: Sig dwg SC-B-125413			1	0.5	0.1	5.0		J12
11P1F	5935-698-4124	†	CONNECTOR,PLUG,ELECTRICAL: Kleinschmidt p/n 20435			1	0.5	0.1	5.0		P4
11P1F	5930-501-0063	†	SWITCH,TOGGLE: Kleinschmidt p/n p/n 56821A			1	0.7	0.2	5.0		S3
11P1F	5930-636-2868	†	SWITCH,SENSITIVE: ACRO Switch No. S506A10			1	0.7	0.2	5.0		S7
11P1F	5305-531-9034	†	SCREW,CAP,SOCKETHEAD: MIL-S-933B, type C (Authorized allowances based on a total of 13 per equip)			1	1.6	0.8	65.0		10003
11P1F	5305-753-4356	†	SCREW,CAP,SOCKETHEAD: Kleinschmidt p/n 10004 (Authorized allowances			0	1.4	0.6	50.0		10004
		†	based on a total of 10 per equip in TT-107/FG and 13 per equip in TT-107B/FG.)			2	1.6	0.8	65.0		10004
11P1F	5305-533-5362	†	SCREW,CAP,SOCKETHEAD: MIL STD MS35460-10			1	0.5	0.1	5.0		10015
11P1F	5305-530-9381	†	SCREW,CAP,SOCKETHEAD: Kleinschmidt p/n 10024-01			4	1.2	0.4	20.0		10024.01
11P1F	5305-297-7962	†	SCREW,CAP,SOCKETHEAD: Kleinschmidt p/n 10025 (Authorized allowances based			0	0.8	0.2	10.0		10025
		†	on a total of 2 per equip in TT-107/FG and 4 per equip in TT-107B/FG)			3	1.2	0.4	20.0		10025
11P1F	5305-545-8374	† †	SCREW,CAP,SOCKETHEAD: MIL-S-933B,type C (Authorized allowances based on a total of 6 per equipment)			2	1.4	0.5	30.0		10032

Army-Ft Monmouth,NJ-MO

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
															FIGURE NO.	ITEM NO.
A B C D								TT-107/FG,TT-107B/FG (continued)								
11P1F	5305-297-7963	†						SCREW,CAP,SOCKETHEAD: Kleinschmidt p/n 10033			2	0.8	0.2	10.0		10033
11P1F	5305-639-0511	†						SCREW,CAP,SOCKETHEAD: MIL STD MS35459-18 (Authorized allowances based on a total of 1 per equip in TT-107/FG and 4 per equip in TT-107B/FG)			0	0.5	0.1	5.0		10037
			†								3	1.2	0.4	20.0		10037
11P1F	5305-543-2595		†					SCREW,MACHINE: Kleinschmidt p/n 10090			1	0.5	0.1	5.0		10090
11P1F	5305-558-3911		†					SCREW,MACHINE: Kleinschmidt p/n 10091			2	0.8	0.2	10.0		10091
	5305-207-7484		†					SCREW,MACHINE: (For authorized allowances see GROUP 1)			2					10357
	5310-013-1196	†	†					WASHER,LOCK: (For authorized allowances see GROUP 1)			7					10429
11P1F	5310-209-3871	†	†					WASHER.LOCK: MIL STD MS35339-61 (Authorized allowances based on a total of 46 per equipment)			6	2.5	1.3	230.0		10430
11P1F	5310-198-3711	†	†					WASHER,LOCK: MIL STD MS35339-62 (Authorized allowances based on a total of 15 per equipment)			2	1.9	0.8	75.0		10431
11P1F	5310-209-1239		†					WASHER,LOCK: MIL STD MS35335-60			1	0.5	0.1	5.0		10437
11P1F	5310-227-6574	†	†					WASHER,FLAT: Kleinschmidt p/n 10450 (Authorized allowances based on a total of 6 per equipment)			2	1.0	0.3	30.0		10450
11P1F	5310-261-7155		†					WASHER,FINISHING: Shakeproof p/n 1724-02			1	0.5	0.1	5.0		10478
	5310-551-7541		†					NUT,SELF-LOCKING,HEXAGON: (For authorized allowances see GROUP 1)			5					10500
11P1F	5310-523-2035	†						NUT,SELF-LOCKING,HEXAGON: Kleinshcmidt p/n 10501 (Authorized allowances based on atotal of 8 per equip in TT-107/FG and 14 per equip in TT-107B/FG)			0	1.9	0.8	40.0		10501

Army-Ft Monmouth,NJ-MON

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			TT-107/FG,TT-107B/FG (continued)								
11P1F	5310-527-4494	†	NUT,PLAIN,HEXAGON: Klienschmidt p/n 10513			2	0.8	0.2	10.0		10513
11P1F	5310-208-6478	†	NUT,SELF-LOCKING,HEXAGON: ESNA p/n 79M02 (Authorized allowances based on a total of 12 per equip)			3	1.6	0.8	60.0		10525
P1F	3110-155-9639	†	BEARING,BALL,ANNULAR: MIL STD 102A, Code No. 115-00412-2000			1	0.8	0.2	5.0		10762
P1F	5315-243-1174	†	PIN,COTTER: Kleinschmidt p/n 10802			2	1.0	0.3	10.0		10802
P1F	5340-298-7072	† †	RING,RETAINING: Waldes Kohinoor p/n 5133-18-PP-Rp (Authorized allowances based on a total of 18 per equip)			2	3.6	2.1	90.0		10949
P1F	5340-256-2867	† †	RING,RETAINING: Waldes Kohinoor p/n 5133-15(.025)-PP (Authorized allowances based on a total of 6 per equipment)			1	1.6	0.8	30.0		10960
11P1F	5340-282-0780	† †	RING,RETAINING: Waldes Cat No. 5133-12-S-MD (Authorized allowances based on a total of 11 per equip)			1	2.5	1.3	55.0		10969
10P 0	7530-634-6237	† †	TAPE,TELETYPEWRITER: Fed Spec No. UU-T-120			1	162.7	155.7	1000.0		10982
	5940-642-4428	†	TERMINAL,LUG: (For authorized allowances see GROUP 1)			1					20379
11P1F	5940-504-5787	†	TERMINAL,LUG: AMP p/n 321035			2	0.5	0.1	10.0		20789
11P1F	5815-588-0952	†	ROLLER,TAPE: Sig dwg SC-B-70114			2	0.5	0.1	5.0		50162
11P1F	5310-596-6990	†	WASHER,FLAT: Sig dwg SC-B-69322-2			2	0.5	0.1	10.0		50319
11P1F	5310-521-8731	† †	WASHER,FLAT: Sig dwg SC-B-69526 (Authorized allowances based on a total of 5 per equip)			3	0.9	0.3	20.0		50827
11P1F	5815-200-7882	†	SPRING,HELICAL,EXTENSION: Sig dwg SM-B-157010-7			3	1.3	0.5	15.0		52212

Army-Ft Monmouth,NJ-M

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-107/FG,TT-107B/FG (continued)								
P1F	5340-597-9495	†	SPRING,HELICAL,EXTENSION: Sig dwg SM-B-157011-7			1	0.7	0.2	5.0		52266
11P1F	5815-395-9452	†	COLLAR: Sig dwg SM-B-157070			2	0.8	0.2	10.0		52272
11P1F	5815-219-7015	†	LEVER: Sig dwg SM-B-157074			1	0.5	0.1	5.0		52279A
11P1F	5815-395-9453	†	LEVER: Sig dwg SM-B-157075			1	0.5	0.1	5.0		52281
11P1F	5306-545-6289	†	SCREW,MACHINE: Kleinschmidt p/n 52541			1	0.5	0.1	5.0		52541
	5310-590-8021	†	NUT,LATCH,PLATE: (For authorized allowances see GROUP 1)			1					52561
P1F	5340-664-2695	†	SPRING,HELICAL,EXTENSION: Sig dwg SM-B-157011-8			1	0.7	0.2	5.0		52576
11P1F	5815-393-1922	†	LATCH: Sig dwg SM-B-148548			1	0.5	0.1	5.0		52938
11P1F	5815-597-2276	†	SPRING,HELICAL,EXTENSION: Sig dwg SM-B-157010-18			1	0.7	0.2	5.0		53312
11P1F	5815-521-7193	†	SPRING,HELICAL,COMPRESSION: Sig dwg SM-B-196060			1	0.7	0.2	5.0		55459
11P1F	5815-327-5152	†	LEVER: Sig dwg SM-B-187439			1	0.5	0.1	5.0		56234
11P1F	5310-655-9506	†	NUT,PLAIN,HEXAGON: Kleinschmidt p/n 57314			1	0.5	0.1	5.0		57314
11P1F	5815-588-0951	†	LEVER: Sig dwg SM-B-314831			1	0.5	0.1	5.0		57380
P1F	5315-626-9388	†	PIN,INDEX: Kleinschmidt p/n 57389			1	0.5	0.1	5.0		57389
11P1F	5305-655-9501	†	SCREW,SHOULDER: Kleinschmidt p/n 57390			1	0.5	0.1	5.0		57390
11P1F	5815-551-0100	†	SPRING,HELICAL,COMPRESSION: Sig dwg SM-B-314838-1			1	0.7	0.2	5.0		57391

Army-Ft Monmouth,NJ-M

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-107/FG,TT-107B/FG (continued)								
11P1F	5815-558-3182	†	SPRING,HELICAL,EXTENSION: Sig dwg SM-B-314840			1	0.7	0.2	5.0		57394
11P1F	5815-554-0800	†	SPACER,SLEEVE: Sig dwg SM-B-314841			1	0.5	0.1	5.0		57395
			GROUP 4 PRINTING AND PUNCHING								
11P1F	5305-521-8637	† †	SCREW,CAP,SOCKETHEAD: MIL STD MS35460-1			4	1.2	0.4	20.0		10001
	5305-753-4356	† †	SCREW,CAP,SOCKETHEAD: (For authorized allowances see GROUP 3)			2					10004
11P1F	5305-514-7728	†	SCREW,CAP,SOCKETHEAD: Kleinschmidt p/n 10006 (Authorized allowances based on a total of 7 per equipment)			2	1.9	0.8	35.0		10006
11P1F	5305-721-5430	†	SCREW,CAP,SOCKETHEAD: MIL std MS35459-14 (Authorized allowances based on a total of 8 per equipment)			4	1.8	0.8	40.0		10008
11P1F	5305-297-7966	† †	SCREW,CAP,SOCKETHEAD: MIL-S-933B,type C (Authorized allowances based on a total of 3 per equipment)			1	1.0	0.3	15.0		10009
11P1F	5305-573-3925	†	SCREW,CAP,SOCKETHEAD: Kleinschmidt p/n 10017			1	0.5	0.1	5.0		10017
11P1F	5305-545-8344	†	SCREW,CAP,SOCKETHEAD: Kleinschmidt p/n 10017-01			2	0.8	0.2	10.0		10017-01
	5305-297-7962	†	SCREW,CAP,SOCKETHEAD: (For authorized allowances see GROUP 3)			2					10025
11P1F	5305-576-7525	†	SCREW,CAP,HEXAGONHEAD: Kleinschmidt p/n 10089			1	0.5	0.1	5.0		10089
11P1F	5305-333-4262	† †	SETSCREW: MIL STD MS51019-34 (Authorized allowances based on a total of 13 per equipment)			6	1.6	0.8	65.0		10203
11P1F	5305-297-7905	† †	SETSCREW: MIL STD MS51020-49 (Authorized allowances based on a total of 4 per equipment)			3	1.2	0.4	20.0		10210

Army-Ft Monmouth,NJ-1

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
															FIGURE NO.	ITEM NO.
A B C D								TT-107/FG,TT-107B/FG (continued)								
11P1F	5305-333-4254		†					SETSCREW: MIL STD MS51020-51 (Authorized allowances based on a total of 5 per equipment)			3	1.4	0.5	25.0		10211
11P1F	5305-521-8638	†						SCREW,MACHINE: Kleinschmidt p/n 10304			7	1.9	0.8	35.0		10304
11P1F	5305-521-8635	†	†					SCREW,MACHINE: Kleinschmidt p/n 10305			3	1.0	0.3	15.0		10305
11P1F	5305-206-3537	†	†					SCREW,CAP,HEXAGONHEAD: Kleinschmidt p/n 10397			1	0.5	0.1	5.0		10397
11P1F	5310-282-9584	†	†					WASHER,LOCK: MIL STD MS35333-73 (Authorized allowances based on a total of 14 per equipment)			3	1.9	0.8	70.0		10405
	5310-013-1196	†	†					WASHER,LOCK: (For authorized allowances see GROUP 1)			6					10429
	5310-209-3871	†	†					WASHER,LOCK: (For authorized allowances see GROUP 3)			12					10430
	5310-198-3711	†	†					WASHER,LOCK: (For authorized allowances see GROUP 3)			3					10431
11P1F	5310-595-5969	†	†					WASHER,FLAT: Stoddart p/n 70107 (Authorized allowances based on a total of 7 per equip)			3	1.1	0.4	35.0		10459
	5310-429-2274		†					WASHER,FLAT: (For authorized allowances see GROUP 1)			1					10463
11P1F	5310-637-3945	†	†					WASHER,FLAT: Kleinschmidt p/n 10464 (Authorized allowances based on a total of 3 per equip)			1	0.7	0.2	15.0		10464
	5310-523-2035	†	†					NUT,SELF-LOCKING,HEXAGON: (For authorized allowances see GROUP 3)			3					10501
	5310-208-6478		†					NUT,SELF-LOCKING,HEXAGON: (For authorized allowances see GROUP 3)			3					10525
11P1F	5310-208-4118	†	†					NUT,PLAIN,HEXAGON: Kleinschmidt p/n 10526			1	0.5	0.1	5.0		10526
9 P1H	3120-287-7413		†					BEARING,SLEEVE: Amplex Div,Chrysler Corp Cat No. F-348-2			2	0.8	0.2	10.0		10716

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			TT-107/FG,TT-107B/FG (continued)								
9 P1F	3110-155-9628	† †	BEARING,BALL,ANNULAR: Marlin-Rockwell p/n R-4-FFT-407AO (Authorized allowances based on a total of 2 per equipment)			1	1.2	0.4	10.0		10753
P1F	5315-242-5473	† †	PIN,COTTER: Kleinschmidt p/n 10806 (Authorized allowances based on a total of 3 per equip)			1	1.0	0.3	15.0		10806
10P 0	7510-511-6690	† †	RIBBON,PRINTING,TELETYPEWRITER: Fed Spec No. DDD-R-311D,type 1,Grade A, Class 1			1	84.0	79.0	1000.0		10901
P1F	5315-537-7638	†	PIN,STRAIGHT,HEADLESS: Kleinschmidt p/n 10917			6	1.4	0.5	30.0		10917
	5340-298-7072	† †	RING,RETAINING: (For authorized allowances see GROUP 3)			9					10949
	5340-256-2867	† †	RING,RETAINING: (For authorized allowances see GROUP 3)			3					10960
	5340-282-0780	† †	RING,RETAINING: (For authorized allowances see GROUP 3)			7					10969
P1F	5340-286-9467	† †	RING,RETAINING: Waldes Kohinoor p/n 5100-28			1	0.8	0.2	5.0		10971
11P1F	5815-356-3273	†	ROLLER,PAPER: Kleinschmidt p/n 50161A			2	0.8	0.2	10.0		50161A
11P1F	5305-524-5612	† †	NUT,PLAIN,PLATE: Sig dwg SC-B-69499 (Authorized allowances based on a total of 7 per equipment)			2	1.9	0.8	35.0		50174
11P1F	5310-060-2948	† †	WASHER,FLAT: Sig dwg SC-B-69322-3			2	0.5	0.1	10.0		50320
11P1F	5815-254-4911	† †	COLLAR,SHAFT: Sig dwg SC-B-69522-1 (Authorized allowances based on a total of 3 per equip)			2	1.0	0.3	15.0		50391
11P1F	5310-523-2141	†	WASHER,FLAT: Sig dwg SC-B-69906			2	0.5	0.1	10.0		50831
11P1F	5815-663-3339	†	SPRING,HELICAL,COMPRESSION: Sig dwg SM-B-148310-1			2	1.0	0.3	10.0		51593

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
															FIGURE NO.	ITEM NO.
A B C D								TT-107/FG,TT-107B/FG (continued)								
11P1F	5815-309-3880	†	†					ROLLER,TAPE: Sig dwg SM-B-157305			1	0.5	0.1	5.0		52126A
11P1F	5815-597-2274	†	†					SPRING,HELICAL,EXTENSION: Sig dwg SM-B-157010-1			1	0.7	0.2	5.0		52161
11P1F	5815-597-2294	†	†					SPRING,HELICAL,EXTENSION: Sig dwg SM-B-157011-1			1	0.7	0.2	5.0		52163
11P1F	5815-597-2292	†	†					SPRING,HELICAL,EXTENSION: Sig dwg SM-B-157011-2			1	0.7	0.2	5.0		52164
11P1F	5815-395-9461	†	†					STUD: Sig dwg SM-B-157091			1	0.5	0.1	5.0		52327
11P1F	5815-395-9462	†	†					STUD: Sig dwg SM-B-157093			1	0.5	0.1	5.0		52329
11P1F	5815-395-9463	†	†					PAWL: Sig dwg SM-B-157095			1	0.5	0.1	5.0		52331A
11P1F	5815-395-9466	†						ARM ASSEMBLY: Kleinschmidt p/n 52337A			1	0.5	0.1	5.0		52337A
11P1F	5305-393-1906	†	†					STUD: Sig dwg SM-B-157105			1	0.5	0.1	5.0		52342
11P1F	5815-392-7761	†	†					POST: Sig dwg SM-B-157108			1	0.5	0.1	5.0		52345
11P1F	5815-395-9468	†	†					LEVER: Sig dwg SM-B-157109			5	1.4	0.5	25.0		52346
11P1F	5815-395-9469	†	†					LEVER: Sig dwg SM-B-157110			1	0.5	0.1	5.0		52347
11P1F	5815-395-9477	†	†					SCREW,ADJUSTMENT: Sig dwg SM-B-157116			1	0.5	0.1	5.0		52365
11P1F	5815-395-9480	†	†					SPROCKET,TAPE: Sig dwg SM-B-157125			1	0.5	0.1	5.0		52377
11P1F	5815-030-0427	†	†					WHEEL,DETENT: Sig dwg SM-B-157130			1	0.5	0.1	5.0		52384
11P1F	5815-393-1908	†						POST,POSITIONING: Kleinschmidt p/n 52399			1	0.5	0.1	5.0		52399

Army-Ft Monmouth,NJ-MO

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			TT-107/FG,TT-107B/FG (continued)								
11P1F	5310-595-5387	†	WASHER,FLAT: Sig dwg SM-B-157147			1	0.3	0.1	5.0		52407
11P1F	5815-395-9483	†	PIVOT: Sig dwg SM-B-157148			1	0.5	0.1	5.0		52409
11P1F	5815-392-7765	†	SHAFT: Sig dwg SM-B-157153			1	0.3	0.1	5.0		52414
11P1F	5815-392-7766	† †	GUIDE,RIBBON: Sig dwg SM-B-157155			1	0.7	0.2	5.0		52416A
11P1F	5815-392-7767	† †	POST,TYPEWHEEL: Sig dwg SM-B-157157			1	0.5	0.1	5.0		52418
11P1F	5815-392-7769	† †	SPRING,HELICAL,TORSION: Sig dwg SM-B-157161			1	0.7	0.2	5.0		52422
11P1F	5815-392-7771	† †	LEVER: Sig dwg SM-B-157163-1			1	0.5	0.1	5.0		52424
11P1F	5815-392-7772	† †	LEVER: Sig dwg SM-B-157163-2			1	0.5	0.1	5.0		52426
11P1F	5815-392-7773	† †	LEVER: Sig dwg SM-B-157163-3			1	0.5	0.1	5.0		52427
11P1F	5815-392-7774	† †	LEVER: Sig dwg SM-B-157163-4			1	0.5	0.1	5.0		52428
11P1F	5815-392-7775	† †	LEVER: Sig dwg SM-B-157163-5			1	0.5	0.1	5.0		52429
11P1F	5310-205-8937	† †	WASHER,FLAT: Sig dwg SM-B-157017-6 (Authorized allowances based on a total of 5 per equip)-			4	0.9	0.3	25.0		52430
11P1F	5815-392-7776	† †	LEVER: Sig dwg SM-B-157165			1	0.5	0.1	5.0		53432
11P1F	5815-392-7778	† †	LEVER: Sig dwg SM-B-157168			1	0.5	0.1	5.0		52436A
11P1F	5815-392-7779	† †	SHAFT: Sig dwg SM-B-157172			1	0.5	0.1	5.0		52442A
11P1F	5815-392-7780	† †	LEVER ASSEMBLY: Sig dwg SM-B-157173			1	0.5	0.1	5.0		52445A

Army-Ft Monmouth,NJ-J

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D															FIGURE NO.	ITEM NO.
								TT-107/FG,TT-107B/FG (continued)								
11P1F	5310-595-5383	†	†					WASHER,FLAT: Kleinschmidt p/n 52446			7	1.1	0.4	35.0		52446
11P1F	5815-392-7781	†	†					SHAFT: Sig dwg SM-B-157177			1	0.5	0.1	5.0		52452
11P1F	5815-219-7017	†	†					LEVER: Sig dwg SM-B-157190			1	0.5	0.1	5.0		52480A
11P1F	5815-392-7786	†	†					LEVER: Sig dwg SM-B-157192			1	0.5	0.1	5.0		52482A
11P1F	5815-537-8444	†	†					PIN,LOCATING: Kleinschmidt p/n 52485			1	0.5	0.1	5.0		52485
11P1F	5815-692-6839	†	†					PIN,STRAIGHT,HEADLESS: Sig dwg SM-B-157196			1	0.5	0.1	5.0		52486
11P1F	5815-392-7789	†						GUIDE,TAPE: Sig dwg SM-B-157198			1	0.5	0.1	5.0		52489A
11P1F	5815-395-9491	†						DIE SET: Sig dwg SM-B-157219			1	0.7	0.2	5.0		52520A
11P1F	5815-096-7422		†					SHIM: Sig dwg SM-B-157251-1 (Authorized allowances based on a total of 4 per equip)			2	1.2	0.4	20.0		52577
11P1F	5815-092-1438		†					SHIM: Sig dwg SM-B-157251-2 (Authorized allowances based on a total of 4 per equip)			2	1.2	0.4	20.0		52578
11P1F	5815-030-0430	†	†					STUD: Sig dwg SM-B-157254			1	0.5	0.1	5.0		52585
11P1F	5815-392-7799	†						LEVER: Sig dwg SM-B-148450			1	0.5	0.1	5.0		52586
11P1F	5815-392-7801	†	†					WHEEL,RATCHET: Sig dwg SM-B-157259			1	0.7	0.2	5.0		52590A
11P1F	5815-392-7802	†	†					WHEEL,DETENT: Sig dwg SM-B-157259-2			1	0.7	0.2	5.0		52591A
11P1F	5815-393-1913	†						BRACKET: Sig dwg SM-B-157262-1			1	0.3	0.1	5.0		52594
P1F	5315-523-8657	†	†					PIN,STRAIGHT,HEADLESS: Sig dwg SM-B-157263			1	0.5	0.1	5.0		52595

Army-Ft Monmouth,NJ-MC

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-107/FG,TT-107B/FG (continued)								
11P1F	5815-392-7803	† †	LEVER: Sig dwg SM-B-157264-1			1	0.5	0.1	5.0		52596
11P1F	5815-392-7804	† †	LEVER: Sig dwg SM-B-157264-2			1	0.5	0.1	5.0		52597
11P1F	5815-301-4609	†	BRACKET: Sig dwg SM-B-157265			1	0.3	0.1	5.0		52598
11P1F	5815-392-7805	†	BRACKET: Sig dwg SM-B-157262-2			1	0.3	0.1	5.0		52599
11P1F	5815-395-9494	† †	SHAFT: Sig dwg SM-B-157266			1	0.5	0.1	5.0		52601
P1F	5340-543-4366	†	SPRING,HELICAL,EXTENSION: Kleinschmidt p/n 52602			1	0.7	0.2	5.0		52602
11P1F	5815-200-7883	† †	SPRING,HELICAL,EXTENSION: Sig dwg SM-B-157011-9			4	1.4	0.5	20.0		52603
11P1F	5815-200-7884	† †	SPRING,HELICAL,EXTENSION: Sig dwg SM-B-157010-8			2	1.0	0.3	10.0		52604
11P1F	5815-395-9495	† †	LEVER: Sig dwg SM-B-157267-1			1	0.5	0.1	5.0		52605
11P1F	5815-395-9496	† †	LEVER: Sig dwg SM-B-157267-2			1	0.5	0.1	5.0		52607
11P1F	5815-395-9497	† †	GUIDE,RIBBON: Sig dwg SM-B-157267-2			2	0.8	0.2	10.0		52608
P1F	5315-597-9672	† †	PIN,GROOVED,HEADLESS: Sig dwg SM-B-157270			1	0.7	0.2	5.0		52609
11P1F	5815-392-7806	† †	DETENT ASSEMBLY: Sig dwg SM-B-157271-GRI			1	0.5	0.1	5.0		52610A
11P1F	5815-392-7807	† †	DETENT ASSEMBLY: Sig dwg SM-B-157271-GRII			1	0.5	0.1	5.0		52611A
11P1F	5815-392-7808	†	CLIP: Kleinschmidt p/n 52615			1	0.3	0.1	5.0		52615
11P1F	5815-600-2800	† †	LEVER ASSEMBLY: Sig dwg SM-B-157279			1	0.5	0.1	5.0		52622A

Army-Ft Monmouth,NJ-MON

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-107/FG,TT-107B/FG (continued)								
P1F	5815-590-7994	†	BUSHING,PLAIN,SLEEVE: Kleinschmidt p/n 52646			1	0.5	0.1	5.0		52646
11P1F	5310-595-6653	† †	WASHER,FLAT: Sig dwg SM-B-157017-4			3	0.7	0.2	15.0		52651
11P1F	5815-392-7827	†	BRACKET ASSEMBLY: Kleinschmidt p/n 52681			1	0.3	0.1	5.0		52681
11P1F	5815-392-7829	†	MOUNTING: Kleinschmidt p/n 52686			1	0.3	0.1	5.0		52686
P1F	5315-537-8439	†	PIN,HINGE: Kleinshcmitd p/n 52702			1	0.7	0.2	5.0		52702
P1F	5315-663-3181	† †	PIN,GROOVED,HEADLESS: Kleinschmidt 52703			1	0.5	0.1	5.0		52703
11P1F	5815-392-7832	†	ARM ASSEMBLY: Sig dwg SM-B-157322			1	0.5	0.1	5.0		52704A
11P1F	5815-392-7833	†	ARM ASSEMBLY: Sig dwg SM-B-157322-GRII			1	0.5	0.1	5.0		52705A
11P1F	5815-652-9865	†	LEVER: Sig dwg SM-B-314976			2	0.8	0.2	10.0		52708
11P1F	5815-392-8231	†	PIN,LOCKING: Sig dwg SM-B-157412			1	0.5	0.1	5.0		53179
P1F	5340-597-1789	†	SPRING,HELICAL,COMPRESSION: Kleinschmidt p/n 53256			1	0.7	0.2	5.0		53256
11P1F	5815-521-1397	†	COLLAR,SPACING: Sig dwg SM-B-157014-4			4	1.2	0.4	20.0		53334
11P1F	5310-595-6311	† †	WASHER,SPRING,TENSION: Kleinschmidt p/n 53427			4	1.2	0.4	20.0		53427
11P1F	5815-340-3704	†	DIE SET,TAPE PUNCHING: Kleinschmidt p/n 53543A			1	0.7	0.2	5.0		53543A
11P1F	5815-537-7691	†	CHUTE,CHAD: Kleinschmidt p/n 54160			1	0.5	0.1	5.0		54160
11P1F	5815-330-9943	†	BRACKET: Sig dwg SM-B-149032			1	0.3	0.1	5.0		54176

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-107/FG,TT-107B/FG (continued)								
11P1F	5815-562-6326	† †	TYPEWHEEL,TELETYPEWRITER: Sig dwg SM-B-157184			1	0.7	0.2	5.0		55132
11P1F	5815-562-8861	† †	GEAR ASSEMBLY: Sig dwg SM-B-157127			1	0.7	0.2	5.0		55134A
11P1F	5815-664-2194	†	SPRING,HELICAL,EXTENSION: Kleinschmidt p/n 56158			1	0.7	0.2	5.0		56158
11P1F	5815-340-3733	†	CUTTER,TAPE: Sig dwg SM-B-187404			1	0.5	0.1	5.0		56164
11P1F	5815-560-5748	†	SPRING,HELICAL,TORSION: Sig dwg SM-B-187556			1	0.7	0.2	5.0		57059
11P1F	5815-560-5747	†	SPRING,HELICAL,TORSION: Sig dwg SM-B-187858			1	0.7	0.2	5.0		57060
11P1F	5305-592-7735	†	SCREW,EXTERNALLY RELIEVED BODY: Sig dwg SM-B-187559			1	0.5	0.1	5.0		57063
11P10	5815-592-0790	† †	BIN,CHAD: Kleinschmidt p/n 57611A			1	0.3	0.1	5.0		57611A

Army-Ft Monmouth,NJ-MON

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-107/FG, TT-107B/FG (continued)								
			GROUP 5 FUNCTION AND SELECTOR								
11P1 F	5815-323-7321	† †	RELAY, ARMATURE: Kleinschmidt #56130A			1	0.7	0.2	5.0		E1
11P1 F	5935-296-8675	†	CONNECTOR, PLUG, ELECTRICAL: Amphenol part No. 26-195			1	0.5	0.1	5.0		P1
		†				1	0.5	0.1	5.0		P2
11P1 F	5905-255-2429	†	RESISTOR, VARIABLE: 50,000 ohms ±10%; 2w; AB TYPE No. J2U5031- P2040			1	0.7	0.2	5.0		R4
11P1 F	5905-556-5561	†	RESISTOR, VARIABLE: 5000 ohms, ±20%; 2W; MIL-R-94, type No. RV4NATSA502B			1	0.7	0.2	5.0		R4
11P1 F	5305-335-0400	† †	SCREW, CAP, SOCKET HEAD: Kleinschmidt part No. 10000			1	0.5	0.1	5.0		10000
	5305-531-9034	†	SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group 3)			4					10003
	5305-753-4356	† †	SCREW, CAP, SOCKET HEAD: (For authorized allowances see GR 3)			8					10004
11P1 F	5305-655-9483	† †	SCREW, CAP, SOCKET HEAD: MIL std MS35460-3 (Authorized allowances based on a total of 3 per equipment)			1	1.0	0.3	15.0		10005
	5305-514-7728	† †	SCREW, CAP, SOCKET HEAD: (Authorized allowances see Group 4)			5					10006
	5305-721-5430	†	SCREW, CAP, SOCKET HEAD: (For authorized allowances see GR 4)			2					10008
	5305-297-7966	† †	SCREW, CAP, SOCKET HEAD: (For authorized allowances see GR 4)			2					10009
11P1 F	5305-206-2476	† †	SCREW, CAP, SOCKET HEAD: Kleinschmidt part No. 10010 (Auth allowances based on a total of 12 per equipment)			4	1.6	0.8	60.0		10010
11P1 F	5305-570-5987	† †	SCREW, CAP, SOCKET HEAD: MIL STD MS35459-17			2	0.8	0.2	10.0		10011

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-107/FG,TT-107B/FG (continued)								
11P1 F	5305-570-6002	† †	SCREW,CAP, SOCKET HEAD: MIL STD MS35460-13			12	1.6	0.8	60.0		10018
11P1F	5305-660-2431	† †	SCREW,CAP, SOCKET HEAD: MIL STD MS35460-25			1	0.5	0.1	5.0		10021-01
11P1 F	5305-655-6955	† †	SCREW,CAP, SOCKET HEAD: MIL STD MS35460-11			2	0.8	0.2	10.0		10024
11P1 F	5305-274-0405	† †	SCREW,CAP, SOCKET HEAD: MIL STD MS35461-4			2	0.8	0.2	10.0		10028
11P1 F	5305-057-1262	†	SCREW,CAP, SOCKET HEAD: Kleinschmidt part No. 10029 (Auth			2	0.8	0.2	10.0		10029
		†	allowances based on total of 2)			1	0.8	0.2	10.0		10029
	5305-545-8374	† †	SCREW,CAP, SOCKET HEAD: (For auth allowances see Group 3)			4					10032
11P1 F	5305-206-2224	†	SCREW,CAP, SOCKET HEAD: MIL STD MS35460-5			2	0.8	0.2	10.0		10034
11P1 F	5305-208-3610	† †	SCREW,CAP, SOCKET HEAD: Kleinschmidt part No. 10035-01			6	1.4	0.5	30.0		10035-01
	5305-639-0511	†	SCREW,CAP, SOCKET HEAD: (For authorized allowances see Group 3)			1					10037
11P1 F	5305-805-6598	†	SCREW,CAP, SOCKET HEAD: MIL STD MS35459-3			2	0.8	0.2	10.0		10043
11P1 F	5305-206-2478	†	SCREW,CAP, SOCKET HEAD: Kleinschmidt part No. 10046			2	0.8	0.2	10.0		10046
11 B F	5305-721-4490	†	SCREW,CAP, SOCKET HEAD: MIL STD MS35459-1			2	0.8	0.2	10.0		10058
11P1 F	5305-639-3331	†	SCREW,CAP, SOCKET HEAD: Kleinschmidt part No. 10060			1	0.5	0.1	5.0		10060
11P1 F	5305-551-5876	†	SCREW,CAP, SOCKET HEAD: MIL STD MS35459-21			1	0.5	0.1	5.0		10067
11P1 F	5305-297-7700	† †	SCREW, MACHINE: Kleinschmidt part No. 10076			1	0.5	0.1	5.0		10076

SOURCE CODE A B C D	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION FIGURE NO.	ILLUSTRATION ITEM NO.
			TT-107B/FG,TT-107/FG (continued)								
11P1 F	5306-141-2885	†	BOLT,MACHINE: FED SPEC FF-S-92, type II,Style 10P (Authorized allowances based ona total of 1 in TT-107/FT, 4 in TT107B/FG)			0	0.5	0.1	5.0		10079
		†				4	0.8	0.2	20.0		10079
11P1F	5305-543-2594	†	SCREW,MACHINE: Kleinschmidt part No. 10087			3	1.0	0.3	15.0		10087
11P1 F	5305-333-4261	†	SETSCREW:: MIL STD MS51019-33			12	1.6	0.8	60.0		10201
	5305-333-4262	† †	SETSCREW: (For authorized allowances see Group 4)			7					10203
11P1F	5305-333-4251	† †	SETSCREW: MIL STD MS51010-41			1	0.5	0.1	5.0		10207
11P1F	5305-576-5488	† †	SETSCREW: FED SPEC NO. FF-S-103,type III, style No. 4			6	1.4	0.5	30.0		10208
11P1 F	5305-207-8967	† †	SETSCREW: MIL STD MS51020-48			24	2.8	1.5	120.0		10209
	5305-297-7905	† †	SETSCREW: (For authorized allowances ss GR 4)			1					10210
	5305-333-4254	†	SETSCREW: (For authorized allowances ss GR 4)			2					10211
11P1F	5305-297-7909	† †	SETSCREW: MIL STD MS51027-30			1	0.5	0.1	5.0		10220
11P1F	5305-297-7894	†	SETSCREW: MIL STD MS51020-27			2	0.8	0.2	10.0		10221
11P1F	5305-639-1350	† †	SETSCREW: MIL STD MS51027-29			1	0.5	0.1	5.0		10225
11P1 F	5305-545-8466	†	SETSCREW: MIL STD MS51028-29			2	0.8	0.2	10.0		10235
11P1 F	5305-333-5046	†	SCREW,MACHINE: Kleinschmidt part No. 10303			2	0.8	0.2	10.0		10303

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD FIELD	4TH FIELD	5TH DEPOT	ILLUSTRATION	
															FIGURE NO.	ITEM NO.
A B C D								TT-107/FG, TT-107B/FG (continued)								
11P1 F	5305-638-0861	†	†					SCREW, MACHINE: Kleinschmidt part No. 10317			3	1.0	0.3	15.0		10317
11P1 F	5305-297-7721	†						SCREW, MACHINE: Kleinschmidt part No. 10398			3	1.0	0.3	15.0		10398
9P1 F	5310-282-9068		†					WASHER, LOCK: Shakeproof part No. 1714-00			1	0.5	0.1	5.0		10400
	5310-209-3990		†					WASHER, LOCK: (For authorized allowances see Group 1)			2					10403
	5310-543-2739		†					WASHER, LOCK: (For authorized allowances see Group 1)			3					10404
	5310-282-9584	†	†					WASHER, LOCK: (For authorized allowances see Group 4)			4					10405
11P1 F	5310-261-6197	†	†					WASHER, LOCK: Shakeproof Part No. 4010-14.00			6	1.0	0.3	30.0		10406
11P1 F	5310-537-8380		†					WASHER, LOCK: Kleinschmidt #10419			1	0.3	0.1	5.0		10419
11P1 F	5310-637-9606	†	†					WASHER, LOCK: Kleinschmidt #10420			2	0.5	0.1	10.0		10420
	5310-013-1196	†	†					WASHER, LOCK: (For authorized allowances see Group 1)			19					10429
	5310-209-3871	†	†					WASHER, LOCK: (For authorized allowances see Group 3)			14					10430
	5310-198-3711	†	†					WASHER, LOCK: (For authorized allowances see Group 3)			10					10431
11P1 F	5310-017-8164	†	†					WASHER, LOCK: MIL std MS35339-58			3	0.7	0.2	15.0		10433
11P1 F	5310-209-3860	†	†					WASHER, LOCK: Kleinschmidt part #10434			2	0.5	0.1	10.0		10434
11P1 F	5310-576-1352		†					WASHER, LOCK: MIL std MS35340-62			2	0.5	0.1	10.0		14038
	5310-227-6574	†	†					WASHER, FLAT: (For authorized allowances see Group 3)			4					10450

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-107/FG, TT-107B/FG (Continued)								
9P1 F	5310-209-0574	†	WASHER, FLAT: Kleinschmidt part #10454			2	0.5	0.1	10.0		10454
11P1F	5310-637-3944	† †	WASHER, FLAT: Kleinschmidt part #10458			5	1.1	0.4	35.0		10458
	5310-595-5969	† †	WASHER, FLAT: (For authorized allowances see Group 4)			4					10459
P1 F	5340-697-3599	† †	RING, RETAINING: Kleinschmidt #10462			1	0.8	0.2	5.0		10462
	5310-429-2274	†	WASHER, FLAT: (For auth allowances see Group 1)			2					10463
	5310-637-3945	† †	WASHER, FLAT: (For auth allowances see Group 4)			2					10464
11P1 F	5310-595-5385	† †	WASHER, LFAT: Kleinschmidt part No. 10467			2	0.5	0.1	10.0		10467
11P1 F	5310-524-0236	†	WASHER FLAT: SIG dwg No. SM-B-154725			1	0.5	0.1	5.0		10468
	5310-551-7541	† †	NUT, SELF-LOCKING HEXAGON: (For authorized allowances see GR 1)			8					10500
	5310-523-2035	† †	NUT, SELF-LOCKING HEXAGON: (For authorized allowances see GR 3)			5					10501
11P1F	5310-550-1154	† †	NUT, PLAIN HEXAGON: Kleinschmidt part No. 10504			2					10504
11P1 F	5310-546-6858	† †	NUT, LOCK: Kleinschmidt part No. 10507			2	0.8	0.2	10.0		10507
11P1 F	5310-208-6617	† †	NUT, PLAIN, HEXAGON: Kleinschmidt part No. 10512			3	1.0	0.3	15.0		10509
11P1F	5310-297-8940	† †	NUT, PLAIN HEXAGON: Kleinschmidt part No. 10512			1	0.5	0.1	5.0		10512
	5310-208-6478	† †	NUT, SELF-LOCKING HEXAGON: (For authorized allowances see GR 3)			2					10525
11P1F	5310-208-6742	† †	NUT, PLAIN HEXAGON: Kleinschmidt part No. 10529			1	0.5	0.1	5.0		10529

SOURCE CODE A	B	C	D	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION FIGURE NO.	ILLUSTRATION ITEM NO.
						TT-107/FG, TT-107B/FG (continued)								
11	P1	F		5310-595-5867	† †	BEARING,SLEEVE: Kleinschmidt part No. 10704			1	0.3	0.1	5.0		10704
9	P1	F		3120-542-0187	†	BEARING,SLEEVE: Chrysler part No. F-445-1			2	0.5	0.1	10.0		10708
				3110-155-9628	† †	BEARING,BALL,ANNULAR: (For authorized allowances see Group 4)			1					10753
9	P1	F		3110-155-9589	† †	BEARING,BALL,ANNULAR: MIL std 102A,Code No. 115-00209-2000			1	0.8	0.2	5.0		10754
9	P1	F		3110-533-4611	† †	BEARING,BALL,ANNULAR: Fafnir #37KDD			2	1.2	0.4	10.0		10756
9	P1	F		3110-144-8858	† †	BEARING,BALL,ANNULAR: Mil Std 102A, code No. 111-00810-2000			1	0.8	0.2	5.0		10757
9	P1	F		3110-144-8865	† †	BEARING,BALL,ANNULAR: MIL std 102A Code 111-00902-2000			1	0.8	0.2	5.0		10758
11	P1	F		3110-155-8418	†	BEARING,BALL,ANNULAR: MIL std 102A, Code No. 115-00619-2004			1	0.8	0.2	5.0		10763
				5315-242-5473	† †	PIN,COTTER: (For auth allowances see Group 4)			2					10806
	P1	F		5315-598-6077	† †	PIN,TAPERED,PLAIN: MIL std 105-2, type No. 105-2S40-6			1	0.5	0.1	5.0		10852
	P1	F		5315-141-1689	†	PIN,TAPERED,PLAIN: Kleinschmidt # 10859			2	0.8	0.2	10.0		10859
	P1	F		5315-209-7626	†	PIN,TAPERED,PLAIN: Kleinschmidt 10860			2	0.8	0.2	10.0		10860
	P1	F		5315-297-4199	†	PIN,STRAIGHT,HEADLESS: Kleinschmidt part No. 10918			2	0.8	0.2	10.0		10918
	P1	F		5340-567-2552	† †	RING,RETAINING: Waldes Kohinoor part No. 5005-31-S			1	0.8	0.2	5.0		10929
				5340-298-7072	† †	RING,RETAINING: (For authorized allow see Group 3)			7					10949
	P1	F		5340-282-0778	† †	RING,RETAINING: Waldes Kohinoor part No. 5133-31-PP			2	1.2	0.4	10.0		10959

SOURCE CODE				FEDERAL STOCK NUMBER	DESIGNATION BY MODEL							DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A	B	C	D																FIGURE NO.	ITEM NO.
												TT-107/FG,TT-107B/FG(continued)								
				5340-256-2867	†	†						RING,RETAINING: (For authorized allow see Group 3)			2					10960
				5340-282-0780	†	†						RING,RETAINING: (For authorized allow see Group 3)			3					10969
	P1	F		5340-205-4731	†							RING,RETAINING: Kleinschmidt part 10981			1	0.8	0.2	5.0		10981
	P1	F		5355-667-9243	†							KNOB: Kleinschmidt part No. 20815			1	0.3	0.1	5.0		20815
	P1	F		5330-776-2693	†	†						DISK,FRICTION: Kleinschmidt part No. 61344A; (Kleinschmidt part No. 61344A which replaces 50013 and 56765)	set		1	0.7	0.2	5.0		50013, or 56765
11	P1	F		5815-356-3235	†	†						LEVER: SIG dwg No. SC-B-69491			1	0.5	0.1	5.0		50014
11	P1	F		5815-356-3237	†							PLATE,FRICTION:SIG dwg #SC-B-69493			6	1.4	0.5	30.0		50018
11	P1	F		5815-356-3238	†							LATCH,LEVER: Sig dwg No. SC-B-69472			1	0.5	0.1	5.0		50020A
11	P1	F		5310-523-2002	†	†						WASHER,FLAT: Sig dwg No. SC-B-69325-3			1	0.3	0.1	5.0		50053
11	P1	F		5815-356-3266		†						CAMSHAFT: Sig dwg No. SC-B-69432			1	0.7	0.2	5.0		50125A
11	P1	F		5815-330-9942								BEARING,PIVOT: Sig dwg #SC-B-69495			1	0.5	0.1	5.0		50146
11	P1	F		5310-521-8475	†	†						WASHER,FLAT: Sig dwg #SC-B-69389-4			4	0.8	0.2	20.0		50147
11	P1	F		5310-523-2003	†	†						WASHER,FLAT: Sig dwg #SC-B-69389-3			9	1.3	0.5	45.0		50148
11	P1	F		5815-240-0188	†	†						COLLAR,SHAFT: Sig dwg No. SC-B-69496			1	0.5	0.1	5.0		50149
	P1	F		5307-096-7415	†							STUD: Sig dwg No. SC-B-69497			1	0.5	0.1	5.0		50151
	P1	F		5815-356-3271	†							STOP,LEVER: Sig dwg No. SC-B-69498			1	0.5	0.1	5.0		50152

SOURCE CODE				FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A	B	C	D															FIGURE NO.	ITEM NO.
											TT-107/FG, 107B/FG (continued)								
				5305-524-5612	†	†					NUT,PLAIN,PLATE: (For auth allowances see Group 4)			5					50174
11	P1	F		5815-356-3280		†					DISK,CLUTCH: Sig dwg #SC-B-69363			1	0.7	0.2	5.0		50198
11	P1	F		5815-263-4114	†						COLLAR,SHAFT: Sig dwg #SC-B-69364			1	0.5	0.1	5.0		50199
11	P1	F		5815-523-8656	†	†					DISK,CLUTCH: Sig dwg #SC-B-69500			1	0.7	0.2	5.0		50200
11	P1	F		5815-294-7390	†	†					COLLAR,SHAFT: Kleinschmidt part No. 50209			1	0.5	0.1	5.0		50209
11	P1	F		5310-521-8729	†	†					WASHER,FLAT: Sig dwg No. SC-B-69322-1			1	0.3	0.1	5.0		50315
11	P1	F		5815-600-2698	†	†					CLAM: Sig dwg #SC-B-69594			1	0.7	0.2	5.0		50317A
11	P1	F		5815-356-3307	†	†					POST,ANCHOR: Kleinschmidt part No. 50325			1	0.3	0.1	5.0		50325
11	P1	O		5815-203-1678	†	†					GEAR,WORM: (60 WPM) Sig dwg # SC-B-69681			1	0.7	0.2	5.0		50350
11	P1	O		5815-378-5593		††					GEAR,WORM WHEEL: (60 WPM) Sig dwg No. SC-B-69663			1	0.7	0.2	5.0		50352A
											OR								
11	P1	O		5815-203-1327	†	†					GEAR,WORM: (100 wpm) Sig dwg #SC-B-70482			1	0.7	0.2	5.0		50596
11	P1	O		5815-351-7944	†	†					GEAR,WORM WHEEL: (100 wpm) Sig dwg No. 70478			1	0.7	0.2	5.0		50597A
11	P1	O		5815-203-1730	†	†					GEAR,SPUR: Sig dwg No. SC-B-70522			1	0.7	0.2	5.0		50354A
11	P1	F		5310-523-2236	†	†					WASHER,FLAT: Sig dwg No. SC-B-69580			1	0.3	0.1	5.0		50374
				5815-254-4911	†	†					COLLAR,SHAFT: (For authorized allowances see Group 4)			1					50391
11	P1	F		5310-523-2143	†	†					WASHER,FLAT: Sig dwg SC-B-69389-2			2	0.5	0.1	10.0		50414

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-107/FG,TT-107B/FG (continued)								
11P1 F	5815-356-3334	† †	FORK,CLUTCH: Sig dwg SM-B-148343			1	0.5	0.1	5.0		50484A
11P1 F	5815-676-2662	†	DISK,CLUTCH: Sig dwg #SC-B-69701			1	0.7	0.2	5.0		50491
11P1 F	5815-351-7925	†	COLLAR,SHAFT: Sig dwg No. SC-B-69702			1	0.5	0.1	5.0		50492
11P1 F	5815-141-2304	†	GEAR,SPUR: Sig dwg No. SM-B-148344			1	0.7	0.2	5.0		50496A
11P1 F	5815-356-3339	† †	BAR,SELECTOR,TLETYPEWRITER: Sig dwg No. SC-B-69639			29	1.9	0.9	50.0		50502
11P1 F	5815-356-3345	† †	STOP,LEVER: Sig dwg No. SC-B-69483			1	0.5	0.1	5.0		50511
11P1 F	5815-351-7928	† †	GEAR,SPUR: Sig dwg #SM-B-148346			1	0.7	0.2	5.0		50512A
11P1 F	5310-521-8723	† †	WASHER,FLAT: Sig dwg SC-B-69325-4 SIG DWG SC-B-69325-4			2	0.5	0.1	10.0		50515
11P1 F	5815-607-3904	† †	DRUM,CLUTCH: Sig dwg SC-B-70505 (Kleinschmidt part No. 57893A which replaces 50516A)			1	0.5	0.1	5.0		50516A
11P1 F	5815-356-3355	† †	ARM: Sig dwg No. SC-B-69625			1	0.5	0.1	5.0		50535
11P1 F	5815-356-3356	† †	CAM: Sig dwg No. SC-B-69704			1	0.7	0.2	5.0		50536
11P1 F	5310-595-5382	† †	WASHER,FLAT: Sig dwg #SC-B-69322-4			1	0.3	0.1	5.0		50544
11P1 F	5815-622-2015	†	POST: Sig dwg No. SC-B-69464			1	0.5	0.1	5.0		50649
11P1 F	5815-351-7948	† †	STUD: Sig dwg No. SC-B-69465			1	0.5	0.1	5.0		50650
11P1 F	5310-576-5486	† †	NUT,PLAIN HEXAGON: Sig dwg SC-B-69466			1	0.5	0.1	5.0		50651
11P1 F	5310-638-5179	†	WASHER,FLAT: Sig dwg No. SC-B-69322-6			1	0.3	0.1	5.0		50746

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-107/FG,TT-107B/FG (continued)								
	5310-521-8731	† †	WASHER,FLAT: (For auth allowances see Group 3)			2					50827
11P1 F	5310-523-2005	† †	WASHER,FLAT: Sig dwg #SC-B-69907-2			1	0.3	0.1	5.0		50839
11P1 F	5815-356-3446	† †	ROLLER: Sig dwg No. SC-B-69666			1	0.5	0.1	5.0		50843
P1 F	5330-784-7868	† †	DISK,FRICTION: Kleinschmidt part No. 61343A;(Kleinschmidt part No. 61343A which replaces part No. 50846,56273, and 56764)			1	0.7	0.2	5.0		50846, 56273, 56764
11P1 F	5815-223-1146	†	SPRING,HELICAL,COMPRESSION: Sig dwg dwg SC-B-69507-5			1	0.7	0.2	5.0		50847
11P1 F	5815-233-0954	† †	SPRING,HELICAL,COMPRESSION: Sig dwg SC-B-69507-11			1	0.7	0.2	5.0		50848
11P1 F	5815-598-4965	† †	SPRING,HELICAL,EXTENSION: Sig dwg SC-B-69326-5			6	1.4	0.6	30.0		50902
11P1 F	5815-598-4995	† †	SPRING,HELICAL,EXTENSION: Sig dwg SC-B-69337-4			1	1.4	0.6	30.0		50903
11P1 F	5815-598-4978	† †	SPRING,HELICAL,EXTENSION: Sig dwg SC-B-69326-6			1	0.7	0.2	5.0		50904
P1 F	5340-597-9070	†	SPRING,HELICAL,COMPRESSION: Sig dwg SC-B-69507-1			1	0.7	0.2	5.0		50910
P1 F	5340-351-7968	†	SPRING,HELICAL,EXTENSION: Sig dwg SC-B-69326-2			1	0.7	0.2	5.0		50912
11P1 F	5815-597-8276	†	SPRING,HELICAL,COMPRESSION: Kleinschmidt part No. 50914			1	0.7	0.2	5.0		50914
11P1 F	5815-570-3491	† †	LEVER,SET: Sig dwg SM-B-187564; (Kleinschmidt part No. 56766A which replaces 51066A)			1	0.7	0.2	5.0		51066A
11P1 F	5815-356-3473	†	LEVER ASSEMBLY: Sig dwg No. SC-B-69487			1	0.7	0.2	5.0		51067A
11P1 F	5815-356-3519	† †	LEVER,SET: Sig dwg No. SC-B-70112 (Kleinschmidt part No. 51598A), (Replaces 51068A)			1	0.7	0.2	5.0		51068A

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
															FIGURE NO.	ITEM NO.
A B C D								TT-107/FG,TT-107B/FG (continued)								
11P1 F	5815-351-7998	†	†					DISK,DRIVING: Sig dwg No. SC-B-69370			1	0.7	0.2	5.0		51117A
11P1F	5815-254-4768	†	†					COUPLING,SHAFT,FLEXIBLE: Kleinschmidt part No. 51167A			1	0.5	0.1	5.0		51167A
11P1 F	5815-356-3482	†						COLLAR,SPACING: Sig dwg No. SC-B-60427			1	0.5	0.1	5.0		51397
11P1 F	5815-547-7872	†	†					CAMASHAFT: Sig dwg No. SM-B-148365			1	0.5	0.2	5.0		51398A
11P1 F	5310-209-0098		†					WASHER,FLAT: Sig dwg #SC-B-69322-9			2	0.5	0.1	10.0		51408
11P1 F	5815-356-3485	†						COLLAR,SPACING: Sig dwg SC-70256-2			1	0.5	0.1	5.0		51414
11P1 F	5815-356-3487	†	†					COLLAR,SPACING: Sig dwg SC-B-70256-1			2	0,8	0.2	10.0		51416
11P1 F	5815-330-9941	†	†					BEARING,UNIT,IDENTICAL: Sig dwg No. SC-B-69494 (Kleinschmidt part No. 50019A set of 6 replaces 51604A, set of 5)			1	0.7	0.2	5.0		51604A
11P1 F	5310-595-6452		†					WASHER,FLAT: Kleinschmidt part #51847			2	0.5	0.1	10.0		51847
11P1 F	5310-595-6482		†					WASHER,FLAT: Kleinschmidt part No. 51848			2	0.5	0.1	10.0		51848
11P1 F	5815-600-3059	†	†					SHAFT: Sig dwg SM-B-157031			1	0.5	0.1	5.0		52134A
11P1 F	5815-600-3114	†	†					LEVER: Kleinschmidt part No. 52142A			1	0.5	0.1	5.0		52142A
11P1 F	5815-395-9440	†	†					SHAFT: Sig dwg SM-B-157037			1	0.5	0.1	5.0		52144
11P1 F	5815-395-9441	†						LINK: Kleinschmidt part #52145			1	0.3	0.1	5.0		52145
11P1 F	5815-506-1575		†					LATCH,LEVER: Sig dwg SM-B-157039			1	0.5	0.1	5.0		52146A
11P1 F	5815-395-9443	†	†					LATCH,LEVER: Sig dwg SM-B-157042			1	0.5	0.1	5.0		52149

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-107/FG,TT-107B/FG (continued)								
11P1 F	5815-395-9444	† †	STUD: Kleinschmidt part No. 52151			1	0.5	0.1	5.0		52151
11P1 F	5815-396-3393	† †	LATCH,LEVER: SIG dwg No. SM-B-157046			1	0.5	0.1	5.0		52155
11P1 F	5815-692-6837	† †	SPACER,SLEEVE: Sig dwg SM-B-157014			1	0.3	0.1	5.0		52157
11P1 F	5815-395-9446	† †	CAM: SIG dwg No. SM-B-157047			1	0.7	0.2	5.0		52158
11P1 F	5815-395-9447	† †	MOUNTING SEAT: Kleinschmidt part No. 52159			2	0.5	0.1	10.0		52159
11P1 F	5815-597-2289	† †	SPRING,HELICAL,EXTENSION: Kleinschmidt part No. 52166			1	0.7	0.2	5.0		52166
11P1 F	5815-597-2287	† †	SPRING,HELICAL EXTENSION: SIG dwg No. SM-B-157010-2			1	0.7	0.2	5.0		52167
11P1 F	5815-597-2298	† †	SPRING,HELICAL EXTENSION: SIG dwg No. SM-B-157011-4			1	0.7	0.2	5.0		52168
11P1 F	5815-597-2295	† †	SPRING,HELICAL,EXTENSION: SIG dwg No. SM-B-157010-3			1	0.7	0.2	5.0		52169
11P1 F	5815-597-2281	† †	SPRING,HELICAL,EXTENSION: SIG dwg No. SM-B-157010-4			1	0.7	0.2	5.0		52171
P1 F	5340-597-9493	† †	SPRING,HELICAL,EXTENSION: Sig dwg SM-B-157010-5			1	0.7	0.2	5.0		52172
11P1 F	5340-209-9946	† †	SPRING,HELICAL,EXTENSION: SIG dwg No. SM-B-157010-6			1	0.7	0.2	5.0		52173
11P1 F	5305-297-7692	† †	SCREW,SHOULDER: SIG dwg No. SM-B-157051			1	0.5	0.1	5.0		52176
11P1 F	5815-396-3394	†	PLATE,ADJUSTING: SIG dwg No. SM-B-148388			3	0.7	0.2	15.0		52177
11P1 F	5815-521-1387	† †	SPRING,HELICAL,COMPRESSION: SIG dwg No. SM-B-157012			1	0.7	0.2	5.0		52188
11P1 F	5815-395-9448	† †	SHAFT: SIG dwg No. SM-B-157055			1	0.5	0.1	5.0		52195

SOURCE CODE				FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A	B	C	D															FIGURE NO.	ITEM NO.
											TT-107/FG, TT-107B/FG (continued)								
11	P1	F		5815-395-9450	/						STOP, LEVER: SIG dwg No. SM-B-157064			1	0.5	0.1	5.0		52211
11	P1	F		5310-298-8165	/	/					WASHER, FLAT: SIG dwg No. SM-B-157018-1.			1	0.3	0.1	5.0		52283
11	P1	F		5815-395-9455	/	/					SHAFT: SIG dwg No. SM-B-148423			1	0.5	0.1	5.0		52288
11	P1	F		5815-396-3395	/	/					SHAFT: SIG dwg No. SM-B-157029			1	0.5	0.1	5.0		52291
11	P1	F		5815-395-9459	/						CLAMP: SIG dwg No. SM-B-157089			1	0.3	0.1	5.0		52323
11	P1	F		5815-395-9460	/						BRACKET: SIG dwg No. SM-B-157090			1	0.3	0.1	5.0		52326
11	P1	F		5815-395-9464	/						BAR, SELECTOR, TELETYPEWRITER: SIG dwg No. SM-B-157097			3	0.7	0.2	15.0		52333
11	P1	F		5815-392-7760	/						GEAR, SPUR: Sig #SM-B-157107			1	0.7	0.2	5.0		52344
11	P1	F		5815-395-9470	/	/					ROLLER, CAM: SIG dwg No. SM-B-157111			1	0.7	0.2	5.0		52354
11	P1	F		5315-393-1907	/	/					LEVER: SIG dwg No. SM-B-157113			2	0.6	0.2	10.0		52362
11	P1	F		5815-395-9478	/	/					LEVER: SIG dwg No. SM-B-157118			1	0.5	0.1	5.0		52368A
11	P1	F		5815-395-9482	/						DIAL ASSEMBLY: Kleinschmidt part			1	0.5	0.1	5.0		52381A
11	P1	F		5815-392-7762	/						SHAFT: SIG dwg No. SM-B-157512			1	0.5	0.1	5.0		52383
11	P1	F		5815-342-6022	/	/					LEVER ASSEMBLY: SIG dwg No. SM-B-149065			1	0.5	0.1	5.0		52394A
11	P1	F		5815-030-0428	/	/					CAM ASSEMBLY: SIG dwg No. SM-B-157139			1	0.7	0.2	5.0		52398A
11	P1	F		5815-692-6838	/	/					BEARING, PLAIN SLEEVE: SIG dwg			1	0.5	0.1	5.0		52401
11	P1	F		5310-595-6453	/	/					WASHER, FLAT: Kleinschmidt part No. 52402			2	0.5	0.1	10.0		52402

Army-Ft Monmouth,NJ-SSC

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-107/FG,TT-107B/FG (continued)								
11P1 F	5815-392-8230	† †	PIN,GROOVED,HEADLESS: SIG dwg No. SM-B-157143			1	0.5	0.1	5.0		52403
11P1 F	5815-392-8291	† †	PIN,LOCKING: SIG dwg No. SM-B-157144			2	0.8	0.2	10.0		52404
11P1 F	5815-392-7763	† †	LEVER: SIG dwg No. SM-B-157145			1	0.5	0.1	5.0		52405
11P1 F	5815-392-7764	† †	LEVER: SIG dwg No. SM-B-157146			1	0.5	0.1	5.0		52406
11P1 F	5815-393-1909	† †	LATCH,LEVER: SIG dwg No. SM-B-157150			1	0.5	0.1	5.0		52411A
11P1 F	5815-209-1499	† †	WASHER,FLAT: Kleinschmidt part No. 52413			1	0.3	0.1	5.0		52413
11P1 F	5815-219-7016	†	SHAFT: SIG dwg No. SM-B-157156			1	0.5	0.1	5.0		52417
11P1 F	5815-392-7768	†	LEVER ASSEMBLY: SIG dwg No. SM-B-157158			1	0.5	0.1	5.0		52419A
	5310-205-8937	† †	WASHER,FLAT: (For authorized allowances see Group 4)			1					52430
11P1 F	5815-569-0331	† †	GEAR,SPUR: SIG dwg No. SM-B-157164			1	0.7	0.2	5.0		52431A
11P1 F	5815-392-7782	† †	CAM ASSEMBLY: SIG dwg No. SM-B-157180			1	0.7	0.2	5.0		52456A
11P1 F	5815-392-7783	† †	LEVER,ASSEMBLY: SIG dwg No. SM-B-157183			1	0.5	0.1	5.0		52459A
11P1 F	5815-392-7785	† †	LEVER: SIG dwg No. SM-B-157187			1	0.5	0.1	5.0		52477A
11P1 F	5815-521-1388	† †	LEVER: Kleinschmidt part No. 52478A			1	0.5	0.1	5.0		52478A
11P1 F	5815-392-7787	† †	LEVER: SIG dwg No. SM-B-157193			1	0.5	0.1	5.0		52483
11P1 F	5815-392-7788	† †	LEVER: SIG dwg No. SM-B-157194			1	0.5	0.1	5.0		52484

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-107/FG,TT-107B/FG (continued)								
11P1 F	5815-392-7791	† †	BRACKET: SIG dwg No. SM-B-148446			1	0.3	0.1	5.0		52529
	5815-096-7422	†	SHIM: (For authorized allowances see Group 4)			2					52577
	5815-092-1438	†	SHIM: (For authorized allowances see Group 4)			2					52578
11P1 F	5310-637-3934	† †	WASHER,FLAT: SIG dwg No. SM-B-157016-2			1	0.3	0.1	5.0		52648
11P1 F	5310-595-6481	† †	WASHER,FLAT: Kleinschmidt part No. 52549			3	0.7	0.2	15.0		52649
11P1 F	5815-396-3396	† †	LEVER: SIG dwg No. SM-B-157295			1	0.5	0.1	5.0		52653
11P1 F	5815-396-3397	† †	LEVER: SIG dwg No. SM-B-157299			1	0.5	0.1	5.0		52657
11P1 F	5815-392-7824	† †	NUT,ADJUSTING: SIG dwg No. SM-B-157302			1	0.5	0.1	5.0		52664
11P1 F	5310-298-8166	† †	WASHER,FLAT: SIG dwg No. SM-B-157016-3			1	0.3	0.1	5.0		52679
11P1 F	5815-392-7828	† †	CLAPPER,SIGNAL BELL: Kleinschmidt part No. 52682A			1	0.3	0.1	5.0		52682A
11P1 F	5815-392-7830	†	PLATE,ANCHOR: SIG dwg No. SM-B-148457			2	0.5	0.1	10.0		52687
11P1 F	5815-096-7462	† †	SCREW,ADJUSTING: SIG dwg No. SM-B-148458			2	0.8	0.2	10.0		52688
11P1 F	5340-200-6613	† †	SPRING,HELICAL COMPRESSION: SIG dwg No. SM-B-148550			16	2.4	1.5	80.0		52940
11P1 F	5815-392-7890	†	RETAINER,SPRING: SIG dwg No. SM-B-157487			1	0.7	0.2	5.0		53099
11P1 F	5945-259-6613	†	ARMATURE,ELECTRO-MAGENTIC ACTUATOR: Kleinschmidt part No. 53103			1	0.7	0.2	5.0		53103
11P1 F	5815-597-2301	† †	SPRING,HELICAL,EXTENSION: SIG dwg No. SM-B-157011-10			1	0.7	0.2	5.0		53139

SOURCE CODE A	B	C	D	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION FIGURE NO.	ILLUSTRATION ITEM NO.
											TT-107/FG, TT-107B (continued)								
11	P1	F		5815-597-2277	†	†					SPRING,HELICAL,EXTENSION: SIG dwg No. SM-B-157011-11			1	0.7	0.2	5.0		53140
11	P1	F		5815-597-2278	†	†					SPRING,HELICAL,EXTENSION: SIG dwg No. SM-B-157010-10			1	0.7	0.2	5.0		53141
11	P1	F		5305-297-7694	†	†					SCREW,CAP,SOCKET HEAD: Kleinschmidt part No. 53183			4	1.2	0.4	20.0		53183
11	P1	F		5310-298-8168	†	†					WASHER,FLAT: Kleinschmidt part No. 53261			4	0.8	0.2	20.0		53261
11	P1	F		5815-356-3486	†						POST,SHOULDERED: SIG dwg No. SC-B-69807			1	0.5	0.1	5.0		53268
11	P1	F		5305-393-1931	†						STUD: SIG dwg No. SC-B-69695			1	0.5	0.1	5.0		53269
11	P1	F		5310-298-8157		†					WASHER,FLAT: Kleinschmidt part No. 53453			1	0.3	0.1	5.0		53453
11	P1	F		5815-322-5574		†					LEVER SET: Kleinschmidt part No. 53540A			1	0.5	0.1	5.0		53540A
11	P1	F		5815-219-6307	†	†					MOUNTING ARM: SIG dwg No. SM-B-157506			1	0.3	0.1	5.0		53568A
11	P1	F		5815-664-2138	†	†					SPRING,HELICAL,EXTENSION: SIG dwg No. SM-B-157010-20			1	0.7	0.2	5.0		53569
	P1	F		5307-096-7426	†	†					STUD,EXTENSION: SIG dwg No. SM-B-149014			2	0.8	0.2	10.0		53597
11	P1	F		5815-219-7022	†	†					SPACER: SIG dwg No. SM-B-157014-5			3	1.0	0.3	15.0		53602
11	P1	F		5815-301-4611	†	†					RETAINER,BALL: SIG dwg No. SM-B-148761			6	1.4	0.6	30.0		53647A
11	P1	F		5815-396-3401	†	†					PLATE,RETAINING: SIG dwg No. SM-B-157525			1	0.3	0.1	5.0		53652
11	P1	F		5815-395-9510	†	†					ARM: SIG dwg No. SM-B-148776			1	0.5	0.1	5.0		53802A
11	P1	F		5815-096-7428	†						CAGE,FRAME ASSEMBLY: SIG dwg No. SM-B-157536			1	0.3	0.1	5.0		53808A

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-107/FG,TT-107B/FG (continued)								
11P1 F	5310-208-6933	†	NUT,PLAIN,KNURLED: SIG dwg No. SM-B-157538			1	0.5	0.1	5.0		53819
11P1 F	5815-537-7685	†	SPRING,HELICAL ,EXTENSION: SIG dwg No. SM-B-187177			1	0.7	0.2	5.0		53822
11P1 F	5305-297-3998	† †	SCREW,MACHINE: SIG dwg No. SM-B-148801			3	1.0	0.3	15.0		53972
11P1 F	5815-309-3884	† †	COLLAR,SHAFT: SIG dwg No. SM-B-157543			3	1.0	0.3	15.0		53973
11P1 F	5945-257-6365	†	ARMATURE,ELECTROMAGNETIC ACTUATOR: Kleinschmidt part No. 54092A			1	0.7	0.2	5.0		54092A
11P1 F	5310-521-8552	†	WASHER,KEY: SIG dwg No. SM-B-186915			5	1.4	0.5	25.0		54566
11P1 F	5815-322-5581	†	COLLAR,DRIVE SHAFT: SIG dwg No. SM-B-171-537			1	0.5	0.1	5.0		54928
11P1 F	5815-340-3720	†	CLUTCH,FRICTION: SIG dwg No. SM-B-186882-2			1	0.7	0.2	5.0		54931
11P1 F	5815-663-3298	†	SPRING,HELICAL,COMPRESSION: Kleinschmidt part No. 54932			1	0.7	0.2	5.0		54932
11P1 F	5815-528-5517	†	WASHER,THRUST: SIG dwg No. SM-B-187020			5	0.9	0.3	23.0		55001
11P1 F	5815-600-3048	†	DETENT: SIG dwg No. SM-B-187022			1	0.5	0.1	5.0		55004A
11P1 F	5815-322-5589	†	SPACER,SLEEVE: SIG dwg No. SM-B-187023			1	0.5	0.1	5.0		55006
11P1 F	5815-322-5590	†	SLEEVE,ECCENTRIC: SIG dwg No. SM-B-187024			1	0.3	0.1	5.0		55007
11P1 F	5815-600-2890	†	PIVOT,LEVER DETENT: SIG dwg No. SM-B-187025			1	0.5	0.1	5.0		55008
11P1 F	5815-834-5524	†	SPRING,HELICAL,EXTENSION: SIG dwg No. SM-B-171539			5	1.9	0.8	25.0		55009
11P1 F	5310-595-6161	†	WASHER,FLAT: SIG dwg No. SM-B-171646			1	0.3	0.1	5.0		55076

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-107/FG,TT-107B/FG (continued)								
11P1 F	5305-543-5785	†	SCREW,MACHINE: Kleinschmidt part No. 55511			1	0.5	0.1	5.0		55511
11P1 F	5815-591-0870	†	STUD,ECCENTRIC: SIG dwg No. SM-B-187165			3	1.0	0.3	15.0		55738
11P1 F	5815-340-3732	†	ECCENTRIC: SIG dwg No. SM-B-187361			1	0.5	0.1	5.0		56076
11P1 F	5815-663-3333	†	SPRING,HELICAL,COMPRESSION: SIG dwg No. SM-B-171535			2	1.0	0.3	10.0		56091
11P1 F	5306-600-3058	†	BOLT,MACHINE: SIG dwg No. SM-B-196656			2	0.8	0.2	10.0		56124
11P1 F	5815-697-8054	†	STUD,PILOT: SIG dwg No. SM-B-187401			1	0.5	0.1	5.0		56161
11P1 F	5815-342-3558	†	LEVER: SIG dwg No. SM-B-187403			1	0.5	0.1	5.0		56163
11P1 F	5815-219-7023	† †	STUD,ECCENTRIC: SIG dwg No. SC-B-70566 (formerly Kleinschmidt part No. 53870)			2	0.8	0.2	10.0		56185A
11P1 F	5815-323-7322	†	COLLAR,DRIVE,SHAFT: SIG dwg No. SM-B-187690			1	0.5	0.1	5.0		56246
11P1 F	5815-340-3737	†	CLUTCH,FRICTION: Kleinschmidt part No. 56248			1	0.7	0.2	5.0		56248
11P1 F	5815-663-3313	†	SPRING,HELICAL,COMPRESSION: SIG dwg No. SM-B-187689			1	0.7	0.2	5.0		56249
11P1 F	5815-203-1423	†	GEAR,SPUR: SIG dwg No. SM-B-187450			1	0.7	0.2	5.0		56257
11P1 F	5815-523-8666	†	GEAR,SPUR: SIG dwg No. SM-B-187475			1	0.7	0.2	5.0		56330A
11P1 F	5815-663-3370	†	SPRING,HELICAL,TORSION: SIG dwg No. SM-B-187478			1	0.7	0.2	5.0		56396
11P1 F	5815-570-3530	†	LEVER: SIG dwg No. SM-B-187121			1	0.5	0.1	5.0		56536A
11P1 F	5815-588-0937	†	STUD,PILOT: SIG dwg No. SM-B-187575			1	0.5	0.1	5.0		56539

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			TT-107/FG,TT-107B/FG (continued)								
11P1 F	5815-570-3529	†	SPRING,FLAT: SIG dwg No. SM-B-187124			1	0.7	0.2	5.0		56540
11P1 F	5815-590-8020	†	LEVER: Kleinschmidt part No. 56593			1	0.5	0.1	5.0		56593
11P1 F	5815-586-7764	† †	LEVER: SIG dwg No. SM-B-314722			1	0.5	0.1	5.0		56736
11P1 F	5815-588-0938	† †	LEVER: SIG dwg No. SM-B-314724			1	0.5	0.1	5.0		56738A
11P1 F	5815-600-3005	†	COLLAR,CLAMP: SIG dwg No. SM-B-314726			1	0.5	0.1	5.0		56832A
11P1 F	5815-574-6624	†	COLAR,CLAMP: SIG dwg No. SM-B-314727			1	0.5	0.1	5.0		56833A
11P1 F	5815-558-3010	†	SHIM: SIG dwg No. SM-B-171480			2	1.0	0.3	10.0		57072
11P1 F	5815-586-0404	†	SHIM: SIG dwg No. SM-B-171620			2	1.0	0.3	10.0		57073
11P1 F	5815-588-0939	†	SHAFT: SIG dwg No. SM-B-314738			1	0.5	0.1	5.0		57142
11P1 F	5815-588-0940	†	SHAFT: SIG dwg No. SM-B-314745			1	0.5	0.1	5.0		57159
11P1 F	5310-588-0979	†	NUT,PLAIN,PLATE: SIG dwg No. SM-B-314842			1	0.7	0.1	5.0		57165
11P1 F	5815-588-0946	†	CAGE,FRAME ASSEMBLY: SIG dwg No. SM-B-314791			1	0.3	0.1	5.0		57271A
11P1 F	5815-588-0947	†	BAR,SELECTOR,TELETYPEWRITER: SIG dwg No. SM-B-314797			3	1.3	0.5	15.0		57277
11P1 F	5815-602-8004	†	NUT,PLAIN,PLATE: SIG dwg No. SM-B-185288			1	0.5	0.1	5.0		57669
11P1 F	5815-672-0043	† †	RING,SET,CODE,TELETYPEWRITER: Kleinschmidt part No. 61059A			1	0.5	0.1	5.0		61059A

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-107/FG, TT-107B/FG (continued)								
			GROUP 6 BASE ASSEMBLY								
11P1 F	5910-649-3118	† †	CAPACITOR, FIXED, ELECTROLYTIC: 20 uf; 200 vdc; Kleinschmidt part No. 20213			1	0.7	0.2	5.0		C1
11P1 F	5910-342-3532	†	CAPACITOR, FIXED, PAPER DIELECTRIC: 2 sect, 5 uf and 3.75 uf ±5%; 300vdc, SIG dwg No. SM-B-196148			1	0.7	0.2	5.0		C2
11P1 F	5910-667-4828	†	CAPACITOR, FIXED, PAPER DIELECTRIC: 5 uf +20%; 330 vac; Kleinschmidt part No. 53265			1	0.7	0.2	5.0		C2
11P1 F	6130-568-5855	†	RECTIFIER, METALLIC: Kleinschmidt part No. 20802			1	0.7	0.2	5.0		CR1
11P1 F	6130-523-5816	†	RECTIFIER, METALLIC: SIG dwg No. SM-B-186908			1	0.7	0.2	5.0		CR1
11P O	5920-284-9220	† †	FUSE, CARTRIDGE: 1 amp; 250v, MIL-F-15160C, type No. F02C1R00B			2	15.6	12.0	50.0		F1, F2
11 P O	5920-356-2188	†	FUSE, CARTRIDGE: 0.125 amp; 250 v, max; MIL TYPE F02GR125A			1	8.5	6.0	25.0		F3
11P1 F	5935-524-5541	†	CONNECTOR, RECEPTACLE, ELECTRICAL: Amphenol part No. 26-198			1	0.5	0.1	5.0		J1
		†				1	0.5	0.1	5.0		J2
11P1 F	5935-201-8458	†	CONNECTOR, RECEPTACLE, ELECTRICAL: Amphenol part No. 97-5109-14S-2S			1	0.5	0.1	5.0		J3
11P1 F	5935-521-0537	†	CONNECTOR, RECEPTACLE, ELECTRICAL: SIG dwg No. SM-B-148662			1	0.5	0.1	5.0		J4
		†				1	0.5	0.1	5.0		J3
11P1 F	5935-699-0873	†	CONNECTOR, PLUG, ELECTRICAL: Kleinschmidt part No. 20272			1	0.5	0.1	5.0		J4
11P1 F	5935-149-3230	†	CONNECTOR, RECEPTACLE, ELECTRICAL: MIL-C-5015, ANA type No. AN3102A-14S-2S			1	0.5	0.1	5.0		J6
11P1 F	5945-347-0216	†	RELAY, ARMATURE: Kleinschmidt part No. 20120			1	0.7	0.2	5.0		K1

Army-Ft Monmouth, NJ-MOH 471-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-107/FG,TT-107B/FG (continued)								
11P1 F	5935-283-1230	†	PLUG,TELEPHONE: JAN type No. PJ-055R			1	0.5	0.1	5.0		P5
		†				1	0.5	0.1	5.0		P1
11P1 F	5935-283-3392	†	CONNECTOR,PLUG,ELECTRICAL: SIG dwg No.SC-DL-69167			1	0.5	0.1	5.0		P2
		†				1	0.5	0.1	5.0		P5
11P1 F	5935-259-9650	†	CONNECTOR,RECEPTACLE,ELECTRICAL: HB part No. 303CCE			1	0.5	0.1	5.0		P12
11P1 F	5905-280-1531	†	RESISTOR,FIXED,WIREWOUND: 4200 ohms ±7-1/2%; 18 w; Kleinschmidt part No. 20011			1	0.7	0.2	5.0		R1
11P1 F	5905-190-8889	†	RESISTOR,FIXED,COMPOSITION: 100 ohms ±5%; 1/2w; MIL type No. RC20GF101J			1	0.7	0.2	5.0		R2
		†				1	0.7	0.2	5.0		R1
11P1 F	5905-508-0819	†	RESISTOR,FIXED,WIREWOUND: 8,000 ohms ±7.5%; 8w; Kleinschmidt part No. 20039			1	0.7	0.2	5.0		R2
11P1 F	5905-508-0563	†	RESISTOR,FIXED,WIREWOUND: 5,600 ohms ±7.5%; Kleinschmidt part No. 20040			1	0.7	0.2	5.0		R3
11P1 F	5930-752-2672	†	SWITCH,TOGGLE: MIL-S-3950, part No. MS35059-15			1	0.7	0.2	5.0		S3
		†				1	0.7	0.2	5.0		S1
11P1 F	5930-050-2704	†	SWITCH,TOGGLE: MIL-S-3950,part No. MS-35059-9			1	0.7	0.2	5.0		S1
		†				1	0.7	0.2	5.0		S4
11P1 F	5930-655-1515	† †	SWITCH,TOGGLE: MIL std MS35058-23			1	0.7	0.2	5.0		S2
11P1 F	5950-660-7480	† †	TRANSFORMER,POWER,STEP-DOWN: Kleinschmidt part No. 59672			1	0.7	0.2	5.0		T1
11P1 F	5940-171-0225	†	TERMINAL BOARD: HB Jones part No. 4-140AV			11	0.5	0.1	5.0		TB1

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-107/FG,TT-107B/FG (continued)								
11P1 F	5920-556-0144	† †	FUSEHOLDER: MIL spec MIL-F-19207,type FNH20G			3	0.7	0.2	15.0		XF1,XF2, XF3
						2	0.5	0.1	10.0		XF1,XF2
	5305-531-9034	†	SCREW,CAP, SOCKET HEAD: (For authorized allowances see GR 3)			8					10003
	5305-753-4356	†	SCREW,CAP, SOCKET HEAD: (For authorized allowances see GR 3)			1					10004
	5305-655-9483		SCREW,CAP SOCKET HEAD: (For authorized allowances see GR5)			2					10005
	5305-721-5430	†	SCREW,CAP SOCKET HEAD: (For authorized allowances see GR4)			2					10008
11P1 F	5305-274-0401	†	SCREW,CAP SOCKET HEAD: MIL STD MS35461-1			1	0.5	0.1	5.0		10008-01
	5305-206-2476	† †	SCREW,CAP SOCKET HEAD: (For authorized allowances see GR 5)			8					10010
11PL F	5305-206-2470	† †	SCREW,CAP SOCKET HEAD: Kleinschmidt part No. 10013			3	1.0	0.3	15.0		10013
11P1 F	5305-514-7729	†	SCREW,CAP,SOCKET HEAD: Kleinschmidt part No. 10014			1	0.5	0.1	5.0		10014
	5305-297-7962	†	SCREW,CAP SOCKET HEAD: (For authorized allowances see GR 3)			1					10025
	5305-057-1262	†	SCREW,CAP SOCKET HEAD: (For authorized allowances see GR 5)			1					10029
	5305-639-0511	†	SCREW,CAP SOCKET HEAD: (For authorized allowances see GR 3)			1					10037
11P1 F	5305-206-2471	†	SCREW,CAP SOCKET HEAD: Kleinschmidt part No. 10041			2	0.8	0.2	10.0		10041
11P1 F	5305-570-6031	†	SCREW,CAP SOCKET HEAD: Kleinschmidt part No. 10047			4	1.2	0.4	20.0		10047
11P1 F	5305-514-6805	†	SCREW,CAP,SOCKET HEAD: Kleinschmidt part No. 10055			2	0.8	0.2	10.0		10055

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-107/FG,TT-107B/FG (continued)								
11P1 F	5305-206-4130	†	SCREW,MACHINE: Kleinschmidt #10078			3	1.0	0.3	15.0		10078
	5306-141-2885	†	SCREW,MACHINE: (For authorized allowances see GR 5)			1					10079
11P1 F	5305-637-7903	†	SCREW,MACHINE: Kleinschmidt part No. 10106			2	0.8	0.2	10.0		10106
11P1 F	5305-298-8084	†	SCREW,MACHINE: Kleinschmidt #10166			2	0.8	0.2	10.0		10166
11P1 F	5305-292-6707	† †	SCREW,MACHINE: Kleinschmidt #10252			6	1.4	0.5	30.0		10252
9P1 F	5305-208-1862	†	SCREW,MACHINE: Kleinschmidt part # 10321			2	0.8	0.2	10.0		10321
11P1 F	5305-206-4876	†	SCREW,MACHINE: FED SPEC FF-S-92, type I, style 8S			2	0.8	0.2	10.0		10335
11P1 F	5305-292-8400	†	SCREW,MACHINE: Kleinschmidt #10354			3	1.0	0.3	15.0		10354
	5305-207-7484	†	SCREW,MACHINE (For authorized allowances see GR 1)			1					10357
11P1 F	5305-297-7670	†	SCREW,MACHINE: Kleinschmidt #10361			1	0.5	0.1	5.0		10361
11P1 F	5305-208-6168	†	SCREW,MACHINE: Kleinschmidt #10367			4	1.2	0.4	20.0		10367
	5310-209-3990	†	WASHER,LOCK: (For authorized allowances see Group 1)			5					10403
	5310-543-2739	†	WASHER,LOCK: (For authorized allowances see GR 1)			14					10404
	5310-282-9584	† †	WASHER,.LOCK: (For authorized allowances see GR 4)			7					10405
11P1 F	5310-550-3715	†	WASHER,LOCK: MIL std MS35333-10			4	0.8	0.2	20.0		10408
	5310-013-1196	† †	WASHER,LOCK: (For authorized allowances see Group 1)			18					10429

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-107/FG,TT-107B/FG (continued)								
	5310-209-3871	† †	WASHER,LOCK: (For authorized allowances see Group 3)			14					10430
	5310-637-3944	† †	WASHER,FLAT: (For authorized allowances see Group 5)			2					10458
	5310-429-2274	†	WASHER,FLAT: (For authorized allowances see Group 1)			7					10463
11P1 F	5310-595-7482	†	WASHER,LOCK: Shakeproof part No. 3502-20-04-0511			1	0.3	0.1	5.0		10465
11P1 F	5310-537-8621	†	WASHER,FLAT: Kleinschmidt #10474			4	0.8	0.2	20.0		10474
	5310-551-7541	†	NUT,SELF-LOCKING,HEXAGON: (For auth allowances see Group 1)			3					10500
	5310-523-2035	†	NUT,SELF-LOCKING,HEXAGON: (For auth allowances see Group 3)			3					10501
11P1 F	5310-576-5487	†	NUT,PLAIN,HEXAGON: Kleinschmidt part No. 10505			2	0.8	0.2	10.0		10505
	5310-208-6478	†	NUT,SELF,LOCKING,HEXAGON: (For auth allowances see Group 3)			4					10525
11P1 F	5310-197-2298	†	NUT,SELF-LOCKING,HEXAGON: MIL STD MS20365-440			2	0.8	0.2	10.0		10540
P1 F	5340-096-7157	† †	MOUNT,RESILIENT: Lord part No. 150-PDN432-12			4	0.8	0.2	20.0		10915
11P1 F	5305-209-4803	†	SCREW,CAP,SOCKET HEAD: Kleinschmidt part No. 11500			1	0.5	0.1	5.0		11500
11P1 F	5940-688-2382	†	TERMINAL STUD: Kleinschmidt #20357			2	0.5	0.1	10.0		20357
11P1 F	5920-244-5150	†	CAP,ELECTRICAL: Bussman #9435-1/2			3	0.7	0.2	15.0		20460
		†				2	0.5	0.1	10.0		20460
11P1 F	5340-598-0552	†	CLAMP,ELECTRICAL: Kleinschmidt part No. 20513			1	0.3	0.1	5.0		20513
11P1 F	5340-399-7867	†	CLAMP,ELECTRICAL: Tinnerman #C3049A-3-108			1	0.3	0.1	5.0		20519

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-107/FG,TT-107B/FG (continued)								
11P1 F	6145-283-9634	† †	CABLE,POWER,ELECTRICAL: MIL-C-3884, type No. COS-2(18) (Authorized allowances will be a minimum of or a multiple of 8 feet)	ft		8	*	*	120.0		20636-75.60
11P1 F	6145-660-9321	† †	CABLE,POWER ELECTRICAL: MIL-C-3432, type No. CO-02MFG(2/18)SJ0375 (Authorized allowances will be a minimum of or a multiple of 8 feet)	ft		8	*	*	120.0		20640-96.00
11P1 F	5940-199-9606	†	TERMINAL LUG: Kleinschmidt #20705			4	0.8	0.2	20.0		20705
11P1 F	5940-231-4430	† †	TERMINAL LUG: AMP Part No. 7-32562			6	1.0	0.3	30.0		20706
11P1 F	5940-231-4431	† †	TERMINAL LUG: AMP, part No. 7-30697			1	0.3	0.1	5.0		20710
11P1 F	5975-378-3587	† †	BUSHING,STRAIN RELIEF: Heyco part No. SR-6P			1	0.5	0.1	5.0		20713
11P1 F	5940-665-5603	† †	TERMINAL LUG: AMP part #7-31636			1	0.3	0.1	5.0		20721
P1 F	5325-174-5317	†	GROMMET RUBBER: MIL std AN931-3-5			1	0.5	0.1	5.0		20725
P1 F	5325-174-5331	† †	GROMMET,RUBBER: Atlantic India Rubber part No. 2538			1	0.5	0.1	5.0		20726
11P1 F	5940-549-8991	†	TERMINAL LUG: AMP part No. 7-34123			1	0.3	0.1	5.0		20766
11P1 F	5940-243-8089	†	TERMINAL LUG: Kleinschmidt part # 20795			1	0.3	0.1	5.0		20795
11P1 F	5975-319-0661	†	CLAMP,ELECTRICAL: Hayman Mfg Co., part No. SR-7P-1			1	0.3	0.1	5.0		20835
11P1 F	5940-271-7322	†	TERMINAL LUG: AMP part No. 7-321021			1	0.3	0.1	5.0		20838
10P1 F	5325-249-6340	† †	GROMMET,RUBBER: Atlantic India rubber part No. 2113			1	0.5	0.1	5.0		21000
11P1 F	5310-521-8730	†	WASHER,FLAT: Sig dwg #SC-B-69325-1			2	0.5	0.1	10.0		50887

Army-Ft Monmouth, NJ-MON 2134-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-107/FG,TT-107B/FG (continued)								
11P1 F	5970-617-5316	†	INSULATOR,WASHER: Sig dwg No. SC-B-70200			2	0.8	0.2	10.0		51106
11P1 F	5330-356-0579	†	WASHER,FLAT: Kleinschmidt #51481			2	0.5	0.1	10.0		51481
11P1 F	5815-395-9493	†	COVER: Sig dwg #SM-B-149087			1	0.3	0.1	5.0		52125A
10P1 F	5325-281-6576	† †	GROMMET,RUBBER: Kleinschmidt #52254			4	1.2	0.4	20.0		52254
11P1 F	5305-594-1028	†	SCREW,SHOULDER: Kleinschmidt #52701			4	1.2	0.4	20.0		52701
11P1 F	5815-096-7491	†	REFLECTOR,LIGHT: Sig dwg #SM-B-157335			1	0.5	0.1	5.0		52744
11P1 F	5305-576-6701	†	SCREW,MACHINE: Kleinschmidt #53336			8	1.9	0.8	40.0		53336
11P1 F	5815-096-7263	†	WIRING HARNESS: Kleinschmidt 54164A			1	0.3	0.1	5.0		54164A
11P1 F	5815-096-7284	†	INSULATOR,BUSHING: Sig dwg SM-B-149033			8	1.2	0.4	40.0		54177
11P1 F	5815-096-7429	†	POST,SPACING: Kleinschmidt part No. 54183			6	1.0	0.3	30.0		54183
P1 F	5340-096-7158	† †	MOUNT,RESILIENT: Lord part No. J-1385-5			4	0.8	0.2	20.0		54189
P1 F	5340-324-9365	†	WASHER,FLAT: Kleinschmidt #54224			4	0.8	0.2	20.0		54224
11P1 F	5330-641-3375	†	WASHER,NONMETALLIC: Kleinschmidt part No. 54561			4	1.4	0.5	20.0		54561
11P1 F	5310-591-2550	†	NUT,PLAIN,PLATE: Kleinschmidt #57309			1	0.5	0.1	5.0		57309
11P1 F	5310-588-0977	†	WASHER,FINISHING: Sig dwg # SM-B-314810			4	1.2	0.4	20.0		57311
11P1 F	5815-601-4199	†	STUD: Kleinschmidt 57406			4	1.2	0.4	20.0		57406

SECTION III. FUNCTIONAL PARTS LIST (TT-109/FG)

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
	5815-543-0568		REPERFORATOR, TELETYPEWRITER TT-109/FG: 7-42 unit code; English communication characters; Murray style Pallets; accomodates 7/8 in. wd tape; series governed motor; 60, 75, 100 wpm oper speeds; operating power requirements, 115 V, 60 cyc, single Ph, ac; Spec MIL-R-11985A	ea	NX						
			GROUP 1 COVER								
6 P 0	6240-143-3084		LAMP, INCANDESCENT: 115V, 15W; GE p/n GE15T7/DC			1	1.4	0.5	10.0		DS1
11 P1 F	5815-322-5591		CONTACT, ELECTRICAL: Sig dwg no. SC-B-70198			2	1.0	0.3	10.0		P3
11 P1 F	5305-550-9690		SCREW, MACHINE: Kleinschmidt p/n 10124			4	1.2	0.4	20.0		10124
11 P1 F	5305-207-7484		SCREW, MACHINE: Kleinschmidt p/n 10357(Authorized allowances based on a total of 6)			2	1.4	0.5	30.0		10357
11 P1 F	5305-207-5582		SCREW, MACHINE: Kleinschmidt p/n 10393			4	1.2	0.4	20.0		10393
11 P1 F	5310-209-3990		WASHER, LOCK: MIL STD MS35333-71 (Authorized allowances based on a total of 11)			4	1.4	0.5	55.0		10403
11 P1 F	5310-543-2739		WASHER, LOCK: MIL STD MS35333-72 (Authorized allowances based on a total of 21)			4	1.4	0.6	105.0		10404
11 P1 F	5310-013-1196		WASHER, LOCK: MIL STD MS35337-60 (Authorized allowances based on a total of 52)			2	2.8	1.5	260.0		10429
11 P1 F	5310-514-7435		WASHER, LOCK: Kleinschmidt p/n 10435			4	0.8	0.2	20.0		10435
11 P1 F	5310-429-2274		WASHER, FLAT: Murphy Diesel Co p/n MD1974 (Authorized allowances based on a total of 7)			4	1.1	0.4	35.0		10463
11 P1 F	5310-551-7541		NUT, SELF-LOCKING, HEXAGON: Esna type no. 79TM60 (Authorized allowances based on a total of 24)			8	2.8	1.5	120.0		10500

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D			TT-109/FG (Continued)							FIGURE NO.	ITEM NO.
11 P1 F	5310-596-8272		NUT, PLAIN, HEXAGON: GE p/n C2B3, dwg no. N207			1	0.5	0.1	5.0		10511
11 P1 F	5310-514-8471		NUT, PLAIN, HEXAGON: Chrysler and Koppin p/n 118549			4	1.2	0.4	20.0		10515
11 P1 F	5940-642-4428		TERMINAL, LUG: Thomas and Betts p/n STA-KON V33 (Authorized allowances based on a total of 2)			1	0.5	0.1	10.0		20379
11 P1 F	5940-643-5260		TERMINAL, LUG: AMP p/n 31890			2	0.5	0.1	10.0		20707
11 P1 F	5940-283-5387		POST BINDING: Kleinschmidt p/n 20825			1	0.5	0.1	5.0		20825
11 P1 F	6250-228-0418		LAMPHOLDER: Dialco type no. 12-06			1	o.5	0.1	5.0		51115
11 P1 F	5310-590-8021		NUT, LATCH, PLATE: Sig dwg no. SM-B-157240 (Authorized allowances based on a total of 2)			1	0.8	0.2	10.0		52561
11 P1 F	5305-584-8985		SCREW, SHOULDER: Kleinschmidt p/n 56206			4	1.2	0.4	20.0		56206
11 P1 F	5815-586-7766		SPRING, HELICAL, TORSION: Sig dwg no. SM-B-314965			1	0.7	0.2	5.0		57168
11 P1 F	5815-586-7767		SPRING, HELICAL, TORSION: Sig dwg no. SM-B-314749-1			1	0.7	0.2	5.0		57169
11 P1 F	5815-588-0941		LATCH ASSEMBLY: Sig dwg no. SM-B-314752			1	0.5	0.1	5.0		57175A
11 P1 F	5815-588-0942		SPRING, FORMED WIRE: Sig dwg no. SM-B-314754			1	0.7	0.2	5.0		57177
11 P1 F	5310-588-0978		NUT, PLAIN, PLATE: Sig dwg no. SM-B-314755			2	4.8	0.2	10.0		57179

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE				FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A	B	C	D										FIGURE NO.	ITEM NO.
						TT-109/FG (Continued) GROUP 2 MOTOR AND GOVERNOR GROUP 2A GOVERNOR (Except where noted, all parts are common to all motors)								
11	P1	F		5305-514-6805		SCREW, CAP, SOCKET HEAD: Kleinschmidt p/n 10055			1	0.5	0.1	5.0		10055
11	P1	F		5305-333-4262		SETSCREW: MIL STD MS51019-34			2	0.8	0.2	10.0		10203
11	P1	F		5305-579-5304		SETSCREW: MIL STD MS51019-35			1	0.5	0.1	5.0		10204
9	P1	F		5305-208-1862		SCREW, MACHINE: Kleinschmidt p/n10321			2	0.8	0.2	10.0		10321
11	P1	F		5310-595-5969		WASHER, FLAT: Stoddart p/n 70107 (Kleinschmidt p/n 10459 which replaces 10403)			1	0.3	0.1	5.0		10403
11	P1	F		5310-543-2739		WASHER, LOCK: MIL STD MS35333-72			1	0.3	0.1	5.0		10404
11	P1	F		5310-209-3868		WASHER, LOCK: Shakeproof p/n1706-01			2	0.5	0.1	10.0		10412
11	P1	F		5310-883-9487		NUT, SELF-LOCKING, HEXAGON: Esna p/n F22NM60 (Kleinschmidt p/n10840 which replaces 10500)			1	0.5	0.1	5.0		10500
11	P1	F		5310-546-6858		NUT, SELF-LOCKING, HEXAGON: Kleinschmidt p/n 10507			1	0.5	0.1	5.0		10507
	P1	F		5315-243-1173		PIN, COTTER: Kleinschmidt p/n 10800			2	1.1	0.3	10.0		10800
11	P1	F		5815-826-1611		WASHER, FLAT: Kleinschmidt p/n 61413 (Kleinschmidt p/n 61413 which replaces 50148)			1	0.5	0.1	5.0		50148
11	P1	F		5815-351-7895		GEAR, SPUR: Sig dwg no. SC-B-69786			1	0.7	0.2	5.0		50278A

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE A	B	C	D	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION FIGURE NO.	ILLUSTRATION ITEM NO.
						TT-109/FG (Continued)								
11	P1	F		6110-242-4631		CONTACT, ELECTRICAL: Sig dwg no. SC-B-69789			1	0.7	0.2	5.0		50281A
11	P1	F		5970-351-7898		INSULATOR, BUSHING: Sig dwg no. SC-B-69779			1	0.7	0.2	5.0		50293
11	P1	F		5305-537-7641		SCREW, ADJUSTING: Sig dwg no. SC-B-69780			1	0.5	0.1	5.0		50299
11	P1	F		5815-356-3301		LEVER: Sig dwg no SC-B-69782			1	0.5	0.1	5.0		50301
11	P1	F		5815-351-7900		PIN: Sig dwg no SC-B-69783			1	0.5	0.1	5.0		50302
11	P1	F		5815-356-3302		TARGET: Sig ddwg no. SC-B-69672			1	0.3	0.1	5.0		50303A
11	P1	F		5815-598-4964		SPRING, HELICAL, EXTENSION: Sig dwg no. SC-B-69337-7			1	0.7	0.2	5.0		50334
11	P1	F		6110-636-7940		CONTACT ELECTRICAL: Sig dwg no. SC-B-69784			1	0.7	0.2	5.0		50338
11	P1	F		5977-232-5279		BRUSH, ELECTRICAL CONTACT: Sig dwg no. SC-D-61023-1			1	4.8	3.0	25.0		51154
11	P1	F		6110-557-3970		GOVENOR, MOTOR: Sig dwg no. SC-D-70500			1	0.7	0.2	5.0		51215A
11	P	F		5977-521-8272		BRUSH, ELECTRICAL, CONTACT: Sig dwg no. SM-B-314890 (Motor governor brushes for use in all 1/23 hp motors and 1/20 hp motors stamped 74447)			2	8.8	6.0	100.0		51543A
11	P1	F		5815-597-8320		SPRING, HELICAL, COMPRESSION: Sig dwg no. SC-B-70501			1	0.7	0.2	5.0		51855
11	P1	F		5815-521-1401		WORM, GOVERNOR ADJUSTMENT: Sig dwg no. SM-B-171471			1	0.7	0.2	5.0		56555A
11	P1	F		5977-059-8680		BRUSH, ELECTRICAL CONTACT: Kleinschmidt p/n 63549A (Motor governor brushes for use in 1/20 hp motor stamped 074447)			2	8.8	6.0	100.0		63649A

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-109/FG (Continued)								
			GROUP 2B								
			MOTOR, UNIVERSAL, 1/23 hp Bodine								
11 P1 F	6105-635-0127		MOTOR, UNIVERSAL: Bodine p/n NSEG-12			1	0.7	0.2	5.0		B2
11 P1 H	5910-666-8278		CAPACITOR, FIXED, PAPER DIELECTRIC: 0.1 uf, + 25%,-10%; 600 w vdc; Astron p/n AQF-6-1			2		0.3	10.0		C16,C17
11 P1 F	5935-241-0252		CONNECTOR, PLUG, ELECTRICAL: Mil type no. AN3106B-14S-2P			1	0.5	0.1	5.0		P6
11 P1 H	5305-579-5448		SCREW, MACHINE: Kleinschmidt p/n 10333			8		0.8	40.0		10333
11 P1 H	5305-208-6168		SCREW, MACHINE: Kleinschmidt p/n 10367 (for mounting end bell dust seals)			8		0.8	40.0		10367
11 P1 H	5310-209-3868		WASHER, LOCK: Shakeproof p/n 1706-01 (for mounting end bells)			8		0.4	40.0		10412
9 P1 H	3110-542-0120		BEARING, BALL, ANNULAR: Kleinschmidt p/n 10760			2		0.4	10.0		10760
11 P1 F	5940-231-4430		TERMINAL, LUG: AMP p/n 7-32562 (for motor cable terminations)			4	0.8	0.2	20.0		20706
11 P1 F	5940-231-4428		TERMINAL, LUG: Thomas & Betts p/n C-33 (for motor cable terminations)			1	0.3	0.1	5.0		20708
11 P1 H	6105-620-5820		RETAINER, BEARING: Bodine cat. no. N-2366 (End plate in power end)			1		0.1	5.0		20738
P1 H	5330-531-3296		FELT, MECHANICAL, PREFORMED: Bodine p/n N-165 (dust seal in power end)			1		0.3	5.0		20739
11 P1 H	5310-547-7907		WASHER, RECESSED: Bodine p/n N-2364 (Part of dust seal assy, power end)			1		0.1	5.0		20740
11 P1 O	5977-234-7503		CAP, ELECTRICAL: Kleinschmidt p/n 20747 (inner brush cap)			2	0.8	0.2	10.0		20747

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE				FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A	B	C	D										FIGURE NO.	ITEM NO.
						TT-109/FG (Continued)								
	P1	H		5330-579-9806		FELT, MECHANICAL, PREFORMED: Kleinschmidt p/n 20748 (dust seal motor bearing, power end)			1		0.3	5.0		20748
	P1	H		5315-547-9203		PIN, STRAIGHT, HEADLESS: Sig dwg no. SC-B-69682			1		0.1	5.0		50359
	P1	H		5330-521-0612		FELT, MECHANICAL, PREFORMED: Sig dwg no. SC-B-69683			2		0.5	10.0		50949
11	P1	H		5815-356-3471		RETAINER: Sig dwg no. SC-B-69686 (outer disk of dust seal assy, governor end)			1		0.1	5.0		51060
11	P1	O		5977-351-8002		CAP, ELECTRICAL: Sig dwg no. SC-B-69684 (outer brush cap)			2	0.8	0.2	10.0		51155
11	P1	H		6105-356-1809		ARMATURE, MOTOR: Sig dwg no. SC-B-69687			1		0.1	5.0		51187
11	P1	H		6105-356-1798		WINDING, MOTOR FIELD: Kleinschmidt p/n 51188A			1		0.1	5.0		51188A
11	P1	O		5977-543-0560		BRUSH, ELECTRICAL CONTACT: Kleinschmidt p/n 56834A			2	35.6	30.0	100.0		56834A
						GROUP 2C MOTOR, UNIVERSAL, 1/23 hp Howard								
11	P1	F		6105-635-0127		MOTOR, UNIVERSAL: Kleinschmidt p/n 61109A			1	0.7	0.2	5.0		B2
11	P1	H		5910-666-8278		CAPACITOR, FIXED, PAPER DIELECTRIC: 0.1 uf, + 25%, -10%; 600 w vdc; Astron p/n AQF-6-1			2		0.3	10.0		C16, C17
11	P1	H		5305-656-0181		SCREW, MACHINE: Kleinschmidt p/n 10172 (for mounting end bell)			8		0.8	40.0		10172
11	P1	H		5310-198-3724		WASHER, LOCK: MIL STD MS35337-41 (for mounting end bells)			8		0.4	40.0		10444
9	P1	H		3110-542-0120		BEARING, BALL, ANNULAR: Kleinschmidt p/n 10760			1		0.2	5.0		10760
11	P1	H		3110-156-4086		BEARING, BALL, ANNULAR: Kleinschmidt p/n 10765			1		0.2	5.0		10765

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE				FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A	B	C	D										FIGURE NO.	ITEM NO.
						TT-109/FG (CONTINUED)								
	P1	H		5815-682-1511		SPRING, HELICAL, EXTENSION: Howard Industries p/n SPR-71 (for field circuit connection of motor brushes)			2		0.3	10.0		11033
11	P1	F		5940-231-4430		TERMINAL, LUG: AMP p/n 7-32562 (for motor cable terminations)			4	0.8	0.2	20.0		20706
11	P1	F		5940-231-4428		TERMINAL, LUG: Thomas & Betts p/n C-33 (for motor cable terminations)			1	0.3	0.1	5.0		20708
11	P1	H		5940-553-2719		TERMINAL, LUG: AMP p/n 31145 (for motor winding lead)			1		0.1	5.0		20899
	P1	H		5315-547-9203		PIN, STRAIGHT, HEADLESS: Sig dwg no. SC-B-69682			1		0.1	5.0		50359
	P1	H		5330-521-0612		FELT, MECHANCIAL, PREFORMED: Sig dwg no. SC-B-69683			2		0.5	10.0		50949
5	P1	H		6150-702-2771		END BELL, ELECTRICAL ROTATING EQUIPMENT: Kleinschmidt p/n 60490			1		0.1	5.0		60490
11	P1	H		6105-705-2652		RETAINER, BEARING: Howard Industries p/n EPL-27 (Dust seal on governor end)			1		0.1	5.0		60491
11	P1	H		6105-726-8682		ARMATURE, MOTOR: Howard Industries p/n 5-400			1		0.1	5.0		60492A
11	P1	H		5340-656-0160		SHIM: Howard Industries p/n WAS-300 (between brg and dust seal assy, power end)			2		0.2	10.0		60493
11	P1	H		5305-656-0106		SCREW, MACHINE: Howard Industries p/n SCR-519 (for end bell dust seals)			8		0.8	40.0		60494
11	P1	O		5977-688-4398		CAP, ELECTRICAL: Howard Industries dwg no 6-103-040 (outer brush cap)			2	0.8	0.2	10.0		60495
11	P1	O		5977-686-4263		CAP, ELECTRICAL: Howard Industries p/n BHC-127 (inner brush cap)			2	0.8	0.2	10.0		60496
11	P1	H		6105-784-4786		WINDING, MOTOR FIELD: Howard Industries dwg no. 4-201-265			1		0.1	5.0		60499

SOURCE CODE A	B	C	D	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION FIGURE NO.	ILLUSTRATION ITEM NO.
						TT-109/FG (Continued)								
11	P1	H		6105-705-2651		RETAINER, BEARING: Howard Industries p/n EPL-4 (outer end plate for dust seal assy, power end)			1		0.1	5.0		60500
11	P1	H		5310-656-0100		WASHER, SPRING TENSION: Howard Industries p/n SPR-66 (outer washers, next to end bell dust seal assy)			2		0.2	10.0		60501
11	P	O		5977-686-5195		BRUSH, ELECTRICAL CONTACT: Howard Industries p/n 2-126-7			2	35.6	30.0	100.0		60503
5	P1	H		6150-702-2770		END BELL, ELECTRICAL ROTATING EQUIPMENT: Howard Industries p/n COV-28DM-1			1		0.1	5.0		60505
	P1	H		5340-682-2171		SHIM: Howard Industries p/n WAS-57-1 (between brgs and end bells)			2		0.2	10.0		60506
						GROUP 2D MOTOR, UNIVERSAL, 1/20 hp Howard								
5	P1	F		6105-059-9166		MOTOR, UNIVERSAL: Series wound; 3600 rpm; 1/20 hp; 115V, 1.5 amp max; Kleinschmidt p/n 65309A			1	0.7	0.2	5.0		B2
11	P1	H		5910-666-8278		CAPACITOR, FIXED, PAPER DIELECTRIC: 0.1 uf, + 25%-15%, 600 Vdcw Astron p/n AQF-6-1			2		0.3	10.0		C16, C17
11	P1	H		5305-656-0181		SCREW, MACHINE: Kleinschmidt p/n 10172 (for mounting end bells)			8		0.8	40.0		10172
11	P1	H		5310-198-3724		WASHER, LOCK: MIL STD MS35337-41 (for mounting end bells)			8		0.4	40.0		10444
9	P1	H		3110-542-0120		BEARING, BALL, ANNULAR: Kleinschmidt p/n 10760			1		0.2	5.0		10760
11	P1	H		3110-156-4086		BEARING, BALL, ANNULAR: Kleinschmidt p/n 10765			1		0.2	5.0		10765
11	P1	F		5940-231-4428		TERMINAL, LUG: Thomas & Betts p/n C-33 (for motor cable terminations)			1	0.3	0.1	5.0		20708

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE				FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A	B	C	D										FIGURE NO.	ITEM NO.
						TT-109/FG (Continued)								
	P1	F		5325-174-5331		GROMMET, RUBBER: Atlantic India Rubber p/n 2538			1	0.7	0.2	5.0		20726
11	P1	F		5940-821-2659		TERMINAL, LUG: Kleinschmidt p/n21065 (for motor cable terminations)			4	0.8	0.2	20.0		21065
	P1	H		5315-547-9203		PIN, STRAIGHT, HEADLESS: Sig dwg no. SC-D-69682			1		0.1	5.0		50359
	P1	H		5330-521-0612		FELT, MECHANICAL, PREFORMED: Sig dwg no. SC-B-69683			4		0.5	10.0		50949
11	P1	H		6105-705-2652		RETAINER: Howard Industries p/n EPL-27 (Dust seal on governor end)			1		0.1	5.0		60491
11	P1	H		5430-656-0160		SHIM: Howard Industries p/n WAS300 (between brg and dust seal assy, power end)			1		0.2	10.0		60493
11	P1	H		5305-656-0106		SCREW, MACHINE: Howard Industries p/n SCR-519 (for end bell dust seals)			8		0.8	40.0		60494
11	P1	O		5977-688-4398		CAP, ELECTRICAL: Howard Industries p/n 6-103-040 (outer brush cap)			2	0.8	0.2	10.0		60495
11	P1	O		5977-686-4263		CAP, ELECTRICAL: Howard Industries p/n BHC-127 (inner brush cap)			2	0.8	0.2	10.0		60496
11	P1	H		6105-705-2651		RETAINER, BEARING: Howard Industries p/n EPL-4 (outer end plate for dust seal assy, power end)			1		0.1	5.0		60500
11	P1	H		5310-656-0100		WASHER, SPRING TENSION: Howard Industries p/n SPR-66 (outer washers next to end bell dust seal assy)			2		0.2	10.0		60501
11	P	F		5977-686-5195		BRUSH, ELECTRICAL CONTACT: Howard Industries p/n 2-126-7			2	35.6	30.0	100.0		60503
	P1	H		5340-682-2171		SHIM: Howard Industries p/nWAS-57-1 (between brgs and end bells)			2		0.2	10.0		60506

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE A	B	C	D	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION FIGURE NO.	ILLUSTRATION ITEM NO.
						TT-109/FG (Continued)								
						GROUP 3 TAPE SUPPLY								
5	P1	F		6350-132-8377		BUZZER: Sig dwg no. SC-C-65251			1	0.7	0.2	5.0		DS2
11	P1	F		5935-698-4124		CONNECTOR, PLUG, ELECTRICAL: Kleinschmidt p/n 20435			1	0.5	0.1	5.0		P4
11	P1	F		5930-501-0063		SWITCH, TOGGLE: Kleinschmidt p/n 56821A			1	0.7	0.2	5.0		S3
11	P1	F		5305-531-9034		SCREW, CAP, SOCKET HEAD: MIL-S-933B, type C (Authorized allowances based on total of 13)			1	1.6	0.8	65.0		10003
11	P1	F		5305-753-4356		SCREW, CAP, SOCKET HEAD: Kleinschmidt p/n 10004			2	1.6	0.8	65.0		10004
11	P1	F		5305-533-5362		SCREW, CAP, SOCKET HEAD: MIL STD MS35460-10			1	0.5	0.1	5.0		10015
11	P1	F		5 305-530-9381		SCREW, CAP, SOCKET HEAD: Kleinschmidt p/n 10024-01			4	1.2	0.4	20.0		10024-01
11	P1	F		5305-297-7962		SCREW, CAP, SOCKET HEAD: Kleinschmidt p/n 10025 (Authorized allowances based on a total of 4)			3	1.2	0.4	20.0		10025
11	P1	F		5305-545-8374		SCREW, CAP, SOCKET HEAD: MIL-S-933B, type C (Authorized allowances based on a total of 6)			2	1.4	0.5	30.0		10032
11	P1	F		5 305-639-0511		SCREW, CAP, SOCKET HEAD: MIL STD MS35459-18 (Authorized allowances based on a total of 4)			3	1.2	0.4	20.0		10037
11	P1	F		5 305-543-2595		SCREW, MACHINE: Kleinschmidt p/n 10090			1	0.5	0.1	5.0		10090
11	P1	F		5 305-558-3911		SCREW, MACHINE: Kleinschmidt p/n 10091			2	0.8	0.2	10.0		10091
				5 305-207-7484		SCREW, MACHINE: (For authorized allowances see GROUP 1)			2					10357
				5310-013-1196		WASHER, LOCK: (For authorized allowances see GROUP 1)			7					10429

Army-Ft Monmouth, NJ-b

SOURCE CODE A	B	C	D	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION FIGURE NO.	ILLUSTRATION ITEM NO.
						TT-109/FG (Continued)								
1	P1	F		5310-209-3871		WASHER, LOCK: MIL STD MS35339-61 (Authorized allownaces based on a total of 46)			6	2.5	1.3	230.0		10430
1	P1	F		5310-198-3711		WASHER, LOCK: MIL STD MS35339-62 (Authorized allowances based on a total of 15)			2	1.9	0.8	75.0		10431
1	P1	F		5310-209-1239		WASHER, LOCK: MIL STD MS35335-60			1	0.5	0.1	5.0		10437
1	P1	F		5310-227-6574		WASHER, FLAT: Kleinschmidt p/n 10450 (Authorized allowances based on a total of 6)			2	1.0	0.3	30.0		10450
1	P1	H		5310-261-7155		WASHER, FINISHING: Shakeproof p/n 1724-02			1		0.1	5.0		10478
				5310-551-7541		NUT, SELF-LOCKING, HEXAGON: (For authorized allowances see GROUP 1)			5					10500
1	P1	F		5310-523-2035		NUT, SELF-LOCKING, HEXAGON: Kleinschmidt p/n 10501 (Authorized allowances based on a total of 14)			3	1.9	0.9	70.0		10501
1	P1	F		5310-527-4494		NUT, PLAIN, HEXAGON: Kleinschmidt p/n 10513			2	0.8	0.2	10.0		10513
1	P1	F		5310-208-6478		NUT, SELF-LOCKING, HEXAGON: Esna p/n 79M02 (Authorized allowances based on a total of 12)			3	1.6	0.8	60.0		10525
	P1	F		5315-243-1174		PIN, COTTER: Kleinschmidt p/n 10802			2	1.0	0.3	10.0		10802
	P1	F		5340-298-7072		RING, RETAINING: Waldes Kohinoor p/n 5133-18-PP-RP (Authorized allowances based on a total of 18)			2	3.6	2.1	90.0		10949
	P1	F		5340-256-2867		RING, RETAINING: Waldes Kohinoor p/n 5133-15(.025)-PP (Authorized allowances based on a total of 6)			1	1.6	0.8	30.0		10960
1	P1	F		5340-282-0780		RING, RETAINING: Waldes Kohinoor cat no. 5133-12-S-MD (Authorized allowances based on a total of 11)			1	2.5	1.3	55.0		10969

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-109/FG (Continued)								
10 P O	7530-634-6237		TAPE, TELETYPEWRITER: Fed Spec no. UU-T-120			1	162.7	155.7	1000.0		10982
	5940-642-4428		TERMINAL, LUG: (For authorized allowances see GROUP 1)			1					20379
11 P1 F	5940-504-5787		TERMINAL, LUG: AMP p/n 321035			2	0.5	0.1	10.0		20789
11 P1 F	5815-588-0952		ROLLER, TAPE: Sig dwg no. SC-B-70114			2	0.5	0.1	5.0		50162
11 P1 F	5310-596-6990		WASHER, FLAT: Sig dwg no. SC-B-69322-2			2	0.5	0.1	10.0		50319
11 P1 F	5310-521-8731		WASHER, FLAT: Sig dwg no. SC-B-69526 (Authorized allowances based on a total of 5)			3	0.9	0.3	20.0		50827
	5310-590-8021		NUT, LATCH PLATE: (For authorized allowances see GROUP 1)			1					52561
11 P1 F	5815-597-2276		SPRING, HELICAL, EXTENSION: Sig dwg no SM-B-1507010-18			1	0.7	0.2	5.0		53312
11 P1 F	5815-521-7193		SPRING, HELICAL, COMPRESSION: Sig dwg no. SM-B-196060			1	0.7	0.2	5.0		55459
11 P1 F	5815-327-5152		LEVER: Sig dwg no. SM-B-187439			1	0.5	0.1	5.0		56234
11 P1 F	5310-655-9506		NUT, PLAIN, HEXAGON: Kleinschmidt p/n 57314			1	0.5	0.1	5.0		57314
11 P1 F	5815-588-0951		LEVER: Sig dwg no. SM-B-314831			1	0.5	0.1	5.0		57380
P1 F	5315-626-9388		PIN, INDEX: Kleinschmidt p/n 57389			1	0.5	0.1	5.0		57389
11 P1 F	5305-655-9501		SCREW, SHOULDER: Kleinschmidt p/n 57390			1	0.5	0.1	5.0		57390
11 P1 F	5815-551-0100		SPRING, HELICAL, COMPRESSION: Sig dwg no. SM-B-314838-1			1	0.7	0.2	5.0		57391

Army-Ft Monmouth,NJ-MON 475-43

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-109/FG (Continued)								
11 P1 F	5815-558-3182		SPRING, HELICAL, EXTENSION: Sig dwg no. SM-B-314840			1	0.7	0.2	5.0		57394
11 P1 F	5815-554-0800		SPACER, SLEEVE: Sig dwg no. SM-B-314841			1	0.5	0.1	5.0		57395
			GROUP 4 PRINTING AND PUNCHING								
11 P1 F	5305-521-8637		SCREW, CAP, SOCKET HEAD: MIL STD MS35460-1			4	1.2	0.4	20.0		10001
	5305-753-4356		SCREW, CAP, SOCKET HEAD: (For authorized allowances see GROUP 3)			2					10004
11 P1 F	5305-514-7728		SCREW, CAP, SOCKET HEAD: MIL-S-933B, type C (Authorized allowances based on a total of 7)			2	1.9	0.8	35.0		10006
11 P1 F	5305-721-5430		SCREW, CAP, SOCKET HEAD: MIL STD MS35459-14 (Authorized allowances based on a total of 8)			4	1.8	0.8	40.0		10008
11 P1 F	5305-297-7966		SCREW, CAP, SOCKET HEAD: MIL-S-933B TYPE C (Authorized allowances based on a total of 3)			1	1.0	0.3	15.0		10009
11 P1 F	5305-545-8344		SCREW, CAP, SOCKET HEAD: Kleinschmidt p/n 10017-01			2	0.8	0.2	10.0		10017-01
11 P1 F	5305-576-7525		SCREW, CAP, HEXAGON HEAD: Kleinschmidt p/n 10089			1	0.5	0.1	5.0		10089
11 P1 F	5305-333-4262		SETSCREW: MIL STD MS51019-34 (Authorized allowances based on a total of 13)			6	1.6	0.8	65.0		10203
11 P1 F	5305-297-7905		SETSCREW: MIL STD MS51020-49 (Authorized allowances based on a total of 4)			3	1.2	0.4	20.0		10210
11 P1 F	5305-333-4254		SETSCREW: MIL STD MS51020-51 (Authorized allowances based on a total of 5)			3	1.4	0.5	25.0		10211

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-109/FG (Continued)								
11 P1 F	5305-521-8635		SCREW, MACHINE: Kleinschmidt p/n 10305			3	1.0	0.3	15.0		10305
11 P1 F	5305-206-3537		SCREW, CAP, HEXAGON HEAD: Kleinschmidt p/n 10397 (Authorized allowances based on a total of 2)			1	0.8	0.2	5.0		10397
11 P1 F	5310-282-9584		WASHER, LOCK: MIL STD MS35333-73 (Authorized allowances based on a total of 14)			3	1.9	0.8	70.0		10405
	5310-013-1196		WASHER, LOCK: (For authorized allowances see GROUP 1)			6					10429
	5310-209-3871		WASHER, LOCK: (For authorized allowances see GROUP 3)			12					10430
	5310-198-3711		WASHER, LOCK: (For authorized allowances see GROUP 3)			3					10431
11 P1 F	5310-595-5969		WASHER, FLAT: Stoddart p/n 70107 (Authorized allowances based on a total of 7)			3	1.1	0.4	35.0		10459
	5310-429-2274		WASHER, FLAT: (For authorized allowances see GROUP 1)			1					10463
11 P1 F	5310-637-3945		WASHER, FLAT: Kleinschmidt p/n 10464 (Authorized allowances based on a total os 3)			1	0.7	0.2	15.0		10464
	5310-523-2035		NUT, SELF-LOCKING, HEXAGON: (For authorized allowances see GROUP 3)			3					10501
	5310-208-6478		NUT, SELF-LOCKING, HEXAGON: (For authorized allowances see GROUP 3)			3					10525
11 P1 F	5310-208-4118		NUT, PLAIN, HEXAGON: Kleinschmidt p/n 10526			1	0.5	0.1	5.0		10526
9 P1 H	3120-287-7413		BEARING, SLEEVE: Amplex Div, Chrysler Corp. cat. no. F-348-2			2		0.2	10.0		10716
9 P1 F	3110-155-9628		BEARING, BALL, ANNULAR: Marlin-Rockwell p/n R-4-FFT-407AO (Authorized allowances based on a total of 2)			1	1.2	0.4	10.0		10753

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-109/FG (Continued)								
P1 F	5315-242-5473		PIN, COTTER: Kleinschmidt p/n 10806 (Authorized allowances based on a total of 3)			1	1.0	0.3	15.0		10806
10 P1 O	7510-511-6690		RIBBON, PRINTING, TELETYPEWRITER: Fed Spec no. DDD-R-311, type 1, grade A. Class 1			1	84.0	79.0	1000.0		10901
	5340-298-7072		RING, RETAINING: (For authorized allowances see GROUP 3)			9					10949
	5340-256-2867		RING, RETAINING: (For authorized allowances see GROUP 3)			3					10960
	5340-282-0780		RING, RETAINING: (For authorized allowances see GROUP 3)			7					10969
P1 F	5340-286-9467		RING, RETAINING: Waldes Kohinoor p/n 5100-28			1	0.8	0.2	5.0		10971
11 P1 F	5305-524-5612		NUT, PLAIN, PLATE: Sig dwg no. SC-B-69499 (Authorized allowances based on a total of 7)			2	1.9	0.8	35.0		50174
11 P1 F	5310-062-2948		WASHER, FLAT: Sig dwg no. SC-B-69322-3			2	0.5	0.1	10.0		50320
11 P1 F	5815-254-4911		COLLAR, SHAFT: Sig dwg no. SC-B-69522-1 (Authorized allowances based on a total of 3)			2	1.0	0.3	15.0		50391
11 P1 F	5310-523-2141		WASHER, FLAT: Sig dwg no. SC-B-69906			2	0.5	0.1	10.0		50831
11 P1 F	5815-663-3339		SPRING, HELICAL, COMPRESSION: Sig dwg no. SM-B-148310-1			2	1.0	0.3	10.0		51593
11 P1 F	5815-309-3880		ROLLER, TAPE: Sig dwg no. SM-B-157305			1	0.5	0.1	5.0		52126A
11 P1 F	5815-597-2274		SPRING, HELICAL, EXTENSION: Sig dwg no. SM-B-157010-1			1	0.7	0.2	5.0		52161
11 P1 F	5815-597-2294		SPRING, HELICAL, ESTENSION: Sig dwg no. SM-B-157011-1			1	0.7	0.2	5.0		52163
11 P1 F	5815-597-2292		SPRING, HELICAL, EXTENSION: Sig dwg no. SM-B-157011-2			1	0.7	0.2	5.0		52164

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-109/FG (Continued)								
11 P1 F	5815-395-9461		STUD: Sig dwg no. SM-B-157091			1	0.5	0.1	5.0		52327
11 P1 F	5815-395-9462		STUD: Sig dwg no. SM-B-157093			1	0.5	0.1	5.0		52329
11 P1 F	5815-395-9463		PAWL: Sig dwg SM-B-157095			1	0.5	0.1	5.0		52331A
11 P1 F	5305-393-1906		STUD: Sig dwg no. SM-B-157105			1	0.5	0.1	5.0		52342
11 P1 F	5815-392-7761		POST: Sig dwg no. SM-B-157108			1	0.5	0.1	5.0		52345
11 P1 F	5815-395-9468		LEVER: Sig dwg no. SM-B-157109			5	1.4	0.5	25.0		52346
11 P1 F	5815-395-9469		LEVER: Sig dwg no. SM-B-157110			1	0.5	0.1	5.0		52347
11 P1 F	5815-395-9477		SCREW, ADJUSTMENT: Sig dwg no. SM-B-157116			1	0.5	0.1	5.0		52365
11 P1 F	5815-395-9480		SPROCKET, TAPE: Sig dwg no. SM-B-157125			1	0.5	0.1	5.0		52377
11 P1 F	5815-030-0427		WHEEL, DETENT: Sig dwg no. SM-B-157130			1	0.5	0.1	5.0		52384
11 P1 F	5815-395-9483		PIVOT: Sig dwg no. SM-B-157148			1	0.5	0.1	5.0		52409
11 P1 F	5815-392-7766		GUIDE, RIBBON: Sig dwg no. SM-B-157155			1	0.7	0.2	5.0		52416A
11 P1 F	5815-392-7767		POST, TYPEWHEEL: Sig dwg no. SM-B-157157			1	0.5	0.1	5.0		52418
11 P1 F	5815-392-7769		SPRING, HELICAL, TORSION: Sig dwg no. SM-B-157161			1	0.7	0.2	5.0		52422
11 P1 F	5815-392-7771		LEVER: Sig dwg no. SM-B-157163-1			1	0.5	0.1	5.0		52424
11 P1 F	5815-392-7772		LEVER: Sig dwg no. SM-B-157163-2			1	0.5	0.1	5.0		52426

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-109/FG (Continued)								
11 P1 F	5815-392-7773		LEVER: Sig dwg no. SM-B-157163-3			1	0.5	0.1	5.0		52427
11 P1 F	5815-392-7774		LEVER: Sig dwg no. SM-B-157163-4			1	0.5	0.1	5.0		52428
11 P1 F	5815-392-7775		LEVER: Sig dwg no. SM-B-157163-5			1	0.5	0.1	5.0		52429
11 P1 F	5310-205-8937		WASHER, FLAT: Sig dwg no. SM-B-157017-6 (Authorized allowances based on a total of 5)			4	0.9	0.3	25.0		52430
11 P1 F	5815-392-7776		LEVER: Sig dwg no. SM-B-157165			1	0.5	0.1	5.0		52432
11 P1 F	5815-392-7778		LEVER: Sig dwg no. SM-B-157168			1	0.5	0.1	5.0		52436A
11 P1 F	5815-392-7779		SHAFT: Sig dwg no. SM-B-157172			1	0.5	0.1	5.0		52442A
11 P1 F	5815-392-7780		LEVER ASSEMBLY: Sig dwg no. SM-B-157173			1	0.5	0.1	5.0		52445A
11 P1 F	5310-595-5383		WASHER, FLAT: Kleinschmidt p/n52446			7	1.1	0.4	35.0		52446
11 P1 F	5815-392-7781		SHAFT: Sig dwg no. SM-B-157177			1	0.5	0.1	5.0		52452
11 P1 F	5815-219-7017		LEVER: Sig dwg no. SM-B-157190			1	0.5	0.1	5.0		52480A
11 P1 F	5815-392-7786		LEVER: Sig dwg no. SM-B-157192			1	0.5	0.1	5.0		52482A
11 P1 F	5815-537-8444		PIN, LOCATING: Kleinschmidt p/n52485			1	0.5	0.1	5.0		52485
11 P1 F	5815-692-6839		PIN, STRAIGHT, HEADLESS: Sig dwg no. SM-B-157196			1	0.5	0.1	5.0		52486
11 P1 F	5815-096-7422		SHIM: Sig dwg no. SM-B-157251-1 (Authorized allowances based on a total of 4)			2	1.2	0.4	20.0		52577

SOURCE CODE				FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A	B	C	D										FIGURE NO.	ITEM NO.
						TT-109/FG (Continued)								
11	P1	F		5815-092-1438		SHIM: Sig dwg no. SM-B-157251-2 (Authorized allowances based on a total of 4)			2	1.2	0.4	20.0		52578
11	P1	F		5815-030-0430		STUD: Sig dwg no. SM-B-157254			1	0.5	0.1	5.0		52585
11	P1	F		5815-392-7801		WHEEL, DETENT: Sig dwg no. SM-B-157259			1	0.7	0.2	5.0		52590A
11	P1	F		5815-392-7802		WHEEL, DETENT: Sig dwg no. 157259-2			1	0.7	0.2	5.0		52591A
	P1	F		5315-523-8657		PIN, STRAIGHT, HEADLESS: Sig dwg no. SM-B-157263			1	0.5	0.1	5.0		52595
11	P1	F		5815-392-7803		LEVER: Sig dwg no. SM-B-157264-1			1	0.5	0.1	5.0		52596
11	P1	F		5815-392-7804		LEVER: Sig dwg no. SM-B-157264-2			1	0.5	0.1	5.0		52597
11	P1	F		5815-395-9494		SHAFT: Sig dwg no. SM-B-157266			1	0.5	0.1	5.0		52601
	P1	F		5340-543-4366		SPRING, HELICAL, EXTENSION: Kleinschmidt p/n 52602			1	0.7	0.2	5.0		52602
11	P1	F		5815-200-7883		SPRING, HELICAL, EXTENSION: Sig dwg no. SM-B-157011-9			4	1.4	0.5	20.0		52603
11	P1	F		5815-200-7884		SPRING, HELICAL, EXTENSION: Sig dwg no. SM-B-157010-8			2	1.0	0.3	10.0		52604
11	P1	F		5815-395-9495		LEVER: Sig dwg no. SM-B-157267-1			1	0.5	0.1	5.0		52605
11	P1	F		5815-395-9496		LEVER: Sig dwg no. SM-B-157267-2			1	0.5	0.1	5.0		52607
11	P1	F		5815-395-9497		GUIDE, RIBBON: Sig dwg no. SM-B-157267-2			2	0.8	0.2	10.0		52608
	P1	F		5315-597-9672		PIN, GROOVED, HEADLESS: Sig dwg no. SM-B-157270			1	0.7	0.2	5.0		52609

SOURCE CODE				FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A	B	C	D										FIGURE NO.	ITEM NO.
						TT-109/FG (Continued)								
11	P1	F		5815-392-7806		DETENT ASSEMBLY: Sig dwg no. SM-B-157271-GRI			1	0.5	0.1	5.0		52610A
11	P1	F		5815-392-7807		DETENT ASSEMBLY: Sig dwg no. SM-B-157271-GRII			1	0.5	0.1	5.0		52611A
11	P1	F		5815-600-2800		LEVER ASSEMBLY: Sig dwg no. SM-B-157279			1	0.5	0.1	5.0		52622A
11	H	F		5310-595-6653		WASHER, FLAT: Sig dwg no. SM-B-157017-4			3	0.7	0.2	15.0		52651
	P1	F		5315-663-3181		PIN, GROOVED, HEADLESS: Kleinschmidt p/n 52703			1	0.5	0.1	5.0		52703
11	P1	F		5310-595-6311		WASHER, SPRING TENSION: Kleinschmidt p/n 53427			4	1.2	0.4	20.0		53427
11	P1	F		5815-340-3704		DIE SET, TAPE PUNCHING: Kleinschmidt p/n 53543A			1	0.7	0.2	5.0		53543A
11	P1	F		5815-562-6326		TYPEWHEEL, TELETYPEWRITER: Sig dwg no. SM-B-157184			1	0.7	0.2	5.0		55132
11	P1	F		5815-562-8861		GEAR ASSEMBLY: Sig dwg no. SM-B-157127			1	0.7	0.2	5.0		55134A
11	P1	F		5815-664-2194		SPRING, HELICAL, EXTENSION: Kleinschmidt p/n 56158			1	0.7	0.2	5.0		56158
11	P1	F		5815-340-3733		CUTTER, TAPE: Sig dwg no. SM-B-187404			1	0.5	0.1	5.0		56164
11	P1	F		5815-560-5748		SPRING, HELICAL, TORSION: Sig dwg no. SM-B-187556			1	0.7	0.2	5.0		57059
11	P1	F		5815-560-5747		SPRING, HELICAL, TORSION: Sig dwg no. SM-B-187858			1	0.7	0.2	5.0		57060
11	P1	F		5305-592-7735		SCREW, EXTERNALLY RELIEVED BODY: Sig dwg no. SM-B-187559			1	0.5	0.1	5.0		57063
11	P1	0		5815-592-0790		BIN, CHAD: Kleinschmidt p/n 57611A			1	0.3	0.1	5.0		57611A

SOURCE CODE A B C D	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION FIGURE NO.	ILLUSTRATION ITEM NO.
			TT-109/FG (continued)								
			GROUP 5 FUNCTION AND SELECTOR								
11P1F	5815-323-7321		RELAY,ARMATURE: Kleinschmidt p/n 56130A			1	0.7	0.2	5.0		E1
11P1F	5935-296-8675		CONNECTOR,PLUG,ELECTRICAL: Amphenol p/n 26-195			1	0.5	0.1	5.0		P2
11P1F	5905-556-5561		RESISTOR,VARIABLE: 5000 ohms,±20%;2w; MIL type RV4NATSA502B			1	0.7	0.2	5.0		R4
11P1F	5305-335-0400		SCREW,CAP,SOCKETHEAD: Kleinschmidt p/n 10000			1	0.5	0.1	5.0		10000
11P1F	5305-531-9034		SCREW,CAP,SOCKETHEAD: (For authorized allowances see GROUP 3)			4					10003
	5305-753-4356		SCREW,CAP,SOCKETHEAD: (For authorized allowances see GROUP 3)			8					10004
11P1F	5305-655-9483		SCREW,CAP,SOCKETHEAD: MIL STD MS35460-3 (Authorized allowances based on a total of 3 per equip)			1	1.0	0.3	15.0		10005
	5305-514-7728		SCREW,CAP,SOCKETHEAD: (For authorized allowances see GROUP 4)			5					10006
	5305-721-5430		SCREW,CAP,SOCKETHEAD: (For authorized allowances see GROUP 4)			2					10008
	5305-297-7966		SCREW,CAP,SOCKETHEAD: (For authorized allowances see GROUP 4)			2					10009
11P1F	5305-206-2476		SCREW,CAP,SOCKETHEAD: Kleinschmidt p/n 10010 (Authorized allowances based on a total of 12 per equip)			4	1.6	0.8	60.0		10010
11P1F	5305-570-5987		SCREW,CAP,SOCKETHEAD: MIL STD MS35459-17			2	0.8	0.2	10.0		10011
11P1F	5305-570-6002		SCREW,CAP,SOCKETHEAD: MIL STD MS35460-13			12	1.6	0.8	60.0		10018
11P1F	5305-660-2431		SCREW,CAP,SOCKETHEAD: MIL STD MS35460-25			1	0.5	0.1	5.0		10021-01
11P1F	5305-545-8374		SCREW,CAP,SOCKETHEAD: Kleinschmidt p/n 10022			1	0.5	0.1	5.0		10022

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION		INITIAL ISSUE 100 EQPS BASE DEPOT
										FIGURE NO.	ITEM NO.	
A B C D			TT-109/FG (continued)									
11P1F	5305-655-6955		BOLT,INTERNAL WRENCHING: MIL STD MS35460-11			2	0.8	0.2	10.0		10024	4.2 4.0
11P1F	5305-274-0405		SCREW,CAP,SOCKETHEAD: MIL STD MS35461-4			2	0.8	0.2	10.0		10028	4.2 4.0
11P1F	5305-057-1262		SCREW,CAP,SOCKETHEAD: Kleinschmidt p/n 10029 (Authorized allowances based on a total of 2 per equip)			1	0.8	0.2	10.0		10029	4.2 4.0
	5305-545-8374		SCREW,CAP,SOCKETHEAD: (For authorized allowances see GROUP 3)			4					10032	
11P1F	5305-206-2224		SCREW,CAP,SOCKETHEAD: MIL STD MS35460-5			2	0.8	0.2	10.0		10034	4.2 4.0
11P1F	5305-208-3610		SCREW,CAP,SOCKETHEAD: Kleinschmidt p/n 10035-01			6	1.4	0.5	30.0		10035-01	12.5 12.0
11P1F	5305-805-6598		SCREW,CAP,SOCKETHEAD: MIL STD MS35459-3			2	0.8	0.2	10.0		10043	4.2 4.0
11P1F	5305-721-4490		SCREW,CAP,SOCKETHEAD: MIL STD MS35459-1			2	0.8	0.2	10.0		10058	4.2 4.0
11P1F	5305-639-3331		SCREW,CAP,SOCKETHEAD: Kleinschmidt p/n 10060			1	0.5	0.1	5.0		10060	2.1 2.0
11P1F	5305-551-5876		SCREW,CAP,SOCKETHEAD: MIL STD MS35459-21			1	0.5	0.1	5.0		10067	2.1 2.0
11P1F	5305-297-7700		SCREW,MACHINE: Kleinschmidt p/n 10076			1	0.5	0.1	5.0		10076	2.1 2.0
11P1F	5306-141-2885		BOLT,MACHINE: Fed Spec FF-S-92, type II, Style 10P			4	0.8	0.2	20.0		10079	8.2 8.0
11P1F	5305-543-2594		SCREW,MACHINE: Kleinshcmidt p/n 10087			3	1.0	0.3	15.0		10087	6.3 6.0
	5305-333-4262		SETSCREW: (For authorized allowances see GROUP 4)			7					10203	
11P1F	5305-333-4251		SETSCREW: MIL STD MS51010-41			1	0.5	0.1	5.0		10207	2.1 2.0
11P1F	5305-576-5488		SETSCREW: Fed Spec FF-S-103, type III Style No. 4			6	1.4	0.5	30.0		10208	12.5 12.0

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE A B C D	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION FIGURE NO.	ILLUSTRATION ITEM NO.
			TT-109/FG (continued)								
11P1F	5305-207-8967		SETSCREW: MIL STD MS51020-48			24	2.8	1.5	120.0		10209
	5305-297-7905		SETSCREW: (For authorized allowances see GROUP 4)			1					10210
	5305-333-4254		SETSCREW: (For authorized allowances see GROUP 4)			2					10211
11P1F	5305-297-7909		SETSCREW: MIL STD MS51027-30			1	0.5	0.1	5.0		10220.
11P1F	5305-297-7894		SETSCREW: MIL STD MS51020-27			2	0.8	0.2	10.0		10221
11P1F	5305-639-1350		SETSCREW: MIL STD MS51027-29			1	0.5	0.1	5.0		10225
11P1F	5305-545-8466		SETSCREW: MIL STD MS51028-29			2	0.8	0.2	10.0		10235
11P1F	5305-638-0861		SCREW,MACHINE: Kleinshcmidt p/n 10317			3	1.0	0.3	15.0		10317
	5305-206-3537		SCREW,CAP,HEXAGON HEAD: (For authorized allowances see GROUP 4)			1					10397
	5310-209-3990		WASHER,LOCK: (For authorized allowances see GROUP 1)			2					10403
	5310-543-2739		WASHER,LOCK: (For authorized allowances see GROUP 1)			3					10404
	5310-282-9584		WASHER,LOCK: (For authorized allowances see GROUP 4)			4					10405
11P1F	5310-261-6197		WASHER,LOCK: Shakeproof p/n 4010-14-00			6	1.0	0.3	30.0		10406
11P1F	5310-537-8380		WASHER,LOCK: Kleinschmidt p/n 10419			1	0.3	0.1	5.0		10419
11P1F	5310-637-9606		WASHER,LOCK: Kleinschmidt p/n 10420			2	0.5	0.1	10.0		10420
	5310-013-1196		WASHER,LOCK: (For authorized allowances see GROUP 1)			19					10429-

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-109/FG (continued)								
	5310-209-3871		WASHER,LOCK: (For authorized allowances see GROUP 3)			14					10430
	5310-198-3711		WASHER,LOCK: (For authorized allowances see GROUP 3)			10					10431
11P1F	5310-017-8164		WASHER,LOCK: MIL STD MS35339-58			3	0.7	0.2	15.0		10433
11P1F	5310-209-3860		WASHER,LOCK: Kleinschmidt p/n 10434			2	0.5	0.1	10.0		10434
11P1F	5310-576-1352		WASHER,LOCK: MIL STD MS35340-62			2	0.5	0.1	10.0		10438
	5310-227-6574		WASHER,FLAT: (For authorized allowances see GROUP 3)			4					10450
9 P1F	5310-209-0574		WASHER,FLAT: Kleinschmidt p/n 10454			2	0.5	0.1	10.0		10454
11P1F	5310-637-3944		WASHER,FLAT: Kleinschmidt p/n 10458 (Authorized allowances based on a total of 7 per equip)			5	1.1	0.4	35.0		10458
	5310-595-5969		WASHER,FLAT: (For authorized allowances see GROUP 4)			4					10459
P1F	5340-697-3599		RING,RETAINING: Kleinschmidt p/n 10462			1	0.8	0.2	5.0		10462
	5310-429-2274		WASHER,FLAT: (For authorized allowances see GROUP 1)			2					10463
	5310-637-3945		WASHER,FLAT: (For authorized allowances see GROUP 4)			2					10464
11P1F	5310-595-5385		WASHER,FLAT: Kleinschmidt p/n 10467			2	0.5	0.1	10.0		10467
	5310-551-7541		NUT,SELF-LOCKING,HEXAGON: (For authorized allowances see GROUP 1)			8					10500
	5310-523-2035		NUT,SELF-LOCKING,HEXAGON: (For authorized allowances see GROUP 3)			5					10501
11P1F	5310-550-1154		NUT,PLAIN,HEXAGON: Kleinschmidt p/n 10504			2	0.8	0.2	10.0		10504

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-109/FG (continued)								
11P1F	5310-546-6858		NUT,LOCK: Kleinschmidt p/n 10507			2	0.8	0.2	10.0		10507
11P1F	5310-208-6617		NUT,PLAIN,HEXAGON: Kleinschmidt p/n 10509			3	1.0	0.3	15.0		10509
11P1F	5310-297-8940		NUT,PLAIN,HEXAGON: Kleinschmidt p/n 10512			1	0.5	0.1	5.0		10512
	5310-208-6478		NUT,SELF-LOCKING,HEXAGON: (For authorized allowances see GROUP 3)			2					10525
11P1F	5310-208-6742		NUT,PLAIN,HEXAGON: Kleinschmidt p/n 10529			1	0.5	0.1	5.0		10529
11P1F	5310-595-5867		BEARING,SLEEVE: Kleinschmidt p/n 10704			1	0.3	0.1	5.0		10704
9 P1F	3120-542-0187		BEARING,SLEEVE: Chrysler p/n F-445-1			2	0.5	0.1	10.0		10708
	3110-155-9628		BEARING,BALL,ANNULAR: (For authorized allowances see GROUP 4)			1					10753
9 P1F	3110-155-9589		BEARING,BALL,ANNULAR: MIL STD 102A, Code No. 115-00209-2000			1	0.8	0.2	5.0		10754
9 P1F	3110-533-4611		BEARING,BALL,ANNULAR: Fafnir p/n 37KDD			2	1.2	0.4	10.0		10756
9 P1F	3110-144-8858		BEARING,BALL,ANNULAR: MIL STD 102A, Code No. 111-00810-2000			1	0.8	0.2	5.0		10757
9 P1F	3110-144-8865		BEARING,BALL,ANNULAR: MIL STD 102A, Code No. 111-00902-2000			1	0.8	0.2	5.0		10758
11P1F	3110-155-8418		BEARING,BALL,ANNULAR: MIL STD 102A, Code No. 115-00619-2004			1	0.8	0.2	5.0		10763
	5315-242-5473		PIN,COTTER: (For authorized allowances see GROUP 4)			2					10806
P1F	5315-598-6077		PIN,TAPERED,PLAIN: MIL STD 105-2,type No. 105-2S40-6			1	0.5	0.1	5.0		10852
P1F	5315-141-1689		PIN,TAPERED,PLAIN: Kleinschmidt p/n 10859			2	0.8	0.2	10.0		10859

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			TT-109/FG (continued)								
P1F	5315-209-7626		PIN,TAPERED,PLAIN: Kleinschmidt p/n 10860			2	0.8	0.2	10.0		10860
P1F	5340-567-2552		RING,RETAINING: Waldes Kohinoor p/n 5005-31-S			1	0.8	0.2	5.0		10929
	5340-298-7072		RING,RETAINING: (For authorized allowances see GROUP 3)			7					10949
P1F	5340-282-0778		RING,RETAINING: Waldes Kohinoor p/n 5133-31-PP			2	1.2	0.4	10.0		10959
	5340-256-2867		RING,RETAINING: (For authorized allowances see GROUP 3)			2					10960
	5340-282-0780		RING,RETAINING: (For authorized allowances see GROUP 3)			3					10969
11P1F	5815-356-3235		LEVER: Sig dwg SC-B-69491			1	0.5	0.1	5.0		50014
11P1F	5310-523-2002		WASHER,FLAT: Sig dwg SC-B-69325-3			1	0.3	0.1	5.0		50053
11P1F	5815-330-9942		BEARING,PIVOT: Sig dwg SC-B-69495			1	0.5	0.1	5.0		50146
11P1F	5310-521-8475		WASHER,FLAT: Sig dwg SC-B-69389-4			4	0.8	0.2	20.0		50147
11P1F	5310-523-2003		WASHER,FLAT: Sig dwg SC-B-69389-3			9	1.3	0.5	45.0		50148
11P1F	5815-240-0188		COLLAR,SHAFT: Sig dwg SC-B-69496			1	0.5	0.1	5.0		50149
	5305-524-5612		NUT,PLAIN,PLATE: (For authorized allowances see GROUP 4)			5					50174
11P1F	5815-523-8656		DISK,CLUTCH: Sig dwg SC-B-69500			1	0.7	0.2	5.0		50200
11P1F	5815-294-7390		COLLAR,SHAFT: Kleinschmidt p/n 50209			1	0.5	0.1	5.0		50209
11P1F	5310-521-8729		WASHER,FLAT: Sig dwg SC-B-69322-1			1	0.3	0.1	5.0		50315
11P1F	5815-600-2698		CAM: Sig dwg SC-B-69594			1	0.7	0.2	5.0		50317A

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-109/FG (continued)								
11P10	5815-203-1678		GEAR,WORM: (60 wpm) Sig dwg No. SC-B-69681			1	0.7	0.2	5.0		50350
11P10	5815-378-5593		GEAR,WORM,WHEEL: (60 wpm) Sig dwg SC-B-69663			1	0.7	0.2	5.0		50352A
			OR								
11P10	5815-203-1327		GEAR,WORM: (100 wpm) Sig dwg SC-B-70482			1	0.7	0.2	5.0		50596
11P10	5815-351-7944		GEAR,WORM,WHEEL: (100 wpm) Sig dwg SC-B-70478			1	0.7	0.2	5.0		50597A
11P1F	5815-203-1730		GEAR,SPUR: Sig dwg SC-B-70522			1	0.7	0.2	5.0		50354A
11P1F	5310-523-2236		WASHER,FLAT: Sig dwg SC-B-69580			1	0.3	0.1	5.0		50374
	5815-254-4911		COLLAR,SHAFT: (For authorized allowances see GROUP 4)			1					50391
11P1F	5310-523-2143		WASHER,FLAT: Sig dwg SC-B-69389-2			2	0.5	0.1	10.0		50414
11P1F	5815-356-3334		FORK,CLUTCH: Sig dwg SM-B-148343			1	0.5	0.1	5.0		50484A
11P1F	5815-356-3339		BAR,SELECTOR,TELETYPEWRITER: Sig dwg SC-B-69639			29	1.9	0.9	50.0		50502
11P1F	5815-356-3345		STOP,LEVER: Sig dwg SC-B-69483			1	0.5	0.1	5.0		50511
11P1F	5815-351-7928		GEAR,SPUR: Sig dwg SM-B-148346			1	0.7	0.2	5.0		50512A
11P1F	5310-521-8723		WASHER,FLAT: Sig dwg SC-B-69325-4			2	0.5	0.1	10.0		50515
11P1F	5815-607-3904		DRUM,CLUTCH: Sig dwg SC-C-70505 (Kleinschmidt p/n 57893A which replaces 50516A)			1	0.5	0.1	5.0		50516A
11P1F	5815-356-3355		ARM: Sig dwg SC-B-69625			1	0.5	0.1	5.0		50535
11P1F	5815-356-3356		CAM: Sig dwg SC-B-69704			1	0.7	0.2	5.0		50536

Army-Ft Monmouth,NJ-MON 475-68

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			TT-109/FG (continued)								
11P1F	5310-595-5382		WASHER,FLAT: Sig dwg SC-B-69322-4			1	0.3	0.1	5.0		50544
11P1F	5815-351-7948		STUD: Sig dwg SC-B-69465			1	0.5	0.1	5.0		50650
11P1F	5310-576-5486		NUT,PLAIN,HEXAGON: Sig dwg 69466			1	0.5	0.1	5.0		50651
11P1F	5310-638-5179		WASHER,FLAT: Sig dwg SC-B-69322-6			1	0.3	0.1	5.0		50746
	5310-521-8731		WASHER,FLAT: (For authorized allowances see GROUP 3)			2					50827
11P1F	5310-523-2005		WASHER,FLAT: Sig dwg SC-B-69907-2			1	0.3	0.1	5.0		50839
11P1F	5815-356-3446		ROLLER: Sig dwg SC-B-69666			1	0.5	0.1	5.0		50843
11P1F	5815-356-3307		POST,ANCHOR: Kleinschmidt p/n 50325			1	0.3	0.1	5.0		50325
11P1F	5815-233-0954		SPRING,HELICAL,COMPRESSION: Sig dwg SC-B-69507-11			1	0.7	0.2	5.0		50848
11P1F	5815-598-4965		SPRING,HELICAL,EXTENSION: Sig dwg SC-B-69326-5			6	1.4	0.6	30.0		50902
11P1F	5815-598-4995		SPRING,HELICAL,EXTENSION: Sig dwg SC-B-69337-4			1	0.7	0.2	5.0		50903
11P1F	5815-598-4978		SPRING,HELICAL,EXTENSION: Sig dwg SC-B-69326-6			1	0.7	0.2	5.0		50904
11P1F	5815-570-3491		LEVER SET: Sig dwg SM-B-187564 (Kleinschmidt p/n 56766A which replaces 51066A)			1	0.7	0.2	5.0		51066A
11P1F	5815-356-3519		LEVER SET: Sig dwg SC-B-70112 (Kleinschmidt p/n 51598A which replaces 51068A)			1	0.7	0.2	5.0		51068A
11P1F	5815-351-7998		DISK,DRIVING: Sig dwg SC-B-69370			1	0.7	0.2	5.0		51117A
11P1F	5815-254-4768		COUPLING,SHAFT,FLEXIBLE: Kleinschmidt p/n 51167A			1	0.5	0.1	5.0		51167A

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-109/FG (continued)								
11P1F	5815-547-7872		CAMSHAFT: Sig dwg SM-B-148365			1	0.5	0.2	5.0		51398A
11P1F	5310-209-0098		WASHER,FLAT: Sig dwg SC-B-69322-9			2	0.5	0.1	10.0		51408
11P1F	5815-356-3487		COLLAR,SPACING: Sig dwg SC-B-70256-1			2	0.8	0.2	10.0		51416
11P1F	5815-330-9941		BEARING,UNIT,IDENTICAL: Sig dwg SC-B-69494 (Kleinschmidt p/n 50019A, set of 6 replaces 51604A, set of 5)			1	0.7	0.2	5.0		51604A
11P1F	5310-595-6452		WASHER,FLAT: Kleinschmidt p/n 51847			2	0.5	0.1	10.0		51847
11P1F	5310-595-6482		WASHER,FLAT: Kleinschmidt p/n 51848			2	0.5	0.1	10.0		51848
11P1F	5815-600-3059		SHAFT: Sig dwg SM-B-157031			1	0.5	0.1	5.0		52134A
11P1F	5815-600-3114		LEVER: Kleinschmidt p/n 52142A			1	0.5	0.1	5.0		52142A
11P1F	5815-395-9440		SHAFT: Sig dwg No. SM-B-157037			1	0.5	0.1	5.0		52144
11P1F	5815-506-1575		LATCH,LEVER: Sig dwg SM-B-157039			1	0.5	0.1	5.0		52146A
11P1F	5815-395-9443		LATCH,LEVER: Sig dwg SM-B-157042			1	0.5	0.1	5.0		52149
11P1F	5815-395-9444		STUD: Kleinschmidt p/n 52151			1	0.5	0.1	5.0		52151
11P1F	5815-396-3393		LATCH,LEVER: Sig dwg SM-B-157046			1	0.5	0.1	5.0		52155
11P1F	5815-692-6837		SPACER,SLEEVE: Sig dwg SM-B-157014			1	0.3	0.1	5.0		52157
11P1F	5815-395-9446		CAM: Sig dwg SM-B-157047			1	0.7	0.2	5.0		52158
11P1F	5815-395-9447		MOUNTING SEAT: Kleinschmidt p/n 52159			2	0.5	0.1	10.0		52159

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-109/FG (continued)								
11P1F	5815-597-2289		SPRING,HELICAL,EXTENSION: Kleinschmidt p/n 52166			1	0.7	0.2	5.0		52166
11P1F	5815-597-2287		SPRING,HELICAL,EXTENSION: Sig dwg SM-B-157010-2			1	0.7	0.2	5.0		52167
11P1F	5815-597-2298		SPRING,HELICAL,EXTENSION: Sig dwg SM-B-157011-4			1	0.7	0.2	5.0		52168
11P1F	5815-597-2295		SPRING,HELICAL,EXTENSION: Sig dwg SM-B-157010-3			1	0.7	0.2	5.0		52169
11P1F	5815-597-2281		SPRING,HELICAL,EXTENSION: Sig dwg SM-B-157010-4			1	0.7	0.2	5.0		52171
P1F	5340-597-9493		SPRING,HELICAL,EXTENSION: Sig dwg SM-B-157010-5			1	0.7	0.2	5.0		52172
11P1F	5340-209-9946		SPRING,HELICAL,EXTENSION: Sig dwg SM-B-157010-6			1	0.7	0.2	5.0		52173
11P1F	5305-297-7692		SCREW,SHOULDER: Sig dwg SM-B-157051			1	0.5	0.1	5.0		52176
11P1F	5310-298-8165		WASHER,FLAT: Sig dwg SM-B-157018-1			1	0.3	0.1	5.0		52283
11P1F	5815-395-9455		PIN,GROOVED,HEADLESS: Sig dwg SM-B-148423			1	0.5	0.1	5.0		52288
11P1F	5815-396-3395		SHAFT: Sig dwg SM-B-157029			1	0.5	0.1	5.0		52291
11P1F	5815-395-9470		ROLLER,CAM: Sig dwg SM-B-157111			1	0.7	0.2	5.0		52354
11P1F	5315-393-1907		LEVER: Sig dwg SM-B-157113			2	0.6	0.2	10.0		52362
11P1F	5815-395-9478		LEVER: Sig dwg SM-B-157118			1	0.5	0.1	5.0		52368A
11P1F	5815-342-6022		LEVER ASSEMBLY: Sig dwg SM-B-149055			1	0.5	0.1	5.0		52394A
11P1F	5815-030-0428		CAM,ASSEMBLY: Sig dwg SM-B-157139			1	0.7	0.2	5.0		52398A

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-109/FG (continued)								
11P1F	5815-692-6838		BEARING,PLAIN,SLEEVE: Sig dwg SM-B-157141			1	0.5	0.1	5.0		52401
11P1F	5310-595-6453		WASHER,FLAT: Kleinschmidt p/n 52402			2	0.5	0.1	10.0		52402
11P1F	5815-392-8230		PIN,GROOVED,HEADLESS: Sig dwg SM-B-157143			1	0.5	0.1	5.0		52403
11P1F	5815-392-8291		PIN,LOCKING: Sig dwg SM-B-157144			2	0.8	0.2	10.0		52404
11P1F	5815-392-7763		LEVER: Sig dwg SM-B-157145			1	0.5	0.1	5.0		52405
11P1F	5815-392-7764		LEVER: Sig dwg SM-B-157146			1	0.5	0.1	5.0		52406
11P1F	5815-393-1909		LATCH,LEVER: Sig dwg SM-B-157150			1	0.5	0.1	5.0		52411A
11P1F	5310-209-1499		WASHER,FLAT: Kleinschmidt p/n 52413			1	0.3	0.1	5.0		52413
	5310-205-8937		WASHER,FLAT: (For authorized allowances see GROUP 4)			1					52430
11P1F	5815-569-0331		GEAR,SPUR: Sig dwg SM-B-157164			1	0.7	0.2	5.0		52431A
11P1F	5815-392-7782		CAM ASSEMBLY: Sig dwg SM-B-157180			1	0.7	0.2	5.0		52456A
11P1F	5815-392-7783		LEVER ASSEMBLY: Sig dwg SM-B-157183			1	0.5	0.1	5.0		52459A
11P1F	5815-392-7785		LEVER: Sig dwg SM-157187			1	0.5	0.1	5.0		52477A
11P1F	5815-521-1388		LEVER: Kleinschmidt p/n 52478A			1	0.5	0.1	5.0		52478A
11P1F	5815-392-7787		LEVER: Sig dwg SM-B-157193			1	0.5	0.1	5.0		52483
11P1F	5815-392-7788		LEVER: Sig dwg SM-B-157194			1	0.5	0.1	5.0		52484
11P1F	5815-392-7791		BRACKET: Sig dwg No. SM-B-148446			1	0.3	0.1	5.0		52529

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-109/FG (continued)								
	5815-096-7422		SHIM: (For authorized allowances see GROUP 4)			2					52577
	5815-092-1438		SHIM: (For authorized allowances see GROUP 4)			2					52578
11P1F	5310-637-3934		WASHER,FLAT: Sig dwg SM-B-157016-2			1	0.3	0.1	5.0		52648
11P1F	5310-595-6481		WASHER,FLAT: Kleinschmidt p/n 52649			3	0.7	0.2	15.0		52649
11P1F	5815-396-3396		LEVER: Sig dwg SM-B-157295			1	0.5	0.1	5.0		52653
11P1F	5815-396-3397		LEVER: Sig dwg SM-B-157299			1	0.5	0.1	5.0		52657
11P1F	5815-392-7824		NUT,ADJUSTING: Sig dwg SM-B-157302			1	0.5	0.1	5.0		52664
11P1F	5310-298-8166		WASHER,FLAT: Sig dwg SM-B-157016-3			1	0.3	0.1	5.0		52679
11P1F	5815-392-7828		CLAPPER,SIGNAL BELL: Kleinschmidt p/n 52682A			1	0.3	0.1	5.0		52682A
11P1F	5815-096-7462		SCREW,ADJUSTING: Sig dwg SM-B-148458			2	0.8	0.2	10.0		52688
11P1F	5340-200-6613		SPRING,HELICAL COMPRESSION: Sig dwg SM-B-148550			16	2.4	1.5	80.0		52940
11P1F	5815-597-2301		SPRING,HELICAL,EXTENSION: Sig dwg SM-B-147011-10			1	0.7	0.2	5.0		53139
11P1F	5815-597-2277		SPRING,HELICAL,EXTENSION: Sig dwg SM-B-157011-11			1	0.7	0.2	5.0		53140
11P1F	5815-597-2278		SPRING,HELICAL,EXTENSION: Sig dwg SM-B-157010-10			1	0.7	0.2	5.0		53141
11P1F	5305-297-7694		SCREW,MACHINE: Kleinschmidt p/n 53183			4	1.2	0.4	20.0		53183
11P1F	5310-298-8168		WASHER,FLAT: Kleinschmidt p/n 53261			4	0.8	0.2	20.0		53261
11P1F	5815-322-5574		LEVER SET: Kleinschmidt p/n 53540A			1	0.5	0.1	5.0		53540A

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE A B C D	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION FIGURE NO.	ILLUSTRATION ITEM NO.
			TT-109/FG (continued)								
11P1F	5815-219-6307		MOUNTING,ARM: Sig dwg SM-B-157506			1	0.3	0.1	5.0		53568A
11P1F	5815-664-2138		SPRING,HELICAL,EXTENSION: Sig dwg SM-B-157010-20			1	0.7	0.2	5.0		53569
P1F	5307-096-7426		STUD,EXTENSION: Sig dwg SM-B-149014			2	0.8	0.2	10.0		53597
11P1F	5815-219-7022		SPACER: Sig dwg SM-B-157014-5			3	1.0	0.3	15.0		53602
11P1F	5815-301-4611		RETAINER,BALL: Sig dwg SM-B-148761			6	1.4	0.6	30.0		53647A
11P1F	5815-396-3401		PLATE,RETAINING: Sig dwg SM-B-157525			1	0.3	0.1	5.0		53652
11P1F	5815-395-9510		ARM: Sig dwg SM-B-148776			1	0.5	0.1	5.0		53802A
11P1F	5305-297-3998		SCREW,MACHINE: Sig dwg SM-B-148801			3	1.0	0.3	15.0		53972
11P1F	5815-309-3884		COLLAR,SHAFT: Sig dwg SM-B-157543			3	1.0	0.3	15.0		53973
11P1F	5945-257-6365		ARMATURE,ELECTROMAGNETIC ACTUATOR: Kleinschmidt p/n 54092A			1	0.7	0.2	5.0		54092A
11P1F	5310-521-8552		WASHER,KEY: Sig dwg SM-B-186915			5	1.4	0.5	25.0		54566
11P1F	5815-322-5581		COLLAR,DRIVESHAFT: Sig dwg SM-B-171537			1	0.5	0.1	5.0		54928
11P1F	5815-340-3720		DISK,FRICTION: Sig dwg SM-B-186882-2			1	0.7	0.2	5.0		54931
11P1F	5815-663-3298		SPRING,HELICAL,COMPRESSION: Kleinschmidt p/n 54932			1	0.7	0.2	5.0		54932
11P1F	5815-528-5517		WASHER,THRUST: Sig dwg SM-B-187020			5	0.9	0.3	25.0		55001
11P1F	5815-600-3048		DETENT: Sig dwg SM-B-187022			1	0.5	0.1	5.0		55004A
11P1F	5815-322-5589		SPACER,SLEEVE: Sig dwg SM-B-187023			1	0.5	0.1	5.0		55006

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-109/FG (continued)								
11P1F	5815-322-5590		SLEEVE,ECCENTRIC: Sig dwg SM-B-187024			1	0.3	0.1	5.0		55007
11P1F	5815-600-2890		PIVOT,LEVER DETENT: Sig dwg SM-B-187025			1	0.5	0.1	5.0		55008
11P1F	5815-834-5524		SPRING,HELICAL,EXTENSION: Sig dwg SM-B-171539			5	1.9	0.8	25.0		55009
11P1F	5310-595-6161		WASHER,FLAT: Sig dwg SM-B-171646			1	0.3	0.1	5.0		55076
11P1F	5305-543-5785		SCREW,MACHINE: Kleinschmidt p/n 55511			1	0.5	0.1	5.0		55511
11P1F	5815-591-0870		STUD,ECCENTRIC: Sig dwg SM-B-187165			3	1.0	0.3	15.0		55738
11P1F	5815-340-3732		ECCENTRIC: Sig dwg SM-B-187361			1	0.5	0.1	5.0		56076
11P1F	5815-663-3333		SPRING,HELICAL,COMPRESSION: Sig dwg SM-B-171535			2	1.0	0.3	10.0		56091
11P1F	5306-600-3058		BOLT,MACHINE: Sig dwg SM-B-196656			2	0.8	0.2	10.0		56124
11P1F	5815-697-8054		STUD,PILOT: Sig dwg SM-B-187401			1	0.5	0.1	5.0		56161
11P1F	5815-342-3558		LEVER: Sig dwg SM-B-187403			1	0.5	0.1	5.0		56163
11P1F	5815-219-7023		STUD,ECCENTRIC: Sig dwg SC-B-70566			2	0.8	0.2	10.0		56185A
11P1F	5815-323-7322		COLLAR,DRIVESHAFT: Sig dwg SM-B-187690			1	0.5	0.1	5.0		56246
11P1F	5815-340-3737		CLUTCH,FRICTION: Kleinschmidt p/n 56248			1	0.7	0.2	5.0		56248
11P1F	5815-663-3313		SPRING,HELICAL,COMPRESSION: Sig dwg SM-B-187689			1	0.7	0.2	5.0		56249
11P1F	5815-203-1423		GEAR,SPUR: Sig dwg SM-B-187450			1	0.7	0.2	5.0		56257
11P1 F	5815-523-8666		GEAR,SPUR: Sig dwg SM-B-187475			1	0.7	0.2	5.0		56330A

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-109/FG (continued)								
11P1F	5815-663-3370		SPRING,HELICAL,TORSION: Sig dwg SM-B-187478			1	0.7	0.2	5.0		56396
11P1F	5815-570-3530		LEVER: Sig dwg SM-B-187121			1	0.5	0.1	5.0		56536A
11P1F	5815-588-0937		STUD,PILOT: Sig dwg SM-B-187575			1	0.5	0.1	5.0		56539
11P1F	5815-570-3529		SPRING,FLAT: Sig dwg SM-B-187124			1	0.7	0.2	5.0		56540
11P1F	5815-590-8020		LEVER: Kleinschmidt p/n 56593			1	0.5	0.1	5.0		56593
11P1F	5815-586-7764		LEVER: Sig dwg SM-B-314722			1	0.5	0.1	5.0		56736
11P1F	5815-588-0938		LEVER: Sig dwg SM-B-314724			1	0.5	0.1	5.0		56738A
P1F	5330-784-7868		DISK,FRICTION: Kleinschmidt p/n 61343A (Kleinschmidt p/n 61343A which replaces 50846,56273 & 56764)			1	0.7	0.2	5.0		50846, 56273 56764
P1F	5330-776-2693		DISK,FRICTION: Kleinschmidt p/n 61344A (Kleinschmidt p/n 61344A which replaces 50013 and 56765)			1	0.7	0.2	5.0		50013 or 56765
11P1F	5815-600-3005		COLLAR,CLAMP: Sig dwg SM-B-314726			1	0.5	0.1	5.0		56832A
11P1F	5815-574-6624		COLLAR,CLAMP: Sig dwg SM-B-314727			1	0.5	0.1	5.0		56833A
11P1F	5815-558-3010		SHIM: Sig dwg SM-B-171480			2	1.0	0.3	10.0		57072
11P1F	5815-586-0404		SHIM: Sig dwg SM-B-171620			2	1.0	0.3	10.0		57073
11P1F	5815-588-0939		SHAFT: Sig dwg SM-B-314738			1	0.5	0.1	5.0		57142
11P1F	5815-588-0940		SHAFT: Sig dwg SM-C-314745			1	0.5	0.1	5.0		57159
11P1F	5310-588-0979		NUT,PLAIN,PLATE: Sig dwg SM-B-314842			1	0.5	0.1	5.0		57165

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-109/FG (continued)								
11P1F	5815-588-0946		CAGE,FRAME ASSEMBLY: Sig dwg SM-B-314791			1	0.3	0.1	5.0		57271A
11P1F	5815-588-0947		BAR,SELECTOR,TELETYPEWRITER: Sig dwg SM-B-314797			3	1.3	0.5	15.0		57277
11P1F	5815-602-8004		NUT,PLAIN,PLATE: Sig dwg SM-B-185288			1	0.5	0.1	5.0		57669
11P1F	5815-672-0043		RING SET,CODE,TELETYPEWRITER: Kleinschmidt p/n 61059A			1	0.5	0.1	5.0		61059A
			GROUP 6 BASE ASSEMBLY								
11P1F	5910-649-3118		CAPACITOR,FIXED,ELECTROLYTIC: 20 uf, 200 vdc,Kleinschmidt p/n 20213			1	0.7	0.2	5.0		C1
11P1F	5910-112-7401		CAPACITOR,FIXED,PAPER DIELECTRIC: 500,000 uuf +20% -10%;600 vdcw; MIL -C-25A,type No. CP53B1DF504V			1	0.7	0.2	5.0		C3
11P1F	6130-523-5816		RECTIFIER,METALLIC: Sig dwg SM-B-186908			1	0.7	0.2	5.0		CR1
11P 0	5920-224-5269		FUSE,CARTRIDGE: 1.6 amp;125v max; Littelfuse No. 31301.6			2	15.6	12.0	50.0		F1,F2
11P1F	5915-523-1968		FILTER,RADIO INTERFERENCE: Sig dwg SM-B-314938			1	0.7	0.2	5.0		FL1
11P1F	5935-524-5541		CONNECTOR,RECEPTACLE,ELECTRICAL: Amphenol p/n 26-198			1	0.5	0.1	5.0		J2
11P1F	5935-521-0537		CONNECTOR,RECEPTACLE,ELECTRICAL: Sig dwg SM-B-148662			1	0.5	0.1	5.0		J3
11P1F	5935-699-0873		CONNECTOR,PLUG,ELECTRICAL: Kleinschmidt p/n 20272			1	0.5	0.1	5.0		J4
11P1F	5935-149-3230		CONNECTOR,RECEPTACLE,ELECTRICAL: MIL-C-5015,ANA Type AN3102A-14S-2S			1	0.5	0.1	5.0		J6
11PLF	5935-283-1230		PLUG,TELEPHONE: JAN type PJ-055R			1	0.5	0.1	5.0		P1
11P1F	5935-283-3392		CONNECTOR,PLUG,ELECTRICAL: Sig dwg SC-DL-69167			1	0.5	0.1	5.0		P5

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-109/FG (continued)								
11P1F	5905-190-8889		RESISTOR,FIXED,COMPOSITION: 100 ohms ±5%;1/2w; MIL type RC20GF101J			1	0.7	0.2	5.0		R1
11P1F	5905-508-0819		RESISTOR,FIXED,COMPOSITION: 8,000 ohm ±7.5%;8w;Kleinschmidt p/n 20039			1	0.7	0.2	5.0		R2
11P1F	5905-508-0563		RESISTOR,FIXED,WIREWOUND: 5600 ohm ±7.5%;8w; Kleinschmidt p/n 20040			1	0.7	0.2	5.0		R3
11P1F	5905-683-6375		RESISTOR,FIXED,WIREWOUND: 250 ohm ±10% 50w; Kleinschmidt p/n 59994			1	0.7	0.2	5.0		R5
11P1F	5930-752-2672		SWITCH,TOGGLE: MIL-S-3950 p/n MS35059-15			1	0.7	0.2	5.0		S1
11P1F	5930-655-1515		SWITCH,TOGGLE: MIL STD MS35058-23			1	0.7	0.2	5.0		S2
11P1F	5930-050-2704		SWITCH,TOGGLE: MIL-S-3950, p/n MS-35059-9			1	0.7	0.2	5.0		S4
11P1F	5950-660-7480		TRANSFORMER,POWER,STEP-DOWN: Kleinschmidt p/n 59672			1	0.7	0.2	5.0		T1
11P1F	5920-556-0144		FUSEHOLDER: MIL spec MIL-F-19207 type FNH20G			2	0.5	0.1	10.0		XF1,XF2
	5305-531-9034		SCREW,CAP,SOCKETHEAD: (For authorized allowances see GROUP 3)			8					10003
	5305-753-4356		SCREW,CAP,SOCKETHEAD: (For authorized allowances see GROUP 3)			1					10004
5	5305-655-9483		SCREW,CAP,SOCKETHEAD: (For authorized allowances see GROUP 5)			2					10005
	5305-721-5430		SCREW,CAP,SOCKETHEAD: (For authorized allowances see GROUP 4)			2					10008
11P1F	5305-274-0401		SCREW,CAP,SOCKETHEAD: MIL STD MS35461-1			1	0.5	0.1	5.0		10008-01
	5305-206-2476		SCREW,CAP,SOCKETHEAD: (For authorized allowances see GROUP 5)			8					10010
11P1F	5305-206-2470		SCREW,CAP,SOCKETHEAD: Kleinschmidt p/n 10013			3	1.0	0.3	15.0		10013
11P1F	5305-514-7729		SCREW,CAP,SOCKETHEAD: Kleinschmidt p/n 10014			1	0.5	0.1	5.0		10014

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-109/FG (continued)								
	5305-297-7962		SCREW,CAP,SOCKETHEAD: (For authorized allowances see GROUP 3)			1					10025
	5305-057-1262		SCREW,CAP,SOCKETHEAD: (For authorized allowances see GROUP 5)			1					10029
	5305-639-0511		SCREW,CAP,SOCKETHEAD: (For authorized allowances see GROUP 3)			1					10037
11P1F	5305-514-6805		SCREW,CAP,SOCKETHEAD: Kleinschmidt p/n 10055			2	0.8	0.2	10.0		10055
11P1F	5305-637-7903		SCREW,MACHINE: Kleinschmidt p/n 10106			2	0.8	0.2	10.0		10106
11P1F	5305-298-8084		SCREW,MACHINE: Kleinschmidt p/n 10166			2	0.8	0.2	10.0		10166
11P1F	5305-292-6707		SCREW,MACHINE: Kleinschmidt p/n 10252			6	1.4	0.5	30.0		10252
9 P1F	5305-208-1862		SCREW,MACHINE: Kleinshcmidt p/n 10321			2	0.8	0.2	10.0		10321
11P1F	5305-206-4876		SCREW,MACHINE: Fed spec FF-S-92, type I, Style 8S			2	0.8	0.2	10.0		10335
11P1F	5305-292-8400		SCREW,MACHINE: Kleinschmidt p/n 10354			3	1.0	0.3	15.0		10354
	5305-207-7484		SCREW,MACHINE: (For authorized allowances see GROUP 1)			2					10357
11P1F	5305-208-6168		SCREW,MACHINE: Kleinschmidt p/n 10367			4	1.2	0.4	20.0		10367
	5310-209-3990		WASHER,LOCK: (For authorized allowances see GROUP 1)			5					10403
	5310-543-2739		WASHER,LOCK: (For authorized allowances see GROUP 1)			14					10404
	5310-282-9584		WASHER,LOCK: (For authorized allowances see GROUP 4)			7					10405
	5310-013-1196		WASHER,LOCK: (For authorized allowances see GROUP 1)			18					10429
	5310-209-3871		WASHER,LOCK: (For authorized allowances see GROUP 3)			14					10430

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-109/FG (continued)								
11P1F	5310-596-4547		WASHER,FINISHING: Ohmite p/n D85562			2	0.8	0.2	10.0		10456
	5310-637-3944		WASHER,FLAT: (For authorized allowances see GROUP 5)			2					10458
	5310-551-7541		NUT,SELF-LOCKING,HEXAGON: (For authorized allowances see GROUP 1)			3					10500
	5310-523-2035		NUT,SELF-LOCKING,HEXAGON: (For authorized allowances see GROUP 3)			3					10501
11P1F	5310-576-5487		NUT,PLAIN,HEXAGON: Kleinschmidt p/n 10505			2	0.8	0.2	10.0		10505
11P1F	5310-208-4124		NUT,PLAIN,HEXAGON: MIL-S-933,type A			1	0.5	0.1	5.0		10516
	5310-208-6478		NUT,SELF-LOCKING,HEXAGON: (For authorized allowances see GROUP 3)			4					10525
11P1F	5310-197-2298		NUT,SELF-LOCKING,HEXAGON: MIL Std MS20365-440			2	0.8	0.2	10.0		10540
P1F	5340-096-7157		MOUNT,RESILIENT: Lord p/n 150PDN432-12			4	0.8	0.2	20.0		10915
11P1F	5305-209-4803		SCREW,CAP,SOCKETHEAD: Kleinschmidt p/n 11500			1	0.5	0.1	5.0		11500
11P1F	5940-688-2382		TERMINAL STUD: Kleinschmidt p/n 20357			2	0.5	0.1	10.0		20357
11P1F	5920-244-5150		CAP,ELECTRICAL: Bussman p/n 9435-1/2			2	0.5	0.1	10.0		20460
11P1F	6145-283-9634		CORD,ELECTRICAL: MIL-C-3884 type COS-2(18) (Authorized allowances will be a minimum of or a multiple or 8 feet)	ft		8	*	*	120.0		20636-75.60
11P1F	6145-660-9321		CABLE,POWER,ELECTRICAL: MIL-C-3432 type CO-02MGF(2/18)SJ0375 (Authorized allowances will be a minimum of or a multiple of 8 feet)	ft		8	*	*	120.0		20640-96.00
11P1F	5940-199-9606		TERMINAL,LUG: Kleinshcmit p/n 20705			4	0.8	0.2	20.0		20705

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-109/FG (continued)								
11P1F	5940-231-4430		TERMINAL,LUG: AMP P/n 7-32562			6	1.0	0.3	30.0		20706
11P1F	5940-231-4431		TERMINAL,LUG: AMP p/n 7-30697			1	0.3	0.1	5.0		20710
11P1F	5975-378-3587		BUSHING,STRAIN RELIEF: Heyco p/n SR-6P			1	0.5	0.1	5.0		20713
11P1F	5940-665-5603		TERMINAL,LUG: AMP p/n 7-31636			1	0.3	0.1	5.0		20721
P1F	5325-174-5331		GROMMET,RUBBER: Atlantic India Rubber p/n 2538			1	0.5	0.1	5.0		20726
11P1F	5940-549-8991		TERMINAL,LUG: AMP p/n 7-34123			1	0.3	0.1	5.0		20766
11P1F	5975-319-0661		CLAMP,ELECTRICAL: Heyman p/n SR-7P-1			1	0.3	0.1	5.0		20835
11P1F	5940-271-7322		TERMINAL LUG: AMP p/n 7-321021			1	0.3	0.1	5.0		20838
10P1F	5325-249-6340		GROMMET,RUBBER: Atlantic India Rubber p/n 2113			1	0.5	0.1	5.0		21000
11P1F	5310-521-8730		WASHER,FLAT: Sig dwg SC-B-69325-1			2	0.5	0.1	10.0		50887
10P1F	5325-281-6576		GROMMET,RUBBER: Kleinschmidt p/n 52254			4	1.2	0.4	20.0		52254
11P1F	5305-594-1028		SCREW,SHOULDER: Kleinschmidt p/n 52701			4	1.2	0.4	20.0		52701
11P1F	5305-576-6701		SCREW,MACHINE: Kleinschmidt p/n 53336			8	1.9	0.8	40.0		53336
P1F	5340-096-7158		MOUNT,RESILIENT: Lord p/n J-1385-5			4	0.8	0.2	20.0		54189
11P1F	5330-641-3375		WASHER,NONMETALLIC: Kleinschmidt p/n 54561			4	1.4	0.5	20.0		54561
11P1F	5310-591-2550		NUT,PLAIN,PLATE: Kleinschmidt p/n 57309			1	0.5	0.1	5.0		57309
11P1F											

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-109/FG (continued)								
11 P1 F	5310-588-0977		WASHER,FINISHING: Sig dwg SM-B-314810			4	1.2	0.4	20.0		57311
11 P1 F	5815-601-4199		STUD: Kleinschmidt p/n 57406			4	1.2	0.4	20.0		57406

SECTION IV. FUNCTIONAL PARTS LIST (TT-345/FG, TT-345A/FG)

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
															FIGURE NO.	ITEM NO.
A B C D																
	5815-892-1097							REPERFORATOR, TELETYPEWRITER TT-345/FG, TT-345A/FG: 7.42 unit code; English communication characters; accomodates either 7/8 in or 11/16 in wd tape; synchronous motor; 60,75,100 wpm oper speeds; operating power requirements, 115 v, 60cyc; single ph, ac NOTE: Model Column 1 refers to TT-345/FG; Column 2 refers to TT-345A/FG. GROUP 1 COVER		NX						
5 P O	6240-143-3084	†	†		•			LAMP, INCANDESCENT: 115 v, 15 w; GE part No. 15T7/DC			1	1.4	0.5	10.0		DS1
11 P1F	5815-322-5591	†	†					CONTACT, ELECTRICAL: Sig dwg No. SC-B-70198			2	1.0	0.3	10.0		P3
11 P1F	5305-550-9690	†	†					SCREW, MACHINE: Kleinschmidt part No. 10124			4	1.2	0.4	20.0		10124
11 P1F	5305-207-7484	†	†					SCREW, MACHINE: Kleinschmidt part No. 10357 (Authorized allowances based on a total of 6 per equipment)			2	1.4	0.5	30.0		10357
11 P1F	5305-207-5582	†	†					SCREW, MACHINE: Kleinschmidt part No. 10393			4	1.2	0.4	20.0		10393
11 P1F	5310-209-3990	†	†					WASHER, LOCK: MIL std MS35333-71 (Authorized allowances based on a total of 11 per equipment)			4	1.4	0.5	55.0		10403
11 P1F	5310-543-2739	†	†					WASHER, LOCK: MIL std MS35333-72 (Authorized allowances based on a total of 21 per equipment)			4	1.4	0.6	105.0		10404
11 P1F	5310-013-1196	†	†					WASHER, LOCK: MIL std MS35337-60 (Authorized allowances based on a total of 52 per equipment)			2	2.8	1.5	260.0		10429
11 P1F	5310-514-7435	†	†					WASHER, LOCK: Kleinschmidt part No. 10435			4	0.8	0.2	20.0		10435
11 P1F	5310-429-2274							WASHER, FLAT: Murphy Diesel Co part No. MD1974 (Authorized allowances based on a total of 7 per equipment)			4	1.1	0.4	35.0		10463

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
															FIGURE NO.	ITEM NO.
A B C D								TT-345/FG; TT-345A/FG (continued)								
11 P1 F	5310-551-7541	†	†					NUT, SELF-LOCKING, HEXAGON: ESNA type No. 79TM60 (Authorized allowances based on a total of 24 per equipment)			8	2.8	1.5	120.0		10500
11 P1 F	5310-596-8272	†	†					NUT, PLAIN, HEXAGON: GE part No. C2B3, dwg No. N207			1	0.5	0.1	5.0		10511
11 P1 F	5310-514-8471	†	†					NUT, PLAIN, HEXAGON: Chrysler & Koppin part No. 118549			4	1.2	0.4	20.0		10515
11 P1 F	5940-642-4428	†	†					TERMINAL, LUG: Thomas & Betts part No. STA-KON V33 (Authorized allowances based on a total of 2 per equipment)			1	0.5	0.1	10.0		20379
11 P1 F	5940-643-5260	†	†					TERMINAL, LUG: AMP part No. 31890			2	0.5	0.1	10.0		20707
11 P1 F	5940-283-5387	†	†					POST, BINDING: Kleinschmidt part No. 20825			1	0.5	0.1	5.0		20825
5 P1 F	6250-228-0418	†	†					LAMPHOLDER: Dialco type No. 12-06			1	0.5	0.1	5.0		5115
11 P1 F	5310-590-8021	†	†					NUT, LATCH, PLATE: Sig dwg No. SM-B-157240 (Authorized allowances based on a total of 2 per equipment)			1	0.8	0.2	10.0		52561
11 P1 F	5305-584-8985	†	†					SCREW, SHOULDER: Kleinschmidt part No. 56206			4	1.2	0.4	20.0		56206
11 P1 F	5815-586-7766	†	†					SPRING, HELICAL, TORSION: Sig dwg No. SM-B-314965			1	0.7	0.2	5.0		57168
11 P1 F	5815-586-7767	†	†					SPRING, HELICAL, TORSION: Sig dwg No. SM-B-314749-1			1	0.7	0.2	5.0		57169
11 P1 F	5815-588-0941	†	†					LATCH ASSEMBLY: Sig dwg No. SM-B-314752			1	0.5	0.1	5.0		57175A
11 P1 F	5815-588-0942	†	†					SPRING, FORMED WIRE: Sig dwg No. SM-B-314754			1	0.7	0.2	5.0		57177
11 P1 F	5310-588-0978	†	†					NUT, PLAIN, PLATE: Sig dwg No. SM-B-314755			2	4.8	0.2	10.0		57179

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE A	B	C	D	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION FIGURE NO.	ILLUSTRATION ITEM NO.
						TT-345/FG; TT-345A/FG (continued) GROUP 2 MOTOR GROUP 2A MOTOR, AC, MANUFACTURED BY BODINE ELECTRIC CO.								
11	P1	F		6105-047-3876	† †	MOTOR, ALTERNATING CURRENT: Kleinschmidt part No. 53537A			1	0.7	0.2	5.0		B1
11	P1	F		5935-241-0252	† †	CONNECTOR, PLUG, ECTRICAL: MIL-C-5015B, type No. AN3106A-14S-2P			1	0.5	0.1	5.0		P6
11	P1	F		5305-333-4254	† †	SETSCREW: MIL std MS51020-51			1	0.5	0.1	5.0		10211
11	P1	H		5975-295-9325	† †	NUT, COUPLING, ELECTRICAL CONDUIT: MIL type AN3054-6			1		0.1	5.0		10533
9	P1	H		3110-542-0120	† †	BEARING, BALL, ANNULAR: Kleinschmidt part No. 10760			2		0.4	10.0		10760
	P1	H		5315-547-9203	† †	PIN, STRAIGHT, HEADLESS: Sig dwg No. SC-B-69682			1		0.2	5.0		50359
11	P1	H		6105-521-0419	† †	ROTOR, MOTOR: Sig dwg No. SM-B-148667			1		0.1	5.0		53361A
	P1	F		5355-579-7023	† †	KNOB: Sig dwg No. SM-B-149064			1	0.5	0.1	5.0		54217
	P1	F		5330-542-1077	† †	FELT, MECHANICAL, PREFORMED: Kleinschmidt part No. 60530			2		0.5	10.0		60530
11	P1	H		5310-619-2479	† †	WASHER, SPRING, TENSION: Bodine part No. 3098-5-020			2		0.3	10.0		60531
11	P1	H		5310-264-0072	† †	SHIM: Bodine part No. N-162			2		0.3	10.0		60532
	P1	H		5305-619-4695	† †	SCREW, MACHINE: Bodine part No. K-569			4		0.4	20.0		60533
11	P1	H		5310-619-2480	† †	NUT, PLAIN, HEXAGON: Bodine part No. K509			4		0.4	20.0		60534
11	P1	H		5310-619-2135	† †	WASHER, LOCK: Bodine part No. K-1018			4		0.2	20.0		60535

Army-Ft Monmouth,NJ-MON 4-5-64

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			TT-345/FG; TT-345A/FG (continued) GROUP 2B MOTOR, AC, MANUFACTURED BY HOWARD INDUSTRIES INC.								
11P1F	6105-609-4160	† †	MOTOR, ALTERNATING CURRENT: Kleinschmidt part No. 56854A			1	0.7	0.2	5.0		B1
11P1F	5935-241-0252	† †	CONNECTOR, PLUG, ELECTRICAL: MIL-C-5015B, type No. AN3106A-14S-2P			1	0.5	0.1	5.0		P6
11P1F	5305-333-4254	† †	SETSCREW: MIL std MS51020-51			1	0.7	0.2	5.0		10211
11P1H	5305-579-5448	† †	SCREW, MACHINE: Kleinschmidt part No. 10333			8		0.8	40.0		10333
11P1H	5305-208-6168	† †	SCREW, MACHINE: Kleinschmidt part No. 10367			8		0.8	40.0		10367
11P1H	5310-579-1252	† †	WASHER, LOCK: Kleinschmidt part No. 10442			8		0.4	40.0		10442
9 P1H	3110-542-0120	† †	BEARING, BALL, ANNULAR: Kleinschmidt part No. 10760			2		0.4	10.0		10760
P1H	5315-547-9203	† †	PIN, STRAIGHT, HEADLESS: Sig dwg No. SC-B-69682			1		0.2	5.0		50359
P1F	5355-579-7023	† †	KNOB: Sig dwg No SM-B-149064			1	0.5	0.1	5.0		54217
11P1H	6105-542-6563	† †	ROTOR, MOTOR: Kleinschmidt part No. 56853			1		0.1	5.0		56853
11P1H	5310-579-3492	† †	WASHER, SPRING TENSION: Kleinschmidt part No. 56887			2		0.3	10.0		56887
11P1H	5310-285-4451	† †	SHIM: Kleinschmidt part No. 56888			2		0.3	10.0		56888
			GROUP 3 TAPE SUPPLY								
5 P1F	6350-132-8377	† †	BUZZER: Sig dwg No. SC-C-65251			1	0.7	0.2	5.0		DS2
11P1F	5935-698-4124	† †	CONNECTOR, PLUG, ELECTRICAL: Kleinschmidt part No. 20435			1	0.5	0.1	5.0		P4

Army-Ft Monmouth,NJ-MON 47 5-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-345/FG; TT-345A/FG (Continued)								
11P1F	5930-501-0063	† †	SWITCH, TOGGLE: Kleinschmidt part No. 56821A			1	0.7	0.2	5.0		S3
11P1F	5305-531-9034	† †	SCREW, CAP, SOCKET HEAD: MIL-S-933B, type C (Authorized allowances based on a total of 13 per equipment)			1	1.6	0.8	65.0		10003
11P1F	5305-753-4356	† †	SCREW, CAP, SOCKET HEAD: Kleinschmidt part No. 10004 (Authorized allowances based on a total of 13 per equipment)			2	1.6	0.8	65.0		10004
11P1F	5305-533-5362	† †	SCREW, CAP, SOCKET HEAD: MIL std MS35460-10			1	0.5	0.1	5.0		10015
11P1F	5305-530-9381	† †	SCREW, CAP, SOCKET HEAD: Kleinschmidt part No. 10024-01			4	1.2	0.4	20.0		10024-01
11P1F	5305-297-7962	† †	SCREW, CAP, SOCKET HEAD: Kleinschmidt part No. 10025 (Authorized allowances based on a total of 4 per equipment)			3	1.2	0.4	20.0		10025
11P1F	5305-545-8374	† †	SCREW, CAP, SOCKET HEAD: MIL-S-933B, type C (Authorized allowances based on a total of 6 per equipment)			2	1.4	0.5	30.0		10032
11P1F	5305-639-0511	† †	SCREW, CAP, SOCKET HEAD: MIL std MS35459-18 (Authorized allowances based on a total of 4 per equipment)			3	1.2	0.4	20.0		10037
11P1F	5305-543-2595	† †	SCREW, MACHINE: Kleinschmidt part No. 10090			1	0.5	0.1	5.0		10090
11P1F	5305-558-3911	† †	SCREW, MACHINE: Kleinschmidt part No. 10091			2	0.8	0.2	10.0		10091
	5305-207-7484	† †	SCREW, MACHINE: (For authorized allowances see Group 1)			2					10357
	5310-013-1196	† †	WASHER, LOCK: (For authorized allowances see Group 1)			7					10429
11P1F	5310-209-3871	† †	WASHER, LOCK: MIL std MS35339-61 (Authorized allowances based on a total of 46 per equipment)			6	2.5	1.3	230.0		10430

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
															FIGURE NO.	ITEM NO.
A B C D								TT-345/FG; TT-345A/FG (continued)								
11P1F	5310-198-3711	†	†					WASHER, LOCK: MIL std MS35339-62 (Authorized allowances based on a total of 15 per equipment)			2	1.9	0.8	75.0		10431
11P1F	5310-209-1239	†	†					WASHER, LOCK: MIL st MS35335-60			1	0.5	0.1	5.0		10437
11P1F	5310-227-6574	†	†					WASHER, FLAT: Kleinschmidt part No. 10450 (Authorized allowances based on a total of 8 per equipment)			2	1.2	0.4	40.0		10450
11P1F	5310-637-3945	†						WASHER, FLAT: Kleinschmidt part No. 10464 (Authorized allowances			0	0.7	0.2	15.0		10464
			†					based on a total of 3 per equipment in TT-345/FG and 11 per equipment in TT-345A/FG)			4	1.4	0.5	55.0		10464
11P1F	5310-261-7155	†	†					WASHER, FINISHING: Shakeproof part No. 1724-02			1	0.5	0.1	5.0		10478
	5310-551-7541	†	†					NUT, SELF-LOCKING, HEXAGON: (For authorized allowances see Group 1)			5					10500
11P1F	5310-523-2035	†	†					NUT, SELF-LOCKING, HEXAGON: Kleinschmidt part No. 10501 (Authorized allowances based on a total of 14 per equipment)			3	1.9	0.9	70.0		10501
11P1F	5310-527-4494	†	†					NUT, PLAIN, HEXAGON: Kleinschmidt part No. 10513			2	0.8	0.2	10.0		10513
11P1F	5310-208-6478	†	†					NUT, SELF-LOCKING, HEXAGON: ESNA part No. 79M02 (Authorized allowances based on a total of 12 per equipment)			3	1.6	0.8	60.0		10525
P1F	5315-243-1174	†	†					PIN, COTTER: Kleinschmidt part No. 10802			2	1.0	0.3	10.0		10802
P1F	5340-298-7072	†	†					RING, RETAINING: Waldes Kohinoor part No. 5133-18-PP-RP (Authorized allowances based on a total of 18 per equipment)			2	3.6	2.1	90.0		10949
P1F	5340-256-2867	†	†					RING, RETAINING: Waldes Kohinoor part No. 5133-15(.025)-PP (Authorized allowances based on a total of 6 per equipment)			1	1.6	0.8	30.0		10960

Army-Ft Monmouth,NJ-MOH 4/3-60

SOURCE CODE				FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
																		FIGURE NO.	ITEM NO.
A	B	C	D																
											TT-345/FG; TT-345A/FG (continued)								
11	P	1	F	5340-282-0780	†						RING, RETAINING: Waldes Kohinoor Cat No. 5133-12-S-MD (Authorized allowances based on a total of 11 per equipment in TT-345/FG and 13 per equipment in TT-345A/FG)			1	2.5	0.3	55.0		10969
						†								1	4.6	1.5	65.0		10969
10	P	0		7530-634-6237	†	†					TAPE, TELETYPEWRITER: Fed spec No. UU-T-120			1	162.7	155.7	1000.0		10982
				5940-642-4428	†	†					TERMINAL, LUG: (FOr authorized allowances see Group 1)			1					20379
11	P	1	F	5940-504-5787	†	†					TERMINAL, LUG: AMP part No. 321035			2	0.5	0.1	10.0		20789
11	P	1	F	5815-588-0952	†	†					ROLLER, TAPE: Sig dwg No. SC-B-70114			2	0.5	0.1	5.0		50162
11	P	1	F	5310-596-6990	†						WASHER, FLAT: Sig dwg No. SC-B-69322-2 (Authorized allowances based on a total of 2 per equipment)			2	0.5	0.1	10.0		50319
						†								0	0.5	0.1	10.0		50319
11	P	1	F	5310-521-8731	†	†					WASHER, FLAT: Sig dwg No. SC-B-69526 (Authorized allowances based on a total of 5 per equipment)			3	0.9	0.3	20.0		50827
				5310-590-8021	†	†					NUT, LATCH, PLATE: (For authorized allowances see Group 1)			1					52561
11	P	1	F	5815-597-2276	†	†					SPRING, HELICAL EXTENSION: Sig dwg No. SM-B-157010-18			1	0.7	0.2	5.0		53312
11	P	1	F	5815-521-7193	†	†					SPRING, HELICAL, EXTENSION: Sig dwg No. SM-B-196060			1	0.7	0.2	5.0		55459
11	P	1	F	5815-327-5152	†	†					LEVER: Sig dwg No. SM-B-187439			1	0.5	0.1	5.0		56234
11	P	1	F	5310-655-9506	†	†					NUT, PLAIN, HEXAGON: Kleinschmidt part No. 57314			1	0.5	0.1	5.0		57314
11	P	1	F	5815-588-0951	†	†					LEVER: Sig dwg No. SM-B-314831			1	0.5	0.1	5.0		57380
	P	1	F	5315-626-9388	†	†					PIN, INDEX: Kleinschmidt part No. 57389			1	0.5	0.1	5.0		57389

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-345/FG; TT-345A/FG (continued)								
11P1F	5305-655-9501	† †	SCREW, SHOULDER: Kleinschmidt part No. 57390			1	0.5	0.1	5.0		57390
11P1F	5815-551-0100	† †	SPRING, HELICAL, COMPRESSION: Sig dwg No. SM-B-314838-1			1	0.7	0.2	5.0		57391
11P1F	5815-558-3182	† †	SPRING, HELICAL, EXTENSION: Sig dwg No. SM-B-314840			1	0.7	0.2	5.0		57394
11P1F	5815-554-0800	† †	SPACER, SLEEVE: Sig dwg No. SM-B-314841			1	0.5	0.1	5.0		57395
			GROUP 4 PRINTING AND PUNCHING GROUP								
11P1F	5305-521-8637	†	SCREW, CAP, SOCKET HEAD: MIL std MS35460-1 (two are used for mtg y			4	1.2	0.4	20.0		10001
		†	lever stabilization assy in TT-345A/FG)			6	1.4	0.5	30.0		10001
	5305-753-4356	† †	SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group 3)			2					10004
11P1F	5305-514-7728	† †	SCREW, CAP, SOCKET HEAD: Kleinschmidt part No. 10006 (Authorized allowances based on a total of 7 per equipment)			2	1.9	0.8	35.0		10006
11P1F	5305-721-5430	† †	SCREW, CAP, SOCKET HEAD: MIL std MS35459-14 (Authorized allowances based on a total of 8 per equipment)			4	1.8	0.8	40.0		10008
11P1F	5305-297-7966	† †	SCREW, CAP, SOCKET HEAD: MIL-S-933B, type C (Authorized allowances based on a total of 3 per equipment)			1	1.0	0.3	15.0		10009
11P1F	5305-545-8344	† †	SCREW, CAP, SOCKET HEAD: Kleinschmidt part No. 10017-01			2	0.8	0.2	10.0		10017-0
11P1F	5305-206-2471	† †	SCREW, CAP, SOCKET HEAD: Kleinschmidt part No. 10041			3	1.0	0.3	15.0		10041
11P1F	5305-579-1518	†	SCREW, CAP, SOCKET HEAD: Kleinschmidt part No. 10050 (part of lever assy 64763A)			1	0.5	0.1	5.0		10050
11P1F	5305-576-7525	† †	SCREW, CAP, SOCKET HEAD: Kleinschmidt part No. 10089			1	0.5	0.1	5.0		10089

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D															FIGURE NO.	ITEM NO.
								TT-345/FG; TT-345A/FG (continued)								
11P1F	5305-333-4262	†	†					SETSCREW: MIL std MS51019-34 (Authorized allowances based on a total of 13 per equipment)			6	1.6	0.8	65.0		10203
11P1F	5305-297-7905	†	†					SETSCREW: MIL std MS-51020-49 (Authorized allowances based on a total of 4 per equipment)			3	1.2	0.4	20.0		10210
11P1F	5305-333-4254	†	†					SETSCREW: MIL std MS51020-51 (Authorized allowances based on a total of 5 per equipment)			3	1.4	0.5	25.0		10211
11P1F	5305-206-3537	†	†					SCREW, CAP, HEXAGON HEAD: Kleinschmidt part No. 10397			1	0.5	0.1	5.0		10397
11P1F	5310-282-9584	†	†					WASHER, LOCK: MIL std MS35333-73 (Authorized allowances based on a total of 14 per equipment)			3	1.9	0.8	70.0		10405
	5310-013-1196	†	†					WASHER, LOCK: (For authorized allowances see Group 1)			6					10429
	5310-209-3871	†	†					WASHER, LOCK: (For authorized allowances see Group 3)			12					10430
	5310-198-3711	†	†					WASHER, LOCK: (For authorized allowances see Group 3)			3					10431
	5310-227-6574	†	†					WASHER, FLAT: (For authorized allowances see Group 3)			2					10450
11P1F	5310-637-3944	†	†					WASHER, FLAT: Kleinschmidt part No. 10458 (Authorized allowances based on a total of 9 per equipment)			2	1.3	0.5	45.0		10458
11P1F	5310-595-5969	†	†					WASHER, FLAT: Stoddart part No. 70107 (Authorized allowances based on a total of 7 per equipment)			3	1.1	0.4	35.0		10459
	5310-429-2274	†	†					WASHER, FLAT: (For authorized allowances see Group 1)			1					10463
	5310-637-3945	†	†					WASHER, FLAT: (For authorized allowances see Group 3)			1					10464

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE A	B	C	D	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION FIGURE NO.	ILLUSTRATION ITEM NO.
											TT-345/FG; TT-345A/FG (continued)								
11	P	1	F	5310-543-4540		†					WASHER, FLAT: MIL std MS15795-103 (Part of lever assy 64763A)			1	0.3	0.1	5.0		10490
				5310-523-2035	†	†					NUT, SELF-LOCKING, HEXAGON: (For authorized allowances see Group 3)			3					10501
				5310-208-6478	†	†					NUT, SELF-LOCKING, HEXAGON: (For authorized allowances see Group 3)			3					10525
11	P	1	F	5310-208-4118	†	†					NUT, PLAIN, HEXAGON: Kleinschmidt part No. 10526			1	0.5	0.1	5.0		10526
9	P	1	F	3120-287-7413	†	†					BEARING, SLEEVE: Amplex Div, Chrysler Corp Cat No. F-348-2			2		0.2	10.0		10716
9	P	1	F	3110-155-9628	†	†					BEARING, BALL, ANNULAR: Marlin-Rockwell part No. R-4-FFT-407AO (Authorized allowances based on a total of 2 per equipment)			1	1.2	0.4	10.0		10753
	P	1	F	5315-242-5473	†						PIN, COTTER: Kleinschmidt part No. 10806 (Authorized allowances based on a total of 3 per equipment in TT-345/FG and 2 per equipment in TT-345A/FG)			1	1.0	0.3	15.0		10806
						†								0	0.8	0.2	10.0		10806
11	P	1	F	5310-883-9487	†	†					NUT, SELF-LOCKING, HEXAGON: Kleinschmidt part No. 10840			3	1.4	0.5	15.0		10840
10	P	0		7510-511-6690	†	†					RIBBON, PRINTING, TELETYPEWRITER: Fed spec No. DDD-R-311D, type 1, Grade A, Class 1			1	84.0	79.0	1000.0		10901
				5340-298-7072	†	†					RING, RETAINING: (For authorized allowances see Group 3)			9					10949
				5340-256-2867	†	†					RING, RETAINING: (For authorized allowances see Group 3)			3					10960
				5340-282-0780	†						RING, RETAINING: (For authorized allowances see Group 3)			7					10969
						†								9					10969
	P	1	F	5340-286-9467	†	†					RING, RETAINING: Waldes Kohinoor part No. 5100-28			1	0.8	0.2	5.0		10971
11	P	1	F	5305-815-2504	†	†					SCREW, MACHINE: Kleinschmidt part No. 11755			3	1.0	0.3	15.0		11755

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-345/FG; TT-345A/FG (continued)								
11P1F	5340-889-3191	† †	RING, RETAINING: Waldes Kohinoor part No. 5144-18PPRP			4	1.9	0.8	20.0		12949
11P1F	5340-889-3192	† †	RING, RETAINING: Waldes Kohinoor part No. 5144-12-PPRP			2	1.2	0.8	10.0		12969
11P1F	5305-524-5612	†	NUT, PLAIN, PLATE: Sig dwg No. SC-B-69499 (Authorized allowances			2	1.9	0.8	35.0		50174
		†	based on a total of 7 per equipment in TT-345/FG and 8 per equipment in TT-345A/FG)			2	1.9	0.8	40.0		50174
11P1F	5310-060-2948	†	WASHER, FLAT: Sig dwg No. SC-B-69322-3			2	0.5	0.1	10.0		50320
		†				1	0.3	0.1	5.0		50320
11P1F	5815-254-4911	† †	COLLAR, SHAFT: Sig dwg No. SC-B-69522-1 (Authorized allowances based on a total of 2 per equipment)			1	0.8	0.2	10.0		50391
11P1F	5310-523-2141	† †	WASHER, FLAT: Sig dwg No. SC-B-69906			2	0.5	0.1	10.0		50831
11P1F	5815-663-3339	† †	SPRING, HELICAL, COMPRESSION: Sig dwg No. SM-B-148310-1			2	1.0	0.3	10.0		51593
11P1F	5815-597-2274	†	SPRING, HELICAL, EXTENSION: Sig dwg No. SM-B-157010-1			1	0.7	0.2	5.0		52161
11P1F	5815-597-2294	† †	SPRING, HELICAL, EXTENSION: Sig dwg No. SM-B157011-1			1	0.7	0.2	5.0		52161
11P1F	5815-597-2292	† †	SPRING, HELICAL, EXTENSION: Sig dwg No. SM-B-157011-2			1	0.7	0.2	5.0		52164
11P1F	5815-395-9461	† †	STUD: Sig dwg No. SM-B-157091			1	0.5	0.1	5.0		52327
11P1F	5815-395-9462	† †	STUD: Sig dwg No. SM-B157093			1	0.5	0.1	5.0		52329
11P1F	5815-395-9463	† †	PAWL: Sig dwg No. SM-B-157095			1	0.5	0.1	5.0		52331A
11P1F	5305-393-1906	† †	STUD: Sig dwg No. SM-B-157105			1	0.5	0.1	5.0		52342

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			TT-345/FG; TT-345A/FG (continued)								
11P1F	5815-392-7761	† †	POST: Sig dwg No. SM-B-157108			1	0.5	0.1	5.0		52345
11P1F	5815-395-9468	† †	LEVER: Sig dwg No. SM-B-157109			5	1.4	0.5	25.0		52346
11P1F	5815-395-9469	† †	LEVER: Sig dwg No. SM-B-157110			1	0.5	0.1	5.0		52347
11P1F	5815-395-9477	† †	SCREW, ADJUSTMENT: Sig dwg No. SM-B-157116			1	0.5	0.1	5.0		52365
11P1F	5815-395-9480	† †	SPROCKET, TAPE: Sig dwg No. SM-B-157125			1	0.5	0.1	5.0		52377
11P1F	5815-030-0427	† †	WHEEL, DETENT: Sig dwg No. SM-B-157130			1	0.5	0.1	5.0		52384
11P1F	5815-395-9483	† †	PIVOT: Sig dwg No. SM-B-157148			1	0.5	0.1	5.0		52409
11P1F	5815-392-7769	† †	SPRING, HELICAL, TORSION: Sig dwg No. SM-B-157161			1	0.7	0.2	5.0		52422
11P1F	5815-392-7771	† †	LEVER: Sig dwg No. SM-B-157163-1			1	0.5	0.1	5.0		52424
11P1F	5815-392-7772	† †	LEVER: Sig dwg No. SM-B-157163-2			1	0.5	0.1	5.0		52426
11P1F	5815-392-7773	† †	LEVER: Sig dwg No. SM-B-157163-3			1	0.5	0.1	5.0		52427
11P1F	5815-392-7774	† †	LEVER: Sig dwg No. SM-B-157163-4			1	0.5	0.1	5.0		52428
11P1F	5815-392-7775	† †	LEVER: Sig dwg No. SM-B-157163-5			1	0.5	0.1	5.0		52429
11P1 F	5310-205-8937	† †	WASHER, FLAT: Sig dwg No. SM-B-157017-6 (Authorized allowances based on a total of 5 per equipment)			4	0.9	0.3	25.0		52430
11P1F	5815-392-7776	† †	LEVER: Sig dwg No. SM-B-157165			1	0.5	0.1	5.0		52432

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
															FIGURE NO.	ITEM NO.
A B C D								TT-345/FG; TT-345A/FG (continued)								
11P1F	5815-392-7779	†	†					SHAFT: Sig dwg No. SM-B-157172			1	0.5	0.1	5.0		52442A
11P1F	5815-392-7780	†	†					LEVER ASSEMBLY: Sig dwg No. SM-B-157173			1	0.5	0.1	5.0		52445A
11P1F	5310-595-5383	†	†					WASHER, FLAT: Kleinschmidt part No. 52446			7	1.1	0.4	35.0		52446
11P1F	5815-392-7781	†	†					SHAFT: Sig dwg No. SM-B-157177			1	0.5	0.1	5.0		52452
11P1F	5815-392-7786	†	†					LEVER: Sig dwg No. SM-B-157192			1	0.5	0.1	5.0		52482A
11P1F	5815-537-8444	†	†					PIN, LOCATING: Kleinschmidt part No. 52485			1	0.5	0.1	5.0		52485
11P1F	5815-692-6839	†	†					PIN, STRAIGHT, HEADLESS: Sig dwg No. SM-B-157196			1	0.5	0.1	5.0		52486
11P1F	5815-096-7422	†	†					SHIM: Sig dwg No. SM-B-157251-1 (Authorized allowances based on a total of 4 per equipment)			2	1.2	0.4	20.0		52577
11P1F	5815-092-1438	†	†					SHIM: Sig dwg No. SM-B-157251-2 (Authorized allowances based on a total of 4 per equipment)			2	1.2	0.4	20.0		52578
11P1F	5815-030-0430	†	†					STUD: Sig dwg No. SM-B-157254			1	0.5	0.1	5.0		52585
11P1F	5815-392-7801	†	†					WHEEL, RATCHET: Sig dwg No. SM-B-157259			1	0.7	0.2	5.0		52590A
11P1F	5815-392-7802	†	†					WHEEL, DETENT: Sig dwg No. SM-B-157259-2			1	0.7	0.2	5.0		52591A
P1F	5315-523-8657	†	†					PIN, STRAIGHT, HEADLESS; Sig dwg No. SM-B-157263			1	0.5	0.1	5.0		52595
11P1 F	5815-392-7803	†	†					LEVER: Sig dwg No. SM-B-157264-1			1	0.5	0.1	5.0		52596
11P1 F	5815-392-7804	†	†					LEVER: Sig dwg No. SM-B-157264-2			1	0.5	0.1	5.0		52597

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D															FIGURE NO.	ITEM NO.
								TT-345/FG; TT/345A/FG (continued)								
11P1F	5815-395-9494	†	†					SHAFT: Sig dwg No. SM-B-157266			2	0.5	0.1	5.0		52601
P1F	5340-543-4366	†	†					SPRING, HELICAL, EXTENSION: Kleinschmidt part No. 52602			1	0.7	0.2	5.0		52602
11P1F	5815-200-7883	†	†					SPRING, HELICAL, EXTENSION: Sig dwg No. SM-B-157011-9			4	1.4	0.5	20.0		52603
11P1F	5815-200-7884	†	†					SPRING, HELICAL, EXTENSION: Sig dwg No. SM-B-157010-8			2	1.0	0.3	10.0		52604
11P1F	5815-395-9495	†	†					LEVER: Sig dwg No. SM-B-157267-1			1	0.5	0.1	5.0		52605
11P1F	5815-395-9496	†	†					LEVER: Sig dwg No. SM-B-157267-2			1	0.5	0.1	5.0		52607
11P1F	5815-395-9497	†	†					GUIDE, RIBBON: Sigdwg No. SM-B-157267-2			4	1.2	0.4	20.0		52608
P1F	5315-597-9672	†	†					PIN, GROOVED, HEADLESS: Sig dwg No. SM-B-157270			1	0.7	0.2	5.0		52609
11P1F	5815-392-7806	†	†					DETENT ASSEMBLY: Sig dwg No. SM-B157271-GRI			1	0.5	0.1	5.0		52610A
11P1F	5815-392-7807	†	†					DETENT ASSEMBLY: Sig dwg No. SM-B-157271-GRII			1	0.5	0.1	5.0		52611A
11P1F	5815-600-2800	†	†					LEVER ASSEMBLY: Sig dwg No. SM-B157279			1	0.5	0.1	5.0		52622A
11P1F	5310-595-6653	†	†					WASHER, FLAT: Sig dwg No. SM-B-157017-4			3	0.7	0.2	15.0		52651
P1F	5315-663-3181	†	†					PIN, GROOVED HEADLESS: Kleinschmidt part No. 52703			1	0.5	0.1	5.0		52703
11P1F	5310-595-6311	†	†					WASHER, SPRING TENSION: Kleinschmidt part No. 53427			4	1.2	0.4	20.0		53427
11P1F	5815-562-6326	†	†					TYPEWHEEL, TELETYPEWRITER: Sig dwg No. SM-B-157184			1	0.7	0.2	5.0		55132
11P1F	5815-664-2194	†						SPRING, HELICAL, EXTENSION: Kleinschmidt part No. 56158			1	0.7	0.2	5.0		56158

Army-Ft Monmouth,NJ-MON 471-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D															FIGURE NO.	ITEM NO.
								TT-345/FG; TT-345A/FG (continued)								
11P1F	5815-340-3733	†	†					CUTTER, TAPE: Sig dwg No. SM-B-187404			1	0.5	0.1	5.0		56164
11P1F	5815-560-5748	†	†					SPRING, HELICAL, TORSION: Sig dwg No. SM-B-187556			1	0.7	0.2	5.0		57059
11P1F	5815-560-5747	†	†					SPRING, HELICAL, TORSION: Sig dwg NO. SM-B-187858			1	0.7	0.2	5.0		57060
11P1F	5305-592-7735	†	†					SCREW, EXTERNALLY RELIEVED BODY; Sig dwg No. SM-B-187559			1	0.5	0.1	5.0		57063
11P1F	5815-592-0790	†	†					BIN, CHAD: Kleinschmidt part No. 57611A			1	0.3	0.1	5.0		57611A
11P1F	5330-841-7418		†					FELT, MECHANICAL, PREFORMED: Kleinschmidt part No. 61474			2	1.2	0.4	10.0		61474
11P1 F	5330-841-6378		†					WASHER, NONMETALLIC: Kleinschmidt part No. 61476			1	0.8	0.2	5.0		61476
11P1F	5815-819-4653	†	†					GEAR ASSEMBLY, TYPE WHEEL: Kleinschmidt part No. 62530A			1	0.5	0.1	5.0		62530A
11P1 F	5815-819-4654	†	†					LEVER: Kleinschmidt part NO. 62531A			1	0.5	0.1	5.0		62531A
11P1 F	5815-819-4655	†	†					GUIDE, RIBBON, TELETYPEWRITER: Kleinschmidt part No. 62533A			1	0.5	0.1	5.0		62533A
11P1 F	5815-819-4656	†	†					LEVER: Kleinschmidt part No. 62537			1	0.5	0.1	5.0		62537
11P1 F	5815-815-2536	†	†					SPRING, HELICAL, EXTENSION: Kleinschmidt part No. 62539			1	0.7	0.2	5.0		62539
11P1 F	5815-819-4657	†	†					STUD, PILOT: Kleinschmidt part No. 62547			1	0.5	0.1	5.0		62547
11P1 F	5815-819-4658	†	†					LEVER: Kleinschmidt part No. 62549			1	0.5	0.1	5.0		62549
11P1 F	5815-980-1795		†					SPACER: Kleinschmidt part No. 62553			3	0.7	0.2	15.0		62553
11P1 F	5815-819-4659	†	†					DIE SET, TAPE PUNCHING: Kleinschmidt part No. 62562A			1	0.7	0.2	5.0		62562A

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE A B C D	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION FIGURE NO.	ILLUSTRATION ITEM NO.
			TT-345/FG; TT-345A/FG (continued)								
11P1F	5815-980-1797	† †	LEVER: Kleinschmidt part No. 63695			1	0.5	0.1	5.0		63695
11P1F	5315-979-8921	† †	PIN, GROOVED, HEADLESS: Kleinschmidt part No. 63696			1	0.5	0.1	5.0		63696
11P1F	5815-819-4660	† †	LEVER: Kleinschmidt part No. 63840A			1	0.5	0.1	5.0		63840A
11P1F	5815-986-0366	† †	ROLLER, TAPE FEED: Kleinschmidt part No. 63962			1	0.5	0.1	5.0		63962
11P1F	5815-980-1798	† †	GUIDE, TAPE, TELETYPEWRITER: Kleinschmidt part No. 64763A			1	0.5	0.1	5.0		64763A
11P1F	5315-889-2497	† †	PIN, STRAIGHT, HEADLESS: Kleinschmidt part No.64764			1	0.5	0.1	5.0		64764
11P1F	5310-815-3221	† †	WASHER, FLAT: Kleinschmidt part No. 64765			1	0.3	0.1	5.0		64765
11P1F	5340-082-5869	† †	SPACER: Kleinschmidt part No. 64993			1	0.5	0.1	5.0		64993
			GROUP 5 FUNCTION AND SELECTOR								
11P1F	5815-323-7321	† †	RELAY, ARMATURE: Kleinschmidt part No. 56130A			1	0.7	0.2	5.0		E1
11P1F	5935-296-8675	† †	CONNECTOR, PLUG, ELECTRICAL: Amphenol part No. 26-195			1	0.5	0.1	5.0		P2
11P1F	5905-556-5561	† †	RESISTOR, VARIABLE: 5000 ohms ±20%; 2 w; MIL-R-94, type No. RV4NATSA502B			1	0.7	0.2	5.0		R4
11P1F	5305-335-0400	† †	SCREW, CAR, SOCKET HEAD: Kleinschmidt part No. 10000			1	0.5	0.1	5.0		10000
11P1F	5305-531-9034	† †	SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group 3)			4					10003
	5305-753-4356	† †	SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group 3)			8					10004
11P1F	5305-655-9483	† †	SCREW, CAP, SOCKET HEAD: (Authorized allowances based on a total o 3 per equipment)			1	1 0	0.3	15.0		10005

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-345/FG; TT-345A/FG (continued)								
	5305-514-7728	† †	SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group 4)			5					10006
	5305-721-5430	† †	SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group 4)			2					10008
	5305-297-7966	† †	SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group 4)			2					10009
11P1F	5305-206-2476	† †	SCREW, CAP, SOCKET HEAD: Kleinschmidt part No. 10010 (Authorized allowances based on a total of 12 per equipment)			4	1.6	0.8	60.0		10010
11P1F	5305-570-5987	† †	SCREW, CAP, SOCKET HEAD: MIL std MS35459-17			2	0.8	0.2	10.0		10011
11P1F	5305-570-6002	† †	SCREW, CAP, SOCKET HEAD: MIL std MS35460-13			12	1.6	0.8	60.0		10018
11P1F	5305-660-2431	† †	SCREW, CAP, SOCKET HEAD: MIL std MS35460-25			1	0.5	0.1	5.0		10021-01
11P1F	5305-545-8374	† †	SCREW, CAP, SOCKET HEAD: Kleinschmidt part No. 10022			1	0.5	0.1	5.0		10022
11P1F	5305-655-6955	† †	SCREW, CAP, SOCKET HEAD: MIL std MS35460-11			2	0.8	0.2	10.0		10024
11P1F	5305-274-0405	† †	SCREW, CAP, SOCKET HEAD: MIL std MS35461-4			2	0.8	0.2	10.0		10028
11P1F	5305-057-1262	† †	SCREW, CAP, SOCKET HEAD: Kleinschmidt part No. 10029 (Authorized allowances based on a total of 2 per equipment)			1	0.8	0.2	10.0		10029
	5305-545-8374	† †	SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group 3)			4					10032
11P1F	5305-206-2224	† †	SCREW, CAP, SOCKET HEAD: MIL std MS35460-5			2	0.8	0.2	10.0		10034
11P1F	5305-208-3610	† †	SCREW, CAP, SOCKET HEAD: Kleinschmidt part No. 10035-01			6	1.4	0.5	30.0		10035-01
11P1F	5305-805-6598	† †	SCREW, CAP, SOCKET HEAD: MIL std MS35459-3			2	0.8	0.2	10.0		10043

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-345/FG; TT-345A/FG (continued)								
11P1F	5305-721-4490	† †	SCREW, CAP, SOCKET HEAD: MIL std MS35459-1			2	0.8	0.2	10.0		10058
11P1F	5305-639-3331	† †	SCREW, CAP, SOCKET HEAD: Kleinschmidt part No. 10060			1	0.5	0.1	5.0		10060
11P1F	5305-551-5876	† †	SCREW, CAP, SOCKET HEAD: MIL std MS35459-21			1	0.5	0.1	5.0		10067
11P1F	5305-297-7700	† †	SCREW, MACHINE: Kleinschmidt part No. 10076			1	0.5	0.1	5.0		10076
11P1F	5306-141-2885	† †	BOLT, MACHINE: Fed spec FF-S-92, type II, Style 10P			4	0.8	0.2	20.0		10079
11P1F	5305-543-2594	† †	SCREW, MACHINE: Kleinschmidt part No. 10087			3	1.0	0.3	15.0		10087
	5305-333-4262	† †	SETSCREW: (For authorized allowances see Group 4)			7					10203
11P1F	5305-333-4251	† †	SETSCREW: MIL std MS51010-41			1	0.5	0.1	5.0		10207
11P1F	5305-576-5488	† †	SETSCREW: Fed spec FF-S-103, type III, style 4			6	1.4	0.5	30.0		10208
11P1F	5305-207-8967	†	SETSCREW: MIL std MS51020-48			24	2.8	1.5	120.0		10209
		†				22	4.2	1.3	110.0		10209
	5305-297-7905	† †	SETSCREW: (For authorized allowances see Group 4)			1					10210
	5305-333-4254	† †	SETSCREW: (For authorized allowances see Group 4)			2					10211
11P1F	5305-297-7909	† †	SETSCREW: MIL std MS51027-30			1	0.5	0.1	5.0		10220
11P1F	5305-297-7894	† †	SETSCREW: MIL std MS51020-27			2	0.8	0.2	10.0		10221
11P1F	5305-639-1350	† †	SETSCREW: MIL std MS51027-29			1	0.5	0.1	5.0		10225

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			TT-345/FG; TT-345A/FG (continued)								
11P1F	5305-047-3896	†	SETSCREW: MIL std MS51028-48 (for mounting gear 56257)			2	0.8	0.2	10.0		10234
11P1F	5305-545-8466	† †	SETSCREW: MIL std MS51028-29			2	0.8	0.2	10.0		10235
11P1F	5305-638-0861	† †	SCREW, MACHINE: Kleinschmidt part No. 10317			3	1.0	0.3	15.0		10317
	5310-209-3990	† †	WASHER, LOCK: (For authorized allowances see Group 1)			2					10403
	5310-543-2739	† †	WASHER, LOCK: (For authorized allowances see Group 1)			3					10404
	5310-282-9584	† †	WASHER, LOCK: (For authorized allowances see Group 4)			4					10405
11P1F	5310-261-6197	† †	WASHER, LOCK: SHakeproof part No. 4010-14.00			6	1.0	0.3	30.0		10406
11P1F	5310-537-8380	† †	WASHER, LOCK: Kleinschmidt part No. 10419			1	0.3	0.1	5.0		10419
11P1F	5310-637-9606	† †	WASHER, LOCK: Kleinschmidt part No. 10420			2	0.5	0.1	10.0		10420
	5310-013-1196	† †	WASHER, LOCK: (For authorized allowances see Group 1)			19					10429
	5310-209-3871	† †	WASHER, LOCK: (For authorized allowances see Group 3)			14					10430
	5310-198-3711	† †	WASHER, LOCK: (For authorized allowances see Group 3)			10					10431
11P1F	5310-017-8164	† †	WASHER, LOCK: MIL std MS35339-58			3	0.7	0.2	15.0		10433
11P1F	5310-209-3860	† †	WASHER, LOCK: Kleinschmidt part No. 10434			2	0.5	0.1	10.0		10434
11P1F	5310-576-1352	† †	WASHER, LOCK: MIL std MS35340-62			2	0.5	0.1	10.0		10438
	5310-227-6574	† †	WASHER, ELAT: (For authorized allowances see Group 3)			4					10450

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE A	B	C	D	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION FIGURE NO.	ILLUSTRATION ITEM NO.
											TT-345/FG; TT-345A/FG (continued)								
11	P1	F		5310-209-0574	†	†					WASHER, FLAT: Kleinschmidt part No. 10454			2	0.5	0.1	10.0		10454
				5310-637-3944	†	†					WASHER, FLAT: (For authorized allowances see Group 4)			5					10458
				5310-595-5969	†	†					WASHER, FLAT: (For authorized allowances see Group 4)			4					10459
	P1	F		5340-697-3599	†	†					RING, RETAINING: Kleinschmidt part No. 10462			1	0.8	0.2	5.0		10462
				5310-429-2274	†	†					WASHER, FLAT: (For authorized allowances see Group 1)			2					10463
				5310-637-3945	†						WASHER, FLAT: (For authorized allowances see Group 3)			2					10464
						†								6					10464
11	P1	F		5310-595-5385	†	†					WASHER, FLAT: Kleinschmidt part No. 10467			2	0.5	0.1	10.0		10467
				5310-551-7541	†	†					NUT, SELF-LOCKING, HEXAGON: (For authorized allowances see Group 1)			8					10500
				5310-523-2035	†	†					NUT, SELF-LOCKING, HEXAGON: (For authorized allowances see Group 3)			5					10501
11	P1	F		5310-550-1154	†	†					NUT, PLAIN, HEXAGON: Kleinschmidt part No. 10504			2	0.8	0.2	10.0		10504
11	P1	F		5310-546-6858	†	†					NUT, LOCK: Kleinschmidt part No. 10507			2	0.8	0.2	10.0		10507
11	P1	F		5310-208-6617	†	†					NUT, PLAIN, HEXAGON: Kleinschmidt part No. 10509			3	1.0	0.3	15.0		10509
11	P1	F		5310-297-8940	†	†					NUT, PLAIN, HEXAGON: Kleinschmidt part No. 10512			1	0.5	0.1	5.0		10512
				5310-208-6478	†	†					NUT, SELF-LOCKING, HEXAGON: (For authorized allowances see Group 3)			2					10525
11	P1	F		5310-208-6742	†	†					NUT, PLAIN, HEXAGON: Kleinschmidt part No. 10529			1	0.5	0.1	5.0		10529
11	P1	F		5310-595-5867	†	†					BEARING, SLEEVE: Kleinschmidt part No. 10704			1	0.3	0.1	5.0		10704

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-345/FG; TT-345A/FG (continued)								
9 P1F	3120-542-0187	† †	BEARING, SLEEVE: Chrysler part No. F-445-1			2	0.5	0.1	10.0		10708
	3110-155-9628	† †	BEARING, BALL, ANNULAR: (For authorized allowances see Group 4)			1					10753
9 P1F	3110-155-9589	† †	BEARING, BALL, ANNULAR: MIL std 102A, code No. 115-00209-2000			1	0.8	0.2	5.0		10754
9 P1F	3110-533-4611	† †	BEARING, BALL, ANNULAR: Fafnir part No. 37KDD			2	1.2	0.4	10.0		10756
9 P1F	3110-144-8858	† †	BEARING, BALL, ANNULAR: MIL std 102A, code No. 111-00810-2000			1	0.8	0.2	5.0		10757
9 P1F	3110-144-8865	† †	BEARING, BALL, ANNULAR: MIL std 102A, code No. 111-00902-2000			1	0.8	0.2	5.0		10758
11 P1F	3110-155-8418	† †	BEARING, BALL, ANNULAR: MIL std 102A, code No. 115-00619-2004			1	0.8	0.2	5.0		10763
	5315-242-5473	† †	PIN, COTTER: (For authorized allowances see Group 4)			2					10806
P1F	5315-598-6077	† †	PIN, TAPERED, PLAIN: MIL std 105-2, type No. 105-2S40-6			1	0.5	0.1	5.0		10852
P1 F	5315-141-1689	† †	PIN, TAPERED, PLAIN: Kleinschmidt part No. 10859			2	0.8	0.2	10.0		10859
P1 F	5315-209-7626	† †	PIN, TAPERED, PLAIN: Kleinschmidt part No. 10860			2	0.8	0.2	10.0		10860
P1 F	5340-567-2552	† †	RING, RETAINING: Waldes Kohinoor part No. 5005-31-S			1	0.8	0.2	5.0		10929
	5340-298-7072	† †	RING RETAINING: (For authorized allowances see Group 3)			7					10949
P1F	5340-282-0778	† †	RING, RETAINING: Waldes Kohinoor part No. 5133-31-PP			2	1.2	0.4	10.0		10959
	5340-256-2867	† †	RING, RETAINING: (For authorized allowances see Group 3)			2					10960
	5340-282-0780	† †	RING, RETAINING: (For authorized allowances see Group 3)			3					10969

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-345/FG; TT-345A/FG (continued)								
P1F	5330-776-2693	† †	DISK, FRICTION: Kleinschmidt part No. 61344A; (Kleinschmidt part No. 61344A which replaces 50013 and 56765)	set		1	0.7	0.2	5.0		50013 or 56765
11P1F	5815-356-3235	† †	LEVER: Sig dwg No. SC-B-69491			1	0.5	0.1	5.0		50014
11P1F	5310-523-2002	† †	WASHER, FLAT: Sig dwg No. SC-B-69325-3			1	0.3	0.1	5.0		50053
11P1F	5815-330-9942	† †	BEARING, PIVOT: Sig dwg No. SC-B-69495			1	0.5	0.1	5.0		50146
11P1F	5310-521-8475	† †	WASHER, FLAT: Sig dwg No. SC-B-69389-4			4	0.8	0.2	20.0		50147
11P1F	5310-523-2003	† †	WASHER, FLAT: Sig dwg No. SC-B-69389-3			9	0.3	0.5	45.0		50148
11P1F	5815-240-0188	† †	COLLAR, SHAFT: Sig dwg No. SC-B-69496			1	0.5	0.1	5.0		50149
	5305-524-5612	† †	NUT, PLAIN, PLATE: (For authorized allowances see Group 4)			5 6					50174 50174
11P1F	5815-523-8656	† †	DISK, CLUTCH: Sig dwg No. SC-B-69500			1	0.7	0.2	5.0		50200
11P1F	5815-294-7390	† †	COLLAR, SHAFT: Kleinschmidt part No. 50209			1	0.5	0.1	5.0		50209
11P1F	5310-521-8729	† †	WASHER, FLAT: Sig dwg No. SC-B-69322-1			1	0.3	0.1	5.0		50315
11P1F	5815-600-2698	† †	CAM: Sig dwg No. SC-B-69594			1	0.7	0.2	5.0		50317A
	5310-596-6990	†	WASHER, FLAT: (For authorized allowances see Group 3)			2					50319
11P1F	5815-356-3307	† †	POST, ANCHOR: Kleinschmidt part No. 50325			1	0.3	0.1	5.0		50325
11P1O	5815-203-1678	† †	GEAR, WORM: (60 wpm) Sig dwg No. SC-B-69681			1	0.7	0.2	5.0		50350

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
															FIGURE NO.	ITEM NO.
A B C D								TT-345/FG; TT-345A/FG (continued)								
11P1D	5815-378-5593	†	†					GEAR, WORM WHEEL: (60 wpm) Sig dwg No. SC-B-69663			1	0.7	0.2	5.0		50352A
								OR								
11P1D	5815-203-1327	†	†					GEAR, WORM: (100 wpm) Sig dwg No. SC-B-70482			1	0.7	0.2	5.0		50596
11P1D	5815-351-7944	†	†					GEAR, WORM WHEEL: (100 wpm) Sig dwg No. SC-B-70478			1	0.7	0.2	5.0		50597A
11P1F	5815-203-1730	†	†					GEAR, SPUR: Sig dwg No. SC-B-70522			1	0.7	0.2	5.0		50354A
11P1F	5310-523-2236	†	†					WASHER, FLAT: Sig dwg No. SC-B-69580			1	0.3	0.1	5.0		50374
	5815-254-4911	†	†					COLLAR, SHAFT: (For authorized allowances see Group 4)			1					50391
11P1F	5310-523-2143	†	†					WASHER, FLAT: Sig dwg No. SC-B-69389-2			2	0.5	0.1	10.0		50414
11P1F	5815-356-3334	†	†					FORK, CLUTCH: Sig dwg No. SM-B-148343			1	0.5	0.1	5.0		50484A
11P1F	5815-356-3339	†	†					BAR, SELECTOR, TELETYPEWRITER: Sig dwg No. SC-B-69639			29	1.9	0.9	50.0		50502
11P1F	5815-356-3345	†	†					STOP, LEVER: Sig dwg No. SC-B-69483			1	0.5	0.1	5.0		50511
11P1F	5815-351-7928	†	†					GEAR, SPUR: Sig dwg No. SM-B-148346			1	0.7	0.2	5.0		50512A
11P1F	5310-521-8723	†	†					WASHER, FLAT: Sig dwg No. SC-B-69325-4			2	0.5	0.1	10.0		50515
11P1F	5815-607-3904	†	†					DRUM, CLUTCH: Sig dwg No. SC-B-70505 (Kleinschmidt part No. 57893A which replaces 50516A0			1	0.5	0.1	5.0		50516A
11P1F	5815-356-3355	†	†					ARM: Sig dwg No. SC-B-69625			1	0.5	0.1	5.0		50535
11P1F	5815-356-3356	†	†					CAM: Sig dwg No. SC-B-69704			1	0.7	0.2	5.0		50536

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D															FIGURE NO.	ITEM NO.
								TT-345/FG; TT-345A/FG (continued)								
11P1F	5310-595-5382	†	†					WASHER, FLAT: Sig dwg No. SC-B-69322-4			1	0.3	0.1	5.0		50544
11P1F	5815-351-7948	†	†					STUD: Sig dwg No. SC-B-69465			1	0.5	0.1	5.0		50650
11P1F	5310-576-5486	†	†					NUT, PLAIN, HEXAGON: Sig dwg No. SC-B-69466			1	0.5	0.1	5.0		50651
11P1F	5310-638-5179	†	†					WASHER, FLAT: Sig dwg No. SC-B-69322-6			1	0.3	0.1	5.0		50746
	5310-521-8731	†	†					WASHER, FLAT: (For authorized allowances see Group 3)			2					50827
11P1F	5310-523-2005	†	†					WASHER, FLAT: Sig dwg No. SC-B-69907-2			1	0.3	0.1	5.0		50839
11P1F	5815-356-3446	†	†					ROLLER: Sig dwg No. SC-B-69666			1	0.5	0.1	5.0		50843
P1F	5330-784-7868	†	†					DISK, FRICTION: Kleinschmidt part No. 61343A; (Kleinschmidt part No. 61343A which replaces part No. 50846, 56273 and 56764)			1	0.7	0.2	5.0		50846, 56273, 56764
11P1F	5815-233-0954	†	†					SPRING, HELICAL, COMPRESSION: Sig dwg No. SC-B-69507-11			1	0.7	0.2	5.0		50848
11P1F	5815-598-4965	†	†					SPRING, HELICAL, EXTENSION: Sig dwg No. SC-B-69326-5			6	1.4	0.6	30.0		50902
11P1F	5815-598-4995	†	†					SPRING, HELICAL, EXTENSION: Sig dwg No. SC-B-69337-4			1	0.7	0.2	5.0		50903
11P1F	5815-598-4978	†	†					SPRING, HELICAL, EXTENSION: Sig dwg No. SC-B-69326-6			1	0.7	0.2	5.0		50904
11P1F	5815-570-3491	†	†					LEVER SET: Sig dwg No. SM-B-187564 (Kleinschmidt part No. 56766A which replaces 51066A)			1	0.7	0.2	5.0		51066A
11P1F	5815-356-3519	†	†					LEVER SET: Sig dwg No. SC-B-70112; (Kleinschmidt part No. 51598A which replaces 51068A0			1	0.7	0.2	5.0		51068A

Army-Ft Monmouth,NJ-MON 47 5-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D	/		TT-345/FG; TT-345A/FG (continued)								
11P1F	5815-351-7998	† †	DISK, DRIVING: Sig dwg No. SC-B-69370			1	0.7	0.2	5.0		51117A
11P1F	5815-254-4768	† †	COUPLING, SHAFT, FLEXIBLE: Kleinschmidt part No. 51167A			1	0.5	0.1	5.0		51167A
11P1F	5815-547-7872	† †	CAMSHAFT: Sig dwg No. SM-B-148365			1	0.5	0.1	5.0		51398A
11P1F	5310-209-0098	† †	WASHER, FLAT: Sig dwg No. SC-B-69322-9			2	0.5	0.1	10.0		51408
11P1F	5815-356-3487	† †	COLLAR, SPACING: Sig dwg No. SC-B-70256-1			2	0.8	0.2	10.0		51416
11P1F	5815-330-9941	† †	BEARING UNIT, IDENTICAL: Sig dwg No. SC-B-69494 (Kleinschmidt part No. 50019A which replaces 51604A0			1	0.7	0.2	5.0		51604A
11P1F	5310-595-6452	† †	WASHER, FLAT: Kleinschmidt part No. 51847			2	0.5	0.1	10.0		51847
11P1F	5310-595-6482	† †	WASHER, FLAT: Kleinschmidt part No. 51848			2	0.5	0.1	10.0		51848
11P1F	5815-600-3059	† †	SHAFT: Sig dwg No. SM-B-157031			1	0.5	0.1	5.0		52134A
11P1F	5815-600-3114	† †	LEVER: Kleinschmidt part No. 52142A			1	0.5	0.1	5.0		52142A
11P1F	5815-395-9440	† †	SHAFT: Sig dwg No. SM-B-157037			1	0.5	0.1	5.0		52144
11P1F	5815-506-1575	† †	LATCH, LEVER: Sig dwg No. SM-B-157039			1	0.5	0.1	5.0		52146A
11P1F	5815-395-9443	† †	LATCH, LEVER: Sig dwg No. SM-B-157042			1	0.5	0.1	5.0		52149
11P1F	5815-395-9444	† †	STUD: Kleinschmidt part No. 52151			1	0.5	0.1	5.0		52151
11P1F	5815-396-3393	† †	LATCH, LEVER: Sig dwg No. SM-B-157046			1	0.5	0.1	5.0		52155

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			TT-345/FG; TT-345A/FG (continued)								
11P1F	5815-692-6837	† †	SPACER, SLEEVE: Sig dwg No. SM-B-157014			1	0.3	0.1	5.0		52157
11P1F	5815-395-9446	† †	CAM: Sig dwg No. SM-B-157047			1	0.7	0.2	5.0		52158
11P1F	5815-395-9447	† †	MOUNTING, SEAT: Kleinschmidt part No. 52159			2	0.5	0.1	10.0		52159
11P1F	5815-597-2289	† †	SPRING, HELICAL, EXTENSION: Kleinschmidt part No. 52166			1	0.7	0.2	5.0		52166
11P1F	5815-597-2287	† †	SPRING, HELICAL, EXTENSION: Sig dwg No. SM-B-157010-2			1	0.7	0.2	5.0		52167
11P1F	5815-597-2298	† †	SPRING, HELICAL, EXTENSION: Sig dwg No. SM-B-157011-4			1	0.7	0.2	5.0		52168
11P1F	5815-597-2295	† †	SPRING, HELICAL, EXTENSION: Sig dwg No. SM-B-157010-3			1	0.7	0.2	5.0		52169
11P1F	5815-597-2281	† †	SPRING, HELICAL, EXTENSION: Sig dwg No. SM-B-157010-4			1	0.7	0.2	5.0		52171
P1F	5340-597-9493	† †	SPRING, HELICAL, EXTENSION: Sig dwg No. SM-B-157010-5			1	0.7	0.2	5.0		52172
11P1F	5340-209-9946	† †	SPRING, HELICAL, EXTENSION: Sig dwg No. SM-B-157010-6			1	0.7	0.2	5.0		52173
11P1F	5305-297-7692	† †	SCREW, SHOULDER: Sig dwg No. SM-B-157051			1	0.5	0.1	5.0		52176
11P1F	5310-298-8165	† †	WASHER, FLAT: Sig dwg No. SM-B-157018-1			1	0.3	0.1	5.0		52283
11P1F	5815-395-9455	† †	SHAFT: Sig dwg No. SM-B-148423			1	0.5	0.1	5.0		52288
11P1F	5815-396-3395	† †	SHAFT: Sig dwg No. SM-B-157029			1	0.5	0.1	5.0		52291
11P1F	5815-395-9470	† †	ROLLER, CAM: Sig dwg No. SM-B-157111			1	0.7	0.2	5.0		52354
11P1F	5815-393-1907	† †	LEVER: Sig dwg No. SM-B-157113			2	0.6	0.2	10.0		52362

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-345/FG; TT-345A/FG (continued)								
11P1F	5815-395-9478	† †	LEVER: Sig dwg No. SM-B-157118			1	0.5	0.1	5.0		52368A
11P1F	5815-342-6022	† †	LEVER ASSEMBLY: Sig dwg No. SM-B-149065			1	0.5	0.1	5.0		52394A
11P1F	5815-030-0428	† †	CAM ASSEMBLY: Sig dwg No. SM-B-157139			1	0.7	0.2	5.0		52398A
11P1F	5815-692-6838	† †	BEARING, PLAIN, SLEEVE: Sig dwg No. SM-B-157141			1	0.5	0.1	5.0		52401
11P1F	5310-595-6453	† †	WASHER, FLAT: Kleinschmidt part No. 52402			2	0.5	0.1	10.0		52402
11P1F	5815-392-8230	† †	PIN, GROOVED, HEADLESS: Sig dwg No. SM-B-157143			1	0.5	0.1	5.0		52403
11P1F	5815-392-8291	† †	PIN, LOCKING: Sig dwg No. SM-B-157144			2	0.8	0.2	10.0		52404
11P1F	5815-392-7763	† †	LEVER: Sig dwg No. SM-B-157145			1	0.5	0.1	5.0		52405
11P1F	5815-392-7764	† †	LEVER: Sig dwg No. SM-B-157146			1	0.5	0.1	5.0		52406
11P1F	5815-393-1909	† †	LATCH, LEVER: Sig dwg No. SM-B-157150			1	0.5	0.1	5.0		52411A
11P1F	5310-209-1499	† †	WASHER, FLAT: Kleinschmidt part No. 52413			1	0.3	0.1	5.0		52413
	5310-205-8937	† †	WASHER, FLAT: (For authorized allowances see Group 4)			1					52430
11P1F	5815-569-0331	† †	GEAR, SPUR: Sig dwg No. SM-B-157164			1	0.7	0.2	5.0		52431A
11P1F	5815-392-7782	† †	CAM ASSEMBLY: Sigdwg No. SM-B-157180			1	0.7	0.2	5.0		52456A
11P1F	5815-392-7783	† †	LEVER ASSEMBLY: Sig dwg No. SM-B-157183			1	0.5	0.1	5.0		52459A
11P1F	5815-392-7785	† †	LEVER: Sig dwg No. SM-B-157187			1	0.5	0.1	5.0		52477A

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
															FIGURE NO.	ITEM NO.
A B C D								TT-345/FG; TT-345A/FG (continued)								
11P1F	5815-521-1388	†	†					LEVER: Kleinschmidt part No. 52478A			1	0.5	0.1	5.0		52478A
11P1F	5815-392-7787	†	†					LEVER: Sig dwg No. SM-B-157193			1	0.5	0.1	5.0		52483
11P1F	5815-392-7788	†	†					LEVER: Sig dwg No. SM-B-157194			1	0.5	0.1	5.0		52484
11P1F	5815-392-7791	†	†					BRACKET: Sig dwg No. SM-B-148446			1	0.3	0.1	5.0		52529
	5815-096-7422	†	†					SHIM: (For authorized allowances see Group 4)			2					52577
	5815-092-1438	†	†					SHIM: (For authorized allowances see Group 4)			2					52578
11P1F	5310-637-3934	†	†					WASHER, FLAT: Sig dwg No. SM-B-157016-2			1	0.3	0.1	5.0		52648
11P1F	5310-595-6481	†	†					WASHER, FLAT: Kleinschmidt part No. 52649			3	0.7	0.2	15.0		52649
11P1F	5815-396-3396	†	†					LEVER: Sig dwg No. SM-B-157295			1	0.5	0.1	5.0		52653
11P1F	5815-396-3397	†	†					LEVER: Sig dwg No. SM-B-157299			1	0.5	0.1	5.0		52657
11P1F	5815-392-7824	†	†					NUT, ADJUSTING: Sig dwg No. SM-B-157302			1	0.5	0.1	5.0		52664
11P1F	5310-298-8166	†	†					WASHER, FLAT: Sig dwg No. SM-B-157016-3			1	0.3	0.1	5.0		52679
11P1F	5815-392-7828	†	†					CLAPPER, SIGNAL BELL: Kleinschmidt part No. 52682A			1	0.3	0.1	5.0		52682A
11P1F	5815-096-7462	†	†					SCREW, ADJUSTING: Sig dwg No. SM-B-148458			2	0.8	0.2	10.0		52688
11P1F	5340-200-6613	†	†					SPRING, HELICAL, COMPRESSION: Sig dwg No. SM-B-148550			16	2.4	1.5	80.0		52940
11P1F	5815-597-2301	†	†					SPRING, HELICAL, EXTENSION: Sig dwg No. SM-B-157011-10			1	0.7	0.2	5.0		53139

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-345/FG; TT-345A/FG (continued)								
11P1F	5815-597-2277	† †	SPRING, HELICAL, EXTENSION: Sig dwg No. SM-B-157011-11			1	0.7	0.2	5.0		53140
11P1F	5815-597-2278	† †	SPRING, HELICAL, EXTENSION: Sig dwg No.SM-B-157010-10			1	0.7	0.2	5.0		53141
11P1F	5305-297-7694	† †	SCREW, CAP, SOCKET HEAD: Kleinschmidt part No. 53183			4	1.2	0.4	20.0		53183
11P1F	5310-298-8168	† †	WASHER, FLAT: Kleinschmidt part No. 53261			4	0.8	0.2	20.0		53261
11P1F	5815-322-5574	† †	LEVER SET: Kleinschmidt part No. 53540A			1	0.5	0.1	5.0		53540A
11P1F	5815-219-6307	† †	MOUNTING, ARM: Sig dwg No. SM-B-157506			1	0.3	0.1	5.0		53568A
11P1 F	5815-664-2138	† †	SPRING,HELICAL, EXTENSION: Sig dwg No. SM-B-157010-20			1	0.7	0.2	5.0		53569
P1 F	5307-096-7426	† †	STUD, EXTENSION: Sig dwg No. SM-B-149014			2	0.8	0.2	10.0		53597
11P1F	5815-219-7022	† †	SPACER: Sig dwg No. SM-B-157014-5			3	1.0	0.3	15.0		53602
11P1F	5815-301-4611	† †	BEARING, BALL, THRUST: Sig dwg No. SM-B-148761			6	1.4	0.6	30.0		53647A
11P1F	5815-396-3401	† †	PLATE, RETAINING: Sig dwg No. SM-B-157525			1	0.3	0.1	5.0		53652
11P1F	5815-395-9510	† †	ARM: Sig dwg No. SM-B-148776			1	0.5	0.1	5.0		53802A
11P1F	5305-297-3998	† †	SCREW, MACHINE: Sig dwg No. SM-B-148801			3	1.0	0.3	15.0		53972
11P1F	5815-309-3884	† †	COLLAR, SHAFT: Sig dwg No. SM-B-157543			3	1.0	0.3	15.0		53973
11P1F	5945-257-6365	† †	ARMATURE, ELECTROMAGNETIC ACTUATOR: Kleinschmidt part No. 54092A			1	0.7	0.2	5.0		54092A
11P1F	5310-521-8552	† †	KEY, MACHINE: Sig dwg No. SM-B-186915			5	1.4	0.5	25.0		54566

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-345/FG;TT-345A/FG (continued)								
11P1F	5815-322-5581	† †	COLLAR, DRIVE SHAFT: Sig dwg No. SM-B-171537			1	0.5	0.1	5.0		54928
11P1F	5815-340-3720	† †	CLUTCH, FRICTION: Sig dwg No. SM-B-186882-2			1	0.7	0.2	5.0		54931
11P1F	5815-663-3298	† †	SPRING, HELICAL, COMPRESSION: Kleinschmidt part No. 54932			1	0.7	0.2	5.0		54932
11P1F	5815-528-5517	† †	WASHER, THRUST: Sig dwg No. SM-B-187020			5	0.9	0.3	25.0		55001
11P1F	5815-600-3048	† †	DETENT: Sig dwg No. SM-B-187022			1	0.5	0.1	5.0		55004A
11P1F	5815-322-5589	† †	SPACER, SLEEVE: Sig dwg No. SM-B-187023			1	0.5	0.1	5.0		55006
11P1F	5815-322-5590	† †	SLEEVE, ECCENTRIC: Sig dwg No. SM-B-187024			1	0.3	0.1	5.0		55007
11P1F	5815-600-2890	† †	PIVOT, LEVER DETENT: Sig dwg No. SM-B-187025			1	0.5	0.1	5.0		55008
11P1F	5815-834-5524	†	SPRING, HELICAL, EXTENSION: Sig dwg No. SM-B-171539			5	1.9	0.8	25.0		55009
11P1F	5310-595-6161	† †	WASHER, FLAT: Sig dwg No. SM-B-171646			1	0.3	0.1	5.0		55076
11P1F	5305-543-5785	† †	SCREW, MACHINE: Kleinschmdit part No. 55511			1	0.5	0.1	5.0		55511
11P1F	5815-591-0870	† †	STUD, ECCENTRIC: Sig dwg No. SM-B-187165			3	1.0	0.3	15.0		55738
11P1F	5815-340-3732	† †	ECCENTRIC: Sig dwg No. SM-B-187361			1	0.5	0.1	5.0		56076
11P1F	5851-663-3333	† †	SPRING, HELICAL, COMPRESSION: Sig dwg No. SM-B-171535			2	1.0	0.3	10.0		56091
11P1F	5306-600-3058	† †	BOLT, MACHINE: Sig dwg No. SM-B-196656			2	0.8	0.2	10.0		56124
11P1F	5815-697-8054	† †	STUD, PILOT: Sig dwg No. SM-B-187401			1	0.5	0.1	5.0		56161

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
															FIGURE NO.	ITEM NO.
A B C D								TT-345/FG; TT-345A/FG (continued)								
11P1F	5815-342-3558	†	†					LEVER: Sig dwg No. SM-B-187403			1	0.5	0.1	5.0		56163
11P1F	5815-219-7023	†	†					STUD, ECCENTRIC: Sig dwg No. SC-B-70566 (formerly Kleinschmidt part No. 53870)			2	0.8	0.2	10.0		56185A
11P1F	5815-323-7322	†	†					COLLAR, SHAFT: Sig dwg No. SM-B-187690			1	0.5	0.1	5.0		56246
11P1F	5815-340-3737	†	†					CLUTCH, FRICTION: Kleinschmidt part No. 56248			1	0.7	0.2	5.0		56248
11P1F	5815-663-3313	†	†					SPRING, HELICAL, COMPRESSION: Sig dwg No. SM-B-187689			1	0.7	0.2	5.0		56249
11P1F	5815-203-1423	†	†					GEAR, SPUR: Sig dwg No. SM-B-187450			1	0.7	0.2	5.0		56257
11P1F	5815-523-8666	†	†					GEAR, SPUR: Sig dwg No. SM-B-187475			1	0.7	0.2	5.0		56330A
11P1F	5815-663-3370	†	†					SPRING, HELICAL, TORSION: Sig dwg No. SM-B-187478			1	0.7	0.2	5.0		56396
11P1F	5815-570-3530	†	†					LEVER: Sig dwg No. SM-B-187121			1	0.5	0.1	5.0		56536A
11P1F	5815-588-0937	†	†					STUD, PILOT: Sig dwg No. SM-B-187575			1	0.5	0.1	5.0		56539
11P1F	5815-570-3529	†	†					SPRING, FLAT: Sig dwg No. SM-B-187124			1	0.7	0.2	5.0		56540
11P1F	5815-590-8020	†	†					LEVER: Kleinschmidt part No. 56593			1	0.5	0.1	5.0		56593
11P1F	5815-586-7764	†	†					LEVER: Sig dwg No. SM-B-314722			1	0.5	0.1	5.0		56736
11P1F	5815-588-0938	†	†					LEVER: Sig dwg NO. SM-B-314724			1	0.5	0.1	5.0		56738A
11P1F	5815-600-3005	†	†					COLLAR, CLAMP: Sig dwg No. SM-B-314726			1	0.5	0.1	5.0		56832A

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-345/FG; TT-345A/FG (continued)								
11P1F	5815-574-6624	† †	COLLAR, CLAMP: Sig dwg No. SM-B-314727			1	0.5	0.1	5.0		56833A
11P1F	5815-558-3010	† †	SHIM: Sig dwg No. SM-B-171480			2	1.0	0.3	10.0		57072
11P1F	5815-586-0404	† †	SHIM: Sig dwg No. SM-B-171620			2	1.0	0.3	10.0		57073
11P1F	5815-588-0939	† †	SHAFT: Sig dwg No. SM-B-314738			1	0.5	0.1	5.0		57142
11P1F	5815-588-0940	† †	SHAFT: Sig dwg No. SM-B-314745			1	0.5	0.1	5.0		57159
11P1F	5310-588-0979	† †	NUT, PLAIN, PLATE: Sig dwg No. SM-B-314842			1	0.5	0.1	5.0		57165
11P1F	5815-588-0946	† †	CAGE FRAME ASSEMBLY: Sig dwg No. SM-B-314791			1	0.3	0.1	5.0		57271A
11P1F	5815-588-0947	† †	BAR, SELECTOR TELETYPEWRITER: Sig dwg No. SM-B-314797			3	1.3	0.5	15.0		57277
11P1F	5815-602-8004	† †	NUT, PLAIN, PLATE: Sig dwg No. SM-B-185288			1	0.5	0.1	5.0		57669
11P1F	5815-757-2263	†	PLATE, CLAMP: Kleinschmidt part No. 60678			1	0.3	0.1	5.0		60678
11P1 F	5815-845-1035	†	BUSHING, SLEEVE: Kleinschmidt part No. 60679			1	0.5	0.1	5.0		60679
11P1F	5815-889-3216	†	SPRING, HELICAL, EXTENSION: Kleinschmidt part No. 61000			5	1.9	0.8	25.0		61000
11P1 F	5815-672-0043	† †	RING SET, CODE, TELETYPEWRITER: Kleinschmidt part NO. 61059A			1	0.5	0.1	5.0		61059A
11P1F	5330-841-7420	†	FELT, MECHANICAL PREFORMED: Kleinschmidt part No. 61478			2	1.2	0.4	10.0		61478
			GROUP 6 BASE ASSEMBLY								
11P1F	5910-649-3118	† †	CAPACITOR, FIXED, ELECTROLYTIC: 20 uf 200 v dc; Kleinschmidt part No. 20213			1	0.7	0.2	5.0		C1

Army-Ft Monmouth,NJ-MOH 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
															FIGURE NO.	ITEM NO.
A B C D								TT-345/FG;TT-345A/FG (continued)								
11P1F	5910-342-3532	†	†					CAPACITOR, FIXED, PAPER DIELECTRIC: 2 cap, 5 uf and 3.75 uf ±5%; 330 v dc; Sig dwg No. SM-B-196148			1	0.7	0.2	5.0		C2
11P1F	6130-523-5816	†	†					RECTIFIER, METALLIC: Sig dwg No. SM-B-186908			1	0.7	0.2	5.0		CR1
11 PO	5920-284-9220	†	†					FUSE, CARTRIDGE: 1 amp; 250 v; MIL-F-15160C, type No. FO2C1R00B			2	15.6	12.0	50.0		F1,2
11P1F	5935-524-5541	†	†					CONNECTOR, RECEPTACLE, ELECTRICAL: Amphenol part No. 26-198			1	0.5	0.1	5.0		J2
11P1F	5935-521-0537	†	†					CONNECTOR, RECEPTACLE, ELECTRICAL: Sig dwg No. SM-B-148662			1	0.5	0.1	5.0		J3
11P1F	5935-699-0873	†	†					CONNECTOR, PLUG, ELECTRICAL: Kleinschmidt part No. 20272			1	0.5	0.1	5.0		J4
11P1F	5935-149-3230	†	†					CONNECTOR, RECEPTACLE, ELECTRICAL: MIL-C-5015, ANA type No. AN3102A-14S-2S			1	0.5	0.1	5.0		J6
11P1F	5945-347-0216	†	†					RELAY, ARMATURE: Kleinschmidt part No. 20120			1	0.7	0.2	5.0		K1
11P1F	5935-283-1230	†	†					PLUG, TELEPHONE: JAN type No. PJ-055R			1	0.5	0.1	5.0		P1
P1F	5935-283-3392	†	†					CONNECTOR, PLUG, ELECTRICAL: Sig dwg No. SC-D-69167			1	0.5	0.1	5.0		P5
11P1F	5905-190-8889	†	†					RESISTOR, FIXED, COMPOSITION: 100 ohms ±5%; 1/2 w; MIL type No. RC20GF101J			1	0.7	0.2	5.0		R1
11P1F	5905-508-0819	†	†					RESISTOR, FIXED, WIRE WOUND: 8,000 ohms ±7.5%; 8 w; Kleinschmidt part No. 20039			1	0.7	0.2	5.0		R2
11P1F	5905-508-0563	†	†					RESISTOR, FIXED, WIRE WOUND: 5,600 ohms ±7.5%; Kleinschmidt part No. 20040			1	0.7	0.2	5.0		R3
11P1 F	5930-752-2672	†	†					SWITCH, TOGGLE: MIL-S-3950, part No. MS35059-15			1	0.7	0.2	5.0		S1

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
															FIGURE NO.	ITEM NO.
A B C D								TT-345/FG; TT-345A/FG (continued)								
11P1F	5930-655-1515	†	†					SWITCH, TOGGLE: MIL std MS35058-23			1	0.7	0.2	5.0		S2
11P1F	5930-050-2704	†	†					SWITCH, TOGGLE: MIL-S3950, part No. MS35059-9			1	0.7	0.2	5.0		S4
11P1F	5950-660-7480	†	†					TRANSFORMER, POWER, STEP-DOWN: Kleinschmidt part No. 59672			1	0.7	0.2	5.0		T1
11P1F	5920-556-0144	†	†					FUSEHOLDER: MIL spec, MIL-F-19207, type FNH20G			2	0.5	0.1	10.0		XF1,2
	5305-531-9034	†	†					SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group 3)			8					10003
	5305-753-4356	†	†					SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group 3)			1					10004
	5305-655-9483	†	†					SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group5)			2					10005
	5305-721-5430	†	†					SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group 4)			2					10008
11P1F	5305-274-0401	†	†					SCREW, CAP, SOCKET HEAD: MIL std MS35461-1			1	0.5	0.1	5.0		10008-01
	5305-206-2476	†	†					SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group 5)			8					10010
11P1F	5305-206-2470	†	†					SCREW, CAP, SOCKET HEAD: Kleinschmidt part No. 10013			3	1.0	0.3	15.0		10013
11P1F	5305-514-7729	†	†					SCREW, CAP, SOCKET HEAD: Kleinschmidt part No. 10014			1	0.5	0.1	5.0		10014
	5305-297-7962	†	†					SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group 3)			1					10025
	5305-057-1262	†	†					SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group 5)			1					10029
	5305-639-0511	†	†					SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group 3)			1					10037
11P1F	5305-514-6805	†	†					SCREW, CAP, SOCKET HEAD: Kleinschmidt part No. 10055			2	0.8	0.2	10.0		10055

Army-ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
															FIGURE NO.	ITEM NO.
A B C D								TT-345/FG; TT-345A/FG (continued)								
11P1F	5305-637-7903	†	†					SCREW, MACHINE: Kleinschmidt part No. 10106			2	0.8	0.2	10.0		10106
11P1F	5305-298-8084	†	†					SCREW, MACHINE: Kleinschmidt part No. 10166			2	0.8	0.2	10.0		10166
11P1F	5305-292-6707	†	†					SCREW, MACHINE: Kleinschmidt part No. 10252			6	1.4	0.5	30.0		10252
9 P1F	5305-208-1862	†	†					SCREW, MACHINE: Kleinschmidt part No. 10321			2	0.8	0.2	10.0		10321
11P1F	5305-206-4876	†	†					SCREW, MACHINE: Kleinschmidt part No. 10335			2	0.8	0.2	10.0		10335
11P1F	5305-292-8400	†	†					SCREW, MACHINE: Kleinschmidt part No. 10354			3	1.0	0.3	15.0		10354
	5305-207-7484	†	†					SCREW, MACHINE: (For authorized allowances see Group 1)			2					10357
11P1F	5305-208-6168	†	†					SCREW,MACHINE: Kleinschmidt part No. 13067			4	1.2	0.4	20.0		10367
	5310-209-3990	†	†					WASHER, LOCK: (For authorized allowances see Group 1)			5					10403
	5310-543-2739	†	†					WASHER, LOCK: (For authorized allowances see Group 1)			14					10404
	5310-282-9584	†	†					WASHER, LOCK: (For authorized allowances see Group 4)			7					10405
	5310-013-1196	†	†					WASHER, LOCK: (For authorized allowances see Group 1)			18					10429
	5310-209-3871	†	†					WASHER, LOCK: (For authorized allowances see Group3)			14					10430
	5310-637-3944	†	†					WASHER, FLAT: (For authorized allowances see Group 4)			2					10458
	5310-551-7541	†	†					NUT, SELF-LOCKING, HEXAGON: (For authorized allowances see Group 1)			3					10500
	5310-523-2035	†	†					NUT, SELF-LOCKING, HEXAGON: (For authorized allowances see Group 3)			3					10501

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE A	B	C	D	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION FIGURE NO.	ILLUSTRATION ITEM NO.
											TT-345/FG; TT-345A/FG (continued)								
11	P1	F		5310-576-5487	†	†					NUT, PLAIN, HEXAGON: Kleinschmidt part No. 10505			2	0.8	0.2	10.0		10505
				5310-208-6478	†	†					NUT, SELF-LOCKING, HEXAGON: (For authorized allowances see Group 3)			4					10525
11	P1	F		5310-197-2298	†	†					NUT, SELF-LOCKING, HEXAGON: MIL std MS20365-440			2	0.8	0.2	10.0		10540
	P1	F		5340-096-7157	†	†					MOUNT, RESILIENT: Lord part No. 150PDN432-12			4	0.8	0.2	20.0		10915
11	P1	F		5305-209-4803	†	†					SCREW, CAP, SOCKET HEAD: Kleinschmidt part No. 11500			1	0.5	0.1	5.0		11500
11	P1	F		5940-688-2382	†	†					TERMINAL, STUD: Kleinschmidt part No. 20357			2	0.5	0.1	10.0		20357
11	P1	F		5920-244-5150	†	†					CAP, ELECTRICAL: Bussman part No. 9435-1/2			2	0.5	0.1	10.0		20460
11	P1	F		6145-283-9634	†	†					CABLE, POWER, ELECTRICAL: MIL-C-3884, type No. COS-2(18) (Authorized allowances will be a minimum of or a multiple of 8 feet)			8	*	*	120.0		20636-75.60
11	P1	F		6145-660-9321	†	†					CABLE, POWER, ELECTRICAL: MIL-C-3432, type No. CO-02MGF(2/18)SJ0375 (Authorized allowances will be a minimum of or a multiple of 8 feet)			8	*	*	120.0		20640-96.00
11	P1	F		5940-199-9606	†	†					TERMINAL, LUG: Kleinschmidt part No. 20705			4	0.8	0.4	20.0		20705
11	P1	F		5940-231-4430	†	†					TERMINAL, LUG: AMP part No. 7-32562			6	1.0	0.3	30.0		20706
11	P1	F		5940-231-4431	†	†					TERMINAL, LUG: AMP part No. 7-30697			1	0.3	0.1	5.0		20710
11	P1	F		5975-378-3587	†	†					BUSHING, STRAIN RELIEF: Heyco part No. SR-6P			1	0.5	0.1	5.0		20713
11	P1	F		5940-665-5603	†	†					TERMINAL, LUG: AMP part No. 7-31636			1	0.3	0.1	5.0		20721
	P1	F		5325-174-5331	†	†					GROMMET, RUBBER: Atlantic India Rubber part No. 2538			1	0.5	0.1	5.0		20726

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
															FIGURE NO.	ITEM NO.
A B C D								TT-345/FG; TT-345A/FG (continued)								
11P1F	5940-549-8991	†	†					TERMINAL, LUG: AMP part No. 7-34123			1	0.3	0.1	5.0		20766
11P1F	5975-319-0661	†	†					CLAMP, ELECTRICAL: Heyman Mfg Co part No. SR-7P-1			1	0.3	0.1	5.0		20835
11P1F	5940-271-7322	†	†					TERMINAL, LUG: AMP part No. 7-321021			1	0.3	0.1	5.0		20838
10P1F	5325-249-6340	†	†					GROMMET, RUBBER: Atlantic India Rubber part No. 2113			1	0.5	0.1	5.0		21000
11P1F	5310-521-8730	†	†					WASHER, FLAT: Sig dwg No. SC-B-69325-1			2	0.5	0.1	10.0		50887
10P1F	5325-281-6576	†	†					GROMMET, RUBBER: Kleinschmidt part No. 52254			4	1.2	0.4	20.0		52254
11P1F	5305-594-1028	†	†					SCREW, SHOULDER: Kleinschmidt part No. 52701			4	1.2	0.4	20.0		52701
11P1F	5305-576-6701	†	†					SCREW, MACHINE: Kleinschmidt part No. 53336			8	1.9	0.8	40.0		53336
P1F	5340-096-7158	†	†					MOUNT, RESILIENT: Lord part No. J-1385-5			4	0.8	0.2	20.0		54189
11P1F	5330-641-3375	†	†					WASHER, NONMETALLIC: Kleinschmidt part No. 54561			4	1.4	0.5	20.0		54561
11P1F	5310-591-2550	†	†					NUT, PLAIN, PLATE: Kleinschmidt part No. 57309			1	0.5	0.1	5.0		57309
11P1F	5310-588-0977	†	†					WASHER, FINISHING: Sig dwg No. SM-B-314810			4	1.2	0.4	20.0		57311
11P1F	5815-601-4199	†	†					STUD: Kleinschmidt part No. 57406			4	1.2	0.4	20.0		57406

Army-Ft Monmouth,NJ-MON 475-63

SECTION V. FUNCTIONAL PARTS LIST (TT-346/FG, TT-346A/FG)

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
	5815-892-1096		REPERFORATOR,TELETYPEWRITER TT-346/FG; TT-346A/FG: 7.42 code; English communication characters; accom 7/8 in. or 11/16 in. wd tape; series governed motor; 60,75,100 wpm speeds; oper power requirements 115v, 60 cyc, sngle ph, ac NOTE: Model column 1, refers to TT-346/FG; Column 2 refers to TT-346A/FG GROUP I COVER	ea	NX						
5 P O	6240-143-3084	† †	LAMP,INCANDESCENT: 115v, 15w; GE # GE15T7/DC			1	1.4	0.5	10.0		DS1
11P1 F	5815-322-5591		CONTACT,ELECTRICAL: Sig dwg SC-B-70198			2	1.0	0.3	10.0		P3
11P1 F	5305-550-9690	† †	SCREW,MACHINE: Kleinschmidt #10124			4	1.2	0.4	20.0		10124
11P1 F	5305-207-7484	† †	SCREW,MACHINE: Kleinschmidt #10357 (Authorized allowances based on a total of 6)			2	1.4	0.5	30.0		10357
11P1 F	5305-207-5582	† †	SCREW,MACHINE: Kleinschmidt #10393			4	1.2	0.4	20.0		10393
11P1 F	5310-209-3990	† †	WASHER,LOCK: MIL Std MS-35333-71 (Authorized allowances based on a total of 11)			4	1.4	0.5	55.0		10403
11P1 F	5310-543-2739	† †	WASHER,LOCK: MIL STD MS35333-72 (Authorized allowances based on a total of 21)			4	1.4	0.6	105.0		10404
11P1 F	5310-013-1196	† †	WASHER,LOCK: MIL std MS35337-60 (Authorized allowances based on a total of 52)			2	2.8	1.5	260.0		10429
11P1 F	5310-514-7435	† †	WASHER , LOCK: Kleinschmidt #10435			4	0.8	0.2	20.0		10435
11P1 F	3510-429-2274	† †	WASHER,FLAT: Murphy Diesel Co part No. MD-1974 (Authorized allowances based on a total of 7)			4	1.1	0.4	35.0		10463

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-346/FG,TT-346A/FG (continued)								
11P1 F	5310-551-7541	† †	NUT,SELF-LOCKING HEXAGON: ESNA type No. 79TM60 (Authorized allowances based on a total of 24)			8	2.8	1.5	120.0		10500
11P1 F	5310-514-8471	† †	NUT,PLAIN,HEXAGON: Chrysler and Kop-pin part No. 118549			4	1.2	0.2	20.0		10515
11P1 F	5940-642-4428	† †	TERMINAL LUG: Thomas and Betts part No. STA-KONV33 (Authorized allowances based on a total of 3)			1	0.7	0.2	15.0		20379
11P1 F	5940-643-5260	† †	TERMINAL,LUG: AMP part No. 31890			2	0.5	0.1	10.0		20707
11P1 F	5970-617-5316	† †	INSULATOR,BUSHING: SIG dwg No. SC-B-70200			2	0.5	0.1	10.0		51106
5P1 F	6250-228-0418	† †	LAMPHOLDER: Dialco type No. 12-06			1	0.5	0.1	5.0		51115
11P1 F	5330-049-7872	/	WASHER,NOMETALLIC: SIG dwg SC-B-70488			2	1.2	0.4	10.0		51481
11P1 F	5310-590-8021	† †	NUT,LATCH,PLATE: Sig dwg No. SM-B-157240 (Authorized allowances based on a total of 2)			1	0.8	0.2	10.0		52561
11P1 F	5305-584-8985	† †	SCREW,SHOULDER: Kleinschmidt #56206			4	1.2	0.4	20.0		56206
11P1 F	5815-586-7766	† †	SPRING,HELICAL TORSION: SIG dwg No. SM-B-314965			1	0.7	0.2	5.0		57168
11P1 F	5815-586-7767	† †	SPRING,HELICAL,TORSION: SIG Dwg No. SM-B-314749-1			1	0.7	0.2	5.0		57169
11P1 F	5815-588-0941	† †	LATCH,ASSEMBLY: Sig dwg No. SM-B-314752			1	0.5	0.1	5.0		57175A
11P1 F	5815-588-0942	† †	SPRING,FORMED WIRE: Sig dwg No. SM-B-314754			1	0.7	0.2	5.0		57177
11P1 F	5310-588-0978	† †	NUT,PLAIN PLATE: Sig dwg No. SM-B-314755			2	4.8	0.2	10.0		57179

Army-Ft Monmouth,NJ-Mi

SOURCE CODE A	B	C	D	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION FIGURE NO.	ILLUSTRATION ITEM NO.
						TT-346/FG,TT-346A/FG (continued) GROUP 2 MOTOR AND GOVERNOR GROUP 2A GOVERNOR (Except where noted, all parts are common to all motors)								
11	P1		F	5305-514-6805	† †	SCREW,CAP,SOCKET HEAD:			1	0.5	0.1	5.0		10055
11	P1		F	5305-333-4262	† †	SETSCREW: MIL std MS51019-34			2	0.8	0.2	10.0		10203
11	P1		F	5305-579-5304	† †	SETSCREW: MIL std MS51019-35			1	0.5	0.1	5.0		10204
9	P1		F	5305-208-1862	† †	SCREW,MACHINE: Kleinschmidt part No. 10321			2	0.8	0.2	10.0		10321
11	P1		F	5310-595-5969	† †	WASHER,FLAT: Stoddart part No. 70107 (Kleinschmidt part No. 10459 which replaces 10403			1	0.3	0.1	5.0		10403
11	P1		F	5310-543-2739	† †	WASHER,LOCK: MIL std MS35333-72			1	0.5	0.1	5.0		10404
11	P1		F	5310-209-3868	† †	WASHER,LOCK: Shakeproof part No. 1706-01			2	0.5	0.1	10.0		10412
11	P1		F	5310-883-9487	† †	NUT,SELF-LOCKING,HEXAGON: Esna part No. F22NM60 (Kleinschmidt part No. 10840 which replaces 10500)			1	0.5	0.1	5.0		10500
11	P1		F	5310-546-6858	† †	NUT,SELF-LOCKING,HEXAGON: Kleinschmidt part No. 10507			1	0.5	0.1	5.0		10507
	P1		F	5315-243-1173	† †	PIN,COTTER: Kleinschmidt part No. 10800			2	1.1	0.3	10.0		10800
11	P1		F	5815-826-1611	† †	WASHER,FLAT: Kleinschmidt part No. 61413 (Kleinschmidt part No. 61413 which replaces 50148)			1	0.5	0.1	5.0		50148
11	P1		F	5815-351-7895	† †	GEAR,SPUR: Sig dwg No. SC-B-69786			1	0.7	0.2	5.0		50278A

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-346/FG,TT-346A/FG (continued)								
11P1 F	6110-242-4631	† †	CONTACT,ELECTRICAL: Sig dwg No. SC-B-69789			1	0.7	0.2	5.0		50281A
11P1 F	5970-351-7898	† †	INSULATOR,BUSHING: Sig dwg No. SC-B-69779			1	0.7	0.2	5.0		50293
11P1 F	5305-537-7641	† †	SCREW,ADJUSTING: Sig dwg No. SC-B-69780			1	0.5	0.1	.50		50299
11P1 F	5815-356-3301	† †	LEVER: Sig dwg No. SC-B-69782			1	0.5	0.1	5.0		50301
11P1 F	5815-351-7900	† †	PIN: Sig dwg No. SC-B-69783			1	0.5	0.1	5.0		50302
11P1 F	5815-356-3302	† †	TARGET: Sig dwg No. SC-B-69672			1	0.3	0.1	5.0		50303A
11P1 F	5815-598-4964	† †	SPRING,HELICAL,EXTENSION: Sig dwg No. SC-B-69337-7			1	0.7	0.2	5.0		50334
11P1 F	6110-636-7940	† †	CONTACT,ELECTRICAL: Sig dwg No. SC-B-69784			1	0.7	0.2	5.0		50338
11P1 F	5977-232-5279	† †	BRUSH,ELECTRICAL CONTACT: Sig dwg No. SC-B-61023-1			1	4.8	3.0	25.0		51154
11P1 F	6110-557-3970	† †	GOVERNOR,MOTOR: Sig dwg No. SC-B-70500			1	0.7	0.2	5.0		51215A
11P1 F	5977-521-8272	† †	BRUSH,ELECTRICAL,CONTACT: Sig dwg No. SM-B-314880 (Motor governor brushes for use in all 1/23 hp motors and 1/20 hp motors stamped 74447)			2	8,8	6.0	100.0		51543A
11P1 F	5815-597-8320	† †	SPRING,HELICAL,COMPRESSION: Sig dwg No. SC-B-70501			1	0.7	0.2	5.0		51855
11P1 F	5815-521-1401	† †	WORM,GOVENOR ADJUSTMENT: Sig dwg No. SM-B-171471			1	0.7	0.2	5.0		56555A
11P1 F	5977-059-8680	† †	BRUSH,ELECTRICAL CONTACT: Kleinschmidt part No. 63649A (Motor govenor brushes for use in 1/20 hp motor stamped 07444-7)			2	8.8	6.0	100.0		63649A

SOURCE CODE A B C D	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION FIGURE NO.	ILLUSTRATION ITEM NO.
			TT-346/FG,TT-346A/FG (continued)								
			GROUP 2 MOTOR,UNIVERSAL, 1/23 hp,								
11P1 F	6105-635-0127	†	MOTOR,UNIVERSAL: Bodine part No. NSEG-12			1	0.7	0.2	5.0		B2
11P1 F	5910-666-8278	†	CAPACITOR,FIXED,PAPER DIELECTRIC: 0.1 mf, ±25%; -10%; 600 w vdc; Astron part NO. AQF-6-1			2		0.3	10.0		C16,17
11P1 F	5935-241-0252	†	CONNECTOR,PLUG,ELECTRICAL: MIL type No. AN3106B-14S-2P (for use with 1/23 hp motor)			1	0.5	0.1	5.0		P6
11P1 F	5305-579-5448	†	SCREW,MACHINE: Kleinschmidt #10333			8		0.8	40.0		10333
11P1 F	5305-208-6168	†	SCREW,MACHINE: Kleinschmidt #10367			8		0.8	40.0		10367
11P1 F	5310-209-3868	†	WASHER,LOCK: Shakeproof part No. 1706-01 (for mounting end bells)			8		0.4	40.0		10412
9P1 F	3110-542-0120	†	BEARING,BALL,ANNULAR: Kleinschmidt part No. 10760			2		0.4	10.0		10760
11P1 F	6105-620-5820	†	RETAINER,BEARING: Bodine cat No. N-2366 (End plate in power end)			1		0.1	5.0		20738
P1 F	5330-531-3296	†	FELT,MECHANICAL,PREFORMED: Bodine part No. N-165 (Dust seal in power end)			1		0.3	5.0		20739
11P1 H	5310-547-7907	†	WASHER,RECESSED: Bodine part No. N2364 (part of dust seal assy power end)			1		0.1	5.0		20740
11P1 O	5977-234-7503	†	CAP,ELECTRICAL: (inner brush cap) Kleinschmidt part No. 20747			2	0.8	0.2	10.0		20747
P1 H	5330-579-9806	†	FELT,MECHANICAL,PREFORMED: Kleinschmidt part No. 20748 (dust seal motor bearing,power end)			1		0.3	5.0		20748

Army-Ft Monmouth,NJ-MC

SOURCE CODE				FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A	B	C	D										FIGURE NO.	ITEM NO.
						TT-346/FG,TT-346A/FG (continued)								
	P1	H		5315-547-9203	†	PIN,STRAIGHT,HEADLESS: SIG dwg No. SC-B-69682			1		0.1	5.0		50359
	P1	H		5330-521-0612	†	FELT,MECHANICAL,PREFORMED: Sig dwg No. SC-B-69683			2		0.5	10.0		50949
11	P1	H		5815-356-3471	†	RETAINER: Sig dwg SC-B-69686 (outer disk of dust seal assy, govenor end)			1		0.1	5.0		51060
11	P1	C		5977-351-8002	†	CAP,ELECTRICAL: (outer brush cap)			2	0.8	0.8	10.0		51155
11	P1	H		6105-356-1809	†	ARMATURE,MOTOR: SIG Dwg #SC-B-69687			1		0.1	5.0		51187
11	P1	H		6105-356-1798	†	WINDING, MOTOR FIELD: Kleinschmidt part No. 51188A			1		0.1	5.0		51188A
11	P	F		5977-543-0560	†	BRUSH,ELECTRICAL, CONTACT: Kleinschmidt part No. 56834A			2	35.6	30.0	100.0		56834A
						GROUP 2C MOTOR,UNIVERSAL, 1/23 hp,Howard								
11	P1	F		6105-635-0127	†	MOTOR,UNIVERSAL: Kleinschmidt part No. 61109A			1	0.7	0.2	5.0		B2
11	P1	F		5910-666-8278	†	CAPACITOR,FIXED,PAPER DIELECTRIC: 0.1 mf, +25%; -10%; 600 w vdc; Astron part NO. AQF-6-1			2		0.3	10.0		C16,17
11	P1	F		5935-241-0252	†	CONNECTOR,PLUG,ELECTRICAL: MIL type No. AN3106B-14S-2P			1	0.5	0.1	5.0		P6
11	P1	F		5305-656-0181	†	SCREW,MACHINE: Kleinschmidt #10172 (for mounting end bell)			8		0.8	40.0		10172
11	P1	H		5310-198-3724	†	WASHER,LOCK: MIL std MS-35337-41 (for mounting end bells)			8		0.4	40.0		10444
9	P1	H		3110-542-0120	†	BEARING,BALL,ANNULAR: Kleinschmidt part No. 10760			1		0.2	5.0		10760
11	P1	H		3110-156-4086	†	BEARING,BALL,ANNULAR: Kleinschmidt part No. 10765			1		0.2	5.0		10765
	P1	H		5815-682-1511	†	SPRING,HELICAL,EXTENSION: Howard Industries part No. SPR-71 (For field cir conn of motor brushes)			2		0.3	10.0		11033

Army-Ft Monmouth,NJ-MC

SOURCE CODE				FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A	B	C	D										FIGURE NO.	ITEM NO.
						TT-346/FG,TT-346A/FG (continued)								
11	P1	H		5940-553-2719	†	TERMINAL LUG: AMP part No. 31145 (For motor winding lead)			1		0.1	5.0		20899
11	P1	H		6105-705-2651	†	RETAINER,BEARING: Howard Industries part No. EPL-4 (outer end plate for dust seal assy power end)			1		0.1	5.0		60500
	P1	F		5330-521-0612	†	FELT,MECHANICAL,PREFORMED: SIG dwg No. SC-B-69683			2		0.5	10.0		50949
11	P1	O		5977-688-4398	†	CAP,ELECTRICAL: Howard Ind #6-103-040 (outer brush cap)			2	0.8	0.2	10.0		60495
	P1	H		5315-547-9203	†	PIN,STRAIGHT,HEADLESS: SIG dwg No. SC-B-69682			1		0.1	5.0		50359
11	P1	O		5977-686-4263	†	CAP,ELECTRICAL: Howard Ind #BHC-127 (inner brush cap)			2	0.8	0.2	10.0		60496
11	P1	H		6105-726-8682	†	ARMATURE,MOTOR: Howard Ind #5-400			1		0.1	5.0		60492A
11	P1	H		6105-784-4786	†	WINDING, MOTOR FIELD: Howard Ind Dwg #4-201-265			1		0.1	5.0		60499
11	P	F		5977-686-5195	†	BRUSH,ELECTRICAL, CONTACT: Howard Ind part #2-126-7			2	35.6	30.0	100.0		60503
5	P1	H		6150-702-2771	†	END,BELL,ELECTRICAL ROTATING EQUIPMENT Kleinschmidt part No. 60490			1		0.1	5.0		60490
11	P1	F		5105-705-2652	†	RETAINER,BEARING: Howard Industries part No. EPL-27 (Dust seal on govenor end)			1		0.1	5.0		60491
11	P1	H		5340-656-0160	†	SHIM: Howard Ind part No. WAS-300 (Between brg and dust seal assy, power end)			2		0.2	10.0		60493
11	P1	H		5305-656-0106	†	SCREW,MACHINE: Howard Ind #SCR519 (for end bell dust seal)			8		0.8	40.0		60494
11	P1	H		5310-656-0100	†	WASHER,SPRING TENSION: Howard Ind part No. SPR-66 (outer washers next to end bell dust seal assy)			2		0.2	10.0		60501

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			TT-346/FG,TT-346A/FG (continued)								
5P1 H	6150-702-2770	†	END BELL,ELECTRICAL ROTATING EQUIPMENT Howard Ind part No. COV-28DM-1			1		0.1	5.0		60505
P1 H	5340-682-2171	†	SHIM: Howard Ind part No. WAS-57-1 (between brgs and end bells)			2		0.2	10.0		60506
			GROUP 2D MOTOR,UNIVERSAL, 1/20 hp, Howard								
5P1 F	6105-059-9166	†	MOTOR,UNIVERSAL: series wound, 3600 rpm; 1/20 hp, 115v, 1.5 amp, max; Kleinschmidt part No. 65309A			1	0.7	0.2	5.0		B2
11P1 F	5910-666-8278	†	CAPACITOR,FIXED,PAPER DIELECTRIC: 0.1 mf, +25%; -10%; 600 w vdc; Astron part NO. AQF-6-1			2		0.3	10.0		C16,17
11P1 F	5935-280-2829	†	CONNECTOR,PLUG,ELECTRICAL: MIL-C-5015B,Type AN3106A-14S-2P			1	0.5	0.1	5.0		P6
11P1 F	5305-656-0181	†	SCREW,MACHINE: Kleinschmidt #10172 (for mounting end bells)			8		0.8	40.0		10172
11P1 H	5310-198-3724	†	WASHER,LOCK: MIL std MS-35337-41 (for mounting end bells)			8		0.4	40.0		10444
11P1 F	5975-295-9325	†	NUT,COUPLING,ELECTRICAL CONDUIT: ANA std 3054, part No. AN3054-6 (For Connector Plug Electrical 20421,P6)			1	0.5	0.1	5.0		10533
9P1 H	3110-542-0120	†	BEARING,BALL,ANNULAR: Kleinschmidt part No. 10760			1		0.2	5.0		10760
11P1 H	3110-156-4086	†	BEARING,BALL ANNULAR: Kleinschmidt part No. 10765			1		0.2	5.0		10765
P1 H	5315-547-9203	†	PIN,STRAIGHT,HEADLESS: SIG dwg No. SC-B-69682			1		0.1	5.0		50359
P1 H	5330-521-0612	†	FELT,MECHANICAL,PREFORMED: Sig dwg No. SC-B-69683			2		0.5	10.0		50949
11P1 H	6105-705-2652	†	RETAINER: Howard Industries part (Dust seal on govenor end)			1		0.1	5.0		60491

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-346/FG,TT-346A/FG (continued)								
11P1 H	5340-565-0160	†	SHIM: Howard Ind p/n WAS-300 (between grg and dust seal assy power end)			1		0.2	10.0		60493
11P1 H	5305-656-0106	†	SCREW,MACHINE: Howard Ind part No. SCR519 (for end bell dust seals)			8		0.8	49.0		60494
11P1 O	5977-688-4398	†	CAP,ELECTRICAL: Howard Ind #6-103-040 (outer brush cap)			2	0.8	0.2	10.0		60495
11P1 O	5977-686-4263	†	CAP,ELECTRICAL: Howard Industries Part No. BHC-127 (inner brush cap)			2	0.8	0.2	10.0		60496
11P1 H	6105-705-2651	†	RETAINING,BEARING: Howard Ind part No. EPL-4 (Outer end plate f/dust seal assy, power end)			1		0.1	5.0		60500
11P1 H	5310-656-0100	†	WASHER,SPRING,TENSION: Howard IND part No. SPR-66 (outer washers next to end bell dust, seal assy)			2		0.2	10.0		60501
11P1 H	5977-686-5195	†	BRUSH,ELECTRICAL CONTACT: Howard Ind part No. 2-126-7			2	35.6	30.0	100.0		60503
P1 H	5340-682-2171	†	SHIM: Howard Ind part No. WAS-57-1 (between brgs and end bells)			2		0.2	10.0		60506
			GROUP 3 TAPE SUPPLY								
5P1 F	6350-132-8377	† †	BUZZER: Sig dwg SC-C-65251			1	0.7	0.2	5.0		DS2
11P1 F	5935-698-4124	† †	CONNECTOR,PLUG,ELECTRICAL: Kleinschmidt part No. 20435			1	0.5	0.1	5.0		P4
11P1 F	5930-501-0063	† †	SWITCH,TOGGLE: Kleinschmidt #56821A			1	0.7	0.2	5.0		S3
11P1 F	5305-531-9034	† †	SCREW,CAP,SOCKET HEAD: MIL-S-933B, type C			1	1.6	0.8	65.0		10003
11P1 F	5305-753-4356	† †	SCREW,CAP SOCKET HEAD: (Authorized allowances based on a total of 13 per equipment)			2	1.6	0.8	65.0		10004
11P1 F	5305-655-6955	† †	BOLT,INTERNAL WRENCHING: MIL std ; MS35460-11 (Auth allow based on a total of 4)			2	1.2	0.4	20.0		10024

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			TT-346/FG,TT-346A/FG (continued)								
11P1 F	5305-530-9381	† †	SCREW,CAP,SOCKET HEAD: Kleinschmidt part No. 10024-01			4	1.2	0.4	20.0		10024-01
11P1 F	5305-297-7962	† †	SCREW,CAP,SOCKET HEAD: Kleinschmidt part No. 10025 (Authorized allowances based on a total of 4)			3	1.2	0.4	20.0		10025
11P1 F	5305-545-8374	† †	SCREW,CAP,SOCKET HEAD: MIL-S-933B,type C (Authorized allowances based on a total of 6)			2	1.4	0.5	30.0		10032
11P1 F	5305-639-0511	† †	SCREW,CAP,SOCKET HEAD: MIL Std MS35459-18 (Authorized allowances based on a total of 4)			3	1.2	0.4	20.0		10037
11P1 F	5305-543-2595	† †	SCREW,MACHINE: Kleinschmidt #10090			1	0.5	0.1	5.0		10090
11P1 F	5305-558-3911	† †	SCREW,MACHINE: Kleinschmidt #10091			2	0.8	0.2	10.0		10091
	5305-207-7484	† †	SCREW,MACHINE: (For authorized allowances see Group 1)			2					10357
	5310-013-1196	† †	WASHER,LOCK: (For authorized allowances see Group 1)			7					10429
11P1 F	5310-209-3871	† †	WASHER,LOCK: (MIL STD MS35339-61) (Authorized allowances based on a total of 46)			6	2.5	1.3	230.0		10430
11P1 F	5310-198-3711	† †	WASHER,LOCK: MIL Std MS35339-62 (Authorized allowances based on a total of 15)			2	1.9	0.8	75.0		10431
11P1 F	5310-209-1239	† †	WASHER,LOCK: MIL Std MS35335-60			1	0.5	0.1	5.0		10437
11P1 F	5310-227-6574	† †	WASHER,FLAT: Kleinschmidt part No. 10450 (Authorized allowances based on a total of 8)			2	1.2	0.4	40.0		10450

SOURCE CODE				FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
																		FIGURE NO.	ITEM NO.
A	B	C	D																
											TT-346/FG,TT-346A/FG (continued)								
11	P1	F		5310-637-3945	†						WASHER,FLAT: Kleinschmidt #10464 (Authorized allowances based on a total of 3 in TT-346/FG, and 11 in TT-346A/FG)			0	0.7	0.2	15.0		10464
						†								4	1.4	0.5	55.0		10464
11	P1	F		5310-261-7155	†	†					WASHER,FINISHING: Shakeproof #1724-02			1	0.5	0.1	5.0		10478
				5310-551-7541	†	†					NUT,SELF-LOCKING,HEXAGON: (For authorized allowances see GR 1)			5					10500
11	P1	F		5310-523-2035	†	†					NUT,SELF-LOCKING,HEXAGON: (Authorized allowances based on a total of 14)			3	1.9	0.9	70.0		10501
11	P1	F		5310-527-4494	†	†					NUT,PLAIN,HEXAGON: Kleinschmidt #10513			2	0.8	0.2	10.0		10513
11	P1	F		5310-208-6478	†	†					NUT,SELF-LOCKING,HEXAGON: ESNA Part 79M02 (Authorized allowances based on a total of 12)			3	1.6	0.8	60.0		10525
11	P1	F		5315-243-1174	†	†					PIN,COTTER: Kleinschmidt part 10802			2	1.0	0.3	10.0		10802
	P1	F		5340-298-7072	†	†					RING,RETAINING: Waldes Kohinoor part No. 5133-18-PP-RP (Authorized allowances based on a total of 18)			2	3.6	2.1	90.0		10949
	P1	F		5340-256-2867	†	†					RING,RETAINING: Waldes Kohinoor Part No. 5133-15(.025)-PP (Authorized allowances based on a total of 6)			1	1.6	0.8	30.0		10960
11	P1	F		5340-282-0780	†						RING,RETAINING: Waldes Kohinoor cat No. 5133-12-S-MD			1	2.5	1.3	55.0		10969
						†					(Authorized allowances based on a total of 11 in TT-346/FG and 13 in TT-346A/FG)			1	4.6	1.5	65.0		10969
10	P	0		7530-634-6237	†	†					TAPE,TELETYPEWRITER: Fed Spec No. UU-T-120			1	162.7	155.7	1000.0		10982
11	P1	F		5305-286-0003		†					SCREW CAP SOCKET HEAD: MIL Std MS35461-2			1	0.5	0.1	5.0		11503
11	P1	F		5940-504-5787	†	†					TERMINAL LUG: AMP #321035			2	0.5	0.1	10.0		20789

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-346/FG,TT-346A/FG (continued)								
11P1 F	5940-308-4365	†	TERMINAL LUG: Bundy part No. YAE18N			1	0.3	0.1	5.0		21069
11P1 F	5815-588-0952	† †	ROLLER,TAPE: SIG dwg SC-B-70114			2	0.5	0.1	5.0		50162
11P1 F	5310-596-6990	†	WASHER,FLAT: Sig dwg SC-B-69322-2 (Authorized allowances based on a total of 2)			2	0.5	0.1	10.0		50319
		†				0	0.5	0.1	10.0		50319
11P1 F	5310-521-8731	† †	WASHER,FLAT: Sig dwg SC-B-69526 (Authorized allowances based on a total of 5)			3	0.9	0.3	20.0		50827
	5310-590-8021	† †	NUT,LATCH PLATE: (For authorized allowances see Group 1)			1					52561
11P1 F	5815-597-2276	† †	SPRING,HELICAL,EXTENSION: Sig dwg SM-B-157010-18			1	0.7	0.2	5.0		53312
11P1 F	5815-521-7193	† †	SPRING,HELICAL,COMPRESSION: SIG dwg SM-B-196060			1	0.7	0.2	5.0		55459
11P1 F	5815-567-5799	†	POST,PILOT: Sig dwg SM-B-187123			1	0.5	0.1	5.0		56538
11P1 F	5815-327-5152	† †	LEVER: Sig dwg SM-B-187439			1	0.5	0.1	5.0		56234
11P1 F	5815-652-9855	† †	REEL,TAPE,TELETYPEWRITER: Kleinschmidt part No. 56839A (Spare part for part No. 57350A)			1	0.7	0.2	5.0		56839A
11P1 F	5815-588-0950	†	REEL,TAPE,TELETYPEWRITER: Kleinschmidt part No. 57315A (Spare part for #57351)			1	0.7	0.2	5.0		57315A
11P1 F	5307-626-9390	†	STUD,PILOT: Kleinschmidt #57378			2	0.8	0.2	10.0		57378
11P1 F	5815-588-0951	† †	LEVER: Sig dwg SM-B-314831			1	0.5	0.1	5.0		57380
P1 F	5315-626-9388	† †	PIN,INDEX: Kleinschmidt part No. 57389			1	0.5	0.1	5.0		57389
11P1 F	5305-655-9501	† †	SCREW,SHOULDER: Kleinschmidt #57390			1	0.5	0.1	5.0		57390

SOURCE CODE A B C D	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION FIGURE NO.	ILLUSTRATION ITEM NO.
			TT-346/FG,TT-346A/FG (continued)								
11P1 F	5815-551-0100	† †	SPRING,HELICAL,COMPRESSION: Sig dwg No. SM-B-314838-1			1	0.7	0.2	5.0		57391
11P1 F	5815-558-3182	† †	SPRING,HELICAL,EXTENSION: Sig dwg SM-B-314840			1	0.7	0.2	5.0		57394
11P1 F	5815-554-0800	† †	SPACER,SLEEVE: Sig dwg SM-B-314841			1	0.5	0.1	5.0		57395
11P1 F	5815-652-9837	†	LEVER: Kleinschmidt part No. 57397A			1	0.5	0.1	5.0		57397A
11P1 F	5310-655-9506	† †	NUT,PLAIN,HEXAGON: Kleinschmidt #57314			1	0.5	0.1	5.0		57314
			GROUP 4 PRINTING AND PUNCHING								
11P1 F	5305-521-8637	†	SCREW,CAP,SOCKET HEAD: MIL std MS35460-1 (Two are used for mounting			4	1.2	0.4	20.0		10001
		†	6 Lever stabilization assy in TT-346A/FG)			6	1.4	0.5	30.0		10001
	5305-753-4356	† †	SCREW,CAP,SOCKETHEAD: (For authorized allowances see GR 3)			2					10004
11P1 F	5305-514-7728	† †	SCREW,CAP,SOCKET HEAD: Kleinschmidt part No. 10006 (Authorized allowances based on a total of 7)			2	1.9	0.8	35.0		10006
11P1 F	5305-721-5430	† †	SCREW,CAP,SOCKET HEAD: MIL std MS35459-14 (Authorized allowances based on a total of 8)			4	1.8	0.8	40.0		10008
11P1 F	5305-297-7966	† †	SCREW,CAP,SOCKET HEAD: Mil No. MIL-S-933B, TYPE C (Authorized allowances based on a total of 3)			1	1.0	0.3	15.0		10009
11P1 F	5305-545-8344	† †	SCREW,CAP,SOCKET HEAD: Kleinschmidt part No. 10017-01			2	0.8	0.2	10.0		10017-01
11P1 F	5305-206-2471	† †	SCREW,CAP,SOCKET HEAD: Kleinschmidt part No. 10041			3	1.0	0.3	15.0		10041
11P1 F	5305-579-1518	†	SCREW,CAP,SOCKET HEAD: Kleinschmidt part No. 10050 (Part of lever assy 64763A)			1	0.5	0.1	5.0		10050

SOURCE CODE				FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A	B	C	D															FIGURE NO.	ITEM NO.
											TT-346/FG,TT-346A/FG (continued)								
11	P1	F		5305-576-7525	†	†					SCREW,CAP,SOCKET HEAD: Kleinschmidt part No. 10089			1	0.5	0.1	5.0		10089
11	P1	F		5305-333-4261		†					SETSCREW: MIL std MS51019-33			6	1.4	0.8	30.0		10201
11	P1	F		5305-333-4262	†	†					SETSCREW: MIL Std MS51019-34 (Authorized allowances based on a total of 13)			6	1.6	0.8	65.0		10203
11	P1	F		5305-297-7905	†	†					SETSCREW: MIL std MS 51020-49 (Authorized allowances based on a total of 4)			3	1.2	0.4	20.0		10210
11	P1	F		5305-333-4254	†	†					SETSCREW: MIL STD MS 51020-51 (Authorized allowances based on a TOTAL of 5)			3	1.4	0.5	25.0		10211
11	P1	F		5305-206-3537	†	†					SCREW,CAP,HEXAGON HEAD: Kleinschmidt 10397 (Authorized allowances based on a total of 2)			1	0.8	0.2	5.0		10397
11	P1	F		5310-282-9584	†	†					WASHER,LOCK: MIL STD MS35333-73 (Authorized allowances based on a total of 14)			3	1.9	0.8	70.0		10405
				5310-013-1196	†	†					WASHER,LOCK: (For authorized allowances see Group 1)			6					10429
				5310-209-3871	†	†					WASHER,LOCK: (For authorized allowances see Group 3)			12					10430
				5310-198-3711	†	†					WASHER,LOCK: (For authorized allowances see Group 3)			3					10431
				5310-227-6574	†	†					WASHER,FLAT: (For authorized allowances see Group 3)			2					10450
11	P1	F		5310-637-3944	†	†					WASHER,FLAT: Kleinschmidt part No. 10458 (Authorized allowances based on a total of 9)			2	1.3	0.5	45.0		10458
11	P1	F		5310-595-5969	†	†					WASHER,FLAT: Stoddart #70107 (Authorized allowances based on a total of 7)			3	1.1	0.4	35.0		10459
				5310-429-2274	†	†					WASHER,FLAT: (For authorized allowances see Group 1)			1					10463

SOURCE CODE				FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A	B	C	D															FIGURE NO.	ITEM NO.
											TT-346/FG,TT-346A/FG (continued)								
				5310-637-3945	†	†					WASHER,FLAT: (For authorized allowances see Group 3)			1					10464
11	P	1	F	5310-543-4540		†					WASHER,FLAT: MIL Std MS15795-103 (part of lever assy 64763A)			1	0.3	0.1	5.0		10490
				5310-523-2035	†	†					NUT,SELF-LOCKING HEXAGON: (for authorized allowances see Group 3)			3					10501
				5310-208-6478	†	†					NUT,SELF-LOCKING,HEXAGON: (For authorized allowances see Group 3)			3					10525
11	P	1	F	5310-208-4118	†	†					NUT,PLAIN,HEXAGON: Kleinschmidt part No. 10526			1	0.5	0.1	5.0		10526
9	P	1	H	3120-287-7413	†	†					BEARING,SLEEVE: AmpleX Div Chrysler corp Cat No. F-348-2			2		0.2	10.0		10716
9	P	1	F	3110-155-9628	†	†					BEARING,BALL,ANNULAR: Marlin-Rockwell part No. R-4-FFT-407A0 (Authorized allowances based on a total of 2)			1	1.2	0.4	10.0		10753
	P	1	F	5315-242-5473	†						PIN, COTTER: Kleinschmidt part No. 10806 (Authorized allowances based			1	1.0	0.3	15.0		10806
						†					on a total of 3 in TT-346/FG, and 2, TT-346A/FG)			0	0.8	0.2	10.0		10806
11	P	1	F	5310-883-9487	†	†					NUT,SELF-LOCKING HEXAGON: Kleinschmidt part No. 10840			3	1.4	0.5	15.0		10840
10	P	0		7510-511-6690	†	†					RIBBON,PRINTING,TELETYPEWRITER: Fed Spec No. DDD-R-311D,type 1, Grade A Class 1			1	84.0	79.0	1000.0		10901
				5340-298-7072	†	†					RING,RETAINING: (For authorized allowances see Group 3)			9					10949
				5340-256-2867	†	†					RING,RETAINING: (For authorized allowances see Group 3)			3					10960
				5340-282-0780	†						RING,RETAINING: (For authorized allowances see Group 3)			7					10969
						†								9					10969
	P	1	F	5340-286-9467	†	†					RING,RETAINING: Waldes Kohinoor part No. 5100-28			1	0.8	0.2	5.0		10971

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
															FIGURE NO.	ITEM NO.
A B C D								TT-346/FG,TT-346A/FG (continued)								
11P1 F	5305-815-2504	†	†					SCREW,MACHINE: Kleinschmidt part # 11755			3	1.0	0.3	15.0		11755
11P1 F	5340-889-3191	†	†					RING,RETAINING: Waldes Kohinoor Part No. 5144-18PPRP			4	1.9	0.8	20.0		12949
11P1 F	5340-889-3192	†	†					RING,RETAINING: Waldes Kohinoor Part No. 5144-12-PPRP			2	1.2	0.8	10.0		12969
11P1 F	5305-524-5612	†						NUT,PLAIN,PLATE: Sig dwg #SC-B-69499 (Authorized allowances based on a total of 7 in TT-346/FG and 8 in TT-346A/FG)			2	1.9	0.8	35.0		50174
			†								2	1.9	0.8	40.0		50174
11P1 F	5310-060-2948	†						WASHER,FLAT: Sig dwg SC-B-69322-3			2	0.5	0.1	10.0		50320
			†								1	0.3	0.1	5.0		50320
11P1 F	5815-254-4911	†	†					COLLAR SHAFT: Sig dwg SC-B-69522-1 (Authorized allowances based on a total of 2)			1	0.8	0.2	10.0		50391
11P1 F	5310-523-2141	†	†					WASHER,FLAT: Sig dwg SC-B-69906			2	0.5	0.1	10.0		50831
11P1 F	5815-663-3339	†	†					SPRING,HELICAL COMPRESSION: Sig dwg No. SM-B-148310-1			2	1.0	0.3	10.0		51593
11P1 F	5310-595-6712		†					WASHER,THRUST: Kleinschmidt part # 51670			1	0.3	0.1	5.0		51670
11P1 F	5815-597-2274	†						SPRING,HELICAL,EXTENSION: Sig dwg SM-B-157010-1			1	0.7	0.2	5.0		52161
11P1 F	5815-597-2294	†	†					SPRING,HELICAL,EXTENSION: SIG Dwg No. SM-B-157011-1			1	0.7	0.2	5.0		52163
11P1 F	5815-597-2292	†	†					SPRING,HELICAL,EXTENSION: Sig dwg SM-B-157011-2			1	0.7	0.2	5.0		52164
11P1 F	5815-395-9458	†	†					PLATE,ASSEMBLY: SIG Dwg SM-B-157088			1	0.3	0.1	5.0		52321A
11P1 F	5815-395-9461	†	†					STUD: Sig dwg SM-B-157091			1	0.5	0.1	5.0		52327

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-346/FG,TT-346A/FG (continued)								
11P1 F	5815-395-9462	† †	STUD: SIG Dwg SM-B-157093			1	0.5	0.1	5.0		52329
11P1 F	5815-395-9463	† †	PAWL: Sig dwg SM-B-157095			1	0.5	0.1	5.0		52331A
11P1 F	5815-395-9466	†	ARM,ASSEMBLY: Kleinschmidt part # 52337A			1	0.3	0.1	5.0		52337
11P1 F	5305-393-1906	† †	STUD: Sig dwg SM-B-157105			1	0.5	0.1	5.0		52342
11P1 F	5815-392-7761	† †	POST: SIG dwg SM-B-157108			1	0.5	0.1	5.0		52345
11P1 F	5815-395-9468	† †	LEVER: SIG dwg SM-B-157109			5	1.4	0.5	25.0		52346
11P1 F	5815-395-9469	† †	LEVER: SIG Dwg SM-B-157110			1	0.5	0.1	5.0		52347
11P1 F	5815-395-9477	† †	SCREW,ADJUSTMENT: SIG dwg SM-B-157116			1	0.5	0.1	5.0		52365
11P1 F	5815-395-9480	† †	SPROCKET TAPE: SIG dwg SM-B-157125			1	0.5	0.1	5.0		52377
11P1 F	5815-030-0427	† †	WHEEL DETENT: Sig dwg SM-B-157130			1	0.5	0.1	5.0		52384
11P1 F	5310-595-5387	† †	WASHER,FLAT: SIG dwg SM-B-157147			1	0.3	0.1	5.0		52407
11P1 F	5815-395-9483	† †	PIVOT: Sig dwg No. SM-B-157148			1	0.5	0.1	5.0		52409
11P1 F	5815-392-7765	† †	SHAFT: SIG dwg SM-B-157153			1	0.5	0.1	5.0		52414
11P1 F	5815-392-7769	† †	SPRING,HELICAL,TORSION: SIG dwg SM-B-157161			1	0.7	0.2	5.0		52422
11P1 F	5815-392-7771	† †	LEVER: SIG dwg SM-B-157163-1			1	0.5	0.1	5.0		52424
11P1 F	5815-392-7772	† †	LEVER: SIG dwg SM-B-157163-2			1	0.5	0.1	5.0		52426

SOURCE CODE A	B	C	D	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION FIGURE NO.	ILLUSTRATION ITEM NO.
											TT-346/FG,TT-346A/FG (continued)								
11	P1		F	5815-392-7773	†	†					LEVER: SIG dwg SM-B-157163-3			1	0.5	0.1	5.0		52427
11	P1		F	5815-392-7774	†	†					LEVER: SIG dwg SM-B-157163-4			1	0.5	0.1	5.0		52428
11	P1		F	5815-392-7775	†	†					LEVER: SIG dwg SM-B-157163-5			1	0.5	0.1	5.0		52429
11	P1		F	5310-205-8937	†	†					WASHER,FLAT: SIG dwg SM-B-157017-6 (Authorized allowances based on a total of 5)			4	0.9	0.3	25.0		52430
11	P1		F	5815-392-7776	†	†					LEVER: SIG dwg SM-B-157165			1	0.5	0.1	5.0		53432
11	P1		F	5815-392-7779	†	†					SHAFT: SIG dwg SM-B-157172			1	0.5	0.1	5.0		52442A
11	P1		F	5815-392-7780	†	†					LEVER ASSEMBLY: SIG dwg SM-B-157173			1	0.5	0.1	5.0		52445A
11	P1		F	5310-595-5383	†	†					WASHER FLAT: Kleinschmidt part No. 52446			7	1.1	0.4	35.0		52446
11	P1		F	5815-392-7781	†	†					SHAFT: SIG dwg SM-B-157177			1	0.5	0.1	5.0		52452
11	P1		F	5815-392-7786	†	†					LEVER: SIG dwg SM-B-157192			1	0.5	0.1	5.0		52482A
11	P1		F	5815-537-8444	†	†					PIN,LOCATING: Kleinschmidt #52485			1	0.5	0.1	5.0		52485
11	P1		F	5815-692-6839	†	†					PIN,STRAIGHT,HEADLESS: SIG dwg SM-B-157196			1	0.5	0.1	5.0		52486
11	P1		F	5815-096-7422	†	†					SHIM: SIG dwg SM-B-157251-1 (Authorized allowances based on a total of 4)			2	1.2	0.4	20.0		52577
11	P1		F	5815-092-1438	†	†					SHIM: SIG dwg SM-B-157251-2 (Authorized allowances based on a total of 4)			2	1.2	0.4	20.0		52578
11	P1		F	5815-030-0430	†	†					STUD: SIG dwg SM-B-157254			1	0.5	0.1	5.0		52485

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-346/FG,TT-346A/FG (continued)								
11P1 F	5815-392-7801	† †	WHEEL,RATCHET: SIG dwg SM-B-157259			1	0.7	0.2	5.0		52590A
11P1 F	5815-392-7802	† †	WHEEL,DETENT: SIG dwg SM-B-157259-2			1	0.7	0.2	5.0		52591A
P1 F	5815-523-8657	† †	PIN,STRAIGHT HEADLESS: SIG dwg SM-B-157263			1	0.5	0.1	5.0		52595
11P1 F	5815-392-7803	† †	LEVER: SIG dwg SM-B-157264-1			1	0.5	0.1	5.0		52596
11P1 F	5815-392-7804	† †	LEVER: SIG dwg SM-B-157264-2			1	0.5	0.1	5.0		52597
11P1 F	5815-395-9494	† †	SHAFT: SIG dwg SM-B-157266			2	0.5	0.1	5.0		52601
11P1 F	5340-543-4366	† †	SPRING,HELICAL,EXTENSION: Kleinschmidt part No. 52602			1	0.7	0.2	5.0		52602
11P1 F	5815-200-7883	† †	SPRING,HELICAL EXTENSION: SIG dwg SM-B-157011-9			4	1.4	0.5	20.0		52603
11P1 F	5815-200-7884	† †	SPRING,HELICAL,EXTENSION: SIG dwg SM-B-157010-8			2	1.0	0.3	10.0		52604
11P1 F	5815-395-9495	† †	LEVER: SIG dwg SM-B-157267-1			1	0.5	0.1	5.0		52605
11P1 F	5815-395-9496	† †	LEVER: SIG dwg SM-B-157267-2			1	0.5	0.1	5.0		52607
11P1 F	5815-395-9497	† †	GUIDE,RIBBON: SIG dwg SM-B-157267-2			4	1.2	0.4	20.0		52608
P1 F	5315-597-9672	† †	PIN,GROOVED,HEADLESS: SIG dwg SM-B-157270			1	0.7	0.2	5.0		52609
11P1 F	5815-392-7806	† †	DETENT,ASSEMBLY: SIG dwg SM-B-157271 GRI			1	0.5	0.1	5.0		52610A
11P1 F	5815-392-7807	† †	DETENT,ASSEMBLY: SIG dwg SM-B-157271, GR II			1	0.5	0.1	5.0		52611A
11P1 F	5815-600-2800	† †	LEVER ASSEMBLY: SIG dwg SM-B-157279			1	0.5	0.1	5.0		52622A

SOURCE CODE				FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A	B	C	D															FIGURE NO.	ITEM NO.
											TT-346/FG,TT-346A/FG (continued)								
11	P1	F		5310-595-6653	†	†					WASHER,FLAT: SIG dwg SM-B-157017-4			3	0.7	0.2	15.0		52651
	P1	F		5315-663-3181	†	†					PIN,GROOVED,HEADLESS: Kleinschmidt part No. 52703			1	0.5	0.1	5.0		52703
11	P1	F		5815-392-7832	†	†					ARM: SIG dwg SM-B-157322,GRP I			1	0.5	0.1	5.0		52704A
11	P1	F		5815-392-7833	†	†					ARM: SIG dwg SM-B-157322,GRP II			1	0.5	0.1	5.0		52705A
11	P1	F		5310-595-6311	†	†					WASHER,SPRING TENSION: Kleinschmidt part No. 53427			4	1.2	0.4	20.0		53427
11	P1	F		5310-537-8618	†	†					WASHER,FLAT: SIG dwg SM-B-187597			1	0.3	0.1	5.0		54643
11	P1	F		5815-562-6326	†	†					TYPEWHEEL,TELETYPEWRITER: SIG dwg SM-B-157184			1	0.7	0.2	5.0		55132
11	P1	F		5815-664-2194	†	†					SPRING,HELICAL,EXTENSION: Kleinschmidt part No. 56158			1	0.7	0.2	5.0		56158
11	P1	F		5815-340-3733	†	†					CUTTER,TAPE: SIG dwg SM-B-187404			1	0.5	0.1	5.0		56164
11	P1	F		5815-590-8017	†	†					SHAFT,ASSEMBLY: SIG dwg SM-B-187436			1	0.5	0.1	5.0		526231A
11	P1	F		5815-560-5748	†	†					SPRING,HELICAL,TORSION: SIG dwg SM-B-187556			1	0.7	0.2	5.0		57059
11	P1	F		5815-560-5747	†	†					SPRING,HELICAL,TORSION: SIG dwg SM-B-187858			1	0.7	0.2	5.0		57060
11	P1	F		5815-562-8906	†	†					SPACER,SLEEVE: SIG dwg SM-B-187557			2	0.8	0.2	10.0		57061
11	P1	F		5815-562-9865	†	†					RETAINER RIBBON: SIG dwg SM-B-314976			2	0.8	0.2	10.0		57062
11	P1	F		5305-592-7735	†	†					SCREW,EXTERNALLY,RELIEVED BODY: SIG dwg SM-B-187559			1	0.5	0.1	5.0		57063
11	P1	O		5815-592-0790	†	†					BIN,CHAD: Kleinschmidt part No. 57611A			1	0.3	0.1	5.0		57611A

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-346/FG,TT-346A/FG (continued)								
11P1 F	5330-814-6388	† †	FELT,MECHANICAL PREFORMED: Kleinschmidt part No. 61472			1	0.8	0.2	10.0		61472
11P1 F	5330-841-7418	† †	FELT,MECHANICAL,PREFORMED: Kleinschmidt part No. 61474			2	1.2	0.4	10.0		61474
11P1 F	5330-720-3361	† †	FELT,MECHANICAL,PREFORMED: Kleinschmidt part No. 61475			1	0.8	0.2	5.0		61475
11P1 F	5330-841-6378	† †	WASHER,NONMETALLIC: Kleinschmidt part No. 61476			1	0.8	0.2	5.0		61476
11P1 F	5330-841-6380	† †	WASHER,NOMETALLIC: Kleinschmidt part No. 61479 (Authorized allowances based on a total of 5)			1	2.3	1.0	25.0		61479
11P1 F	5330-841-7414	†	WASHER,NONMETALLIC: Kleinschmidt part No. 61483			1	0.8	0.2	5.0		61483
11P1 F	5330-840-6516	†	WASHER,NONMETALLIC: Kleinschmidt part No. 61490			1	0.8	0.2	5.0		61490
11P1 F	5330-844-0680	†	WASHER,NONMETALLIC: Kleinschmidt part No. 61670			1	0.8	0.2	5.0		61670
11P1 F	5330-844-0681	†	WASHER,NONMETALLIC: Kleinschmidt part No. 61681			2	1.2	0.4	10.0		61681
11P1 F	5330-853-5858	†	WASHER,NONMETALLIC: Kleinschmidt part No. 61802			2	1.2	0.4	10.0		61802
11P1 F	5815-819-4653	† †	GEAR ASSEMBLY,TYPE WHEEL: Kleinschmidt part No. 62530A			1	0.5	0.1	5.0		62530A
11P1 F	5815-819-4654	† †	LEVER: Kleinschmidt part No. 62531A			1	0.5	0.1	5.0		62531A
11P1 F	5815-819-4655	† †	GUDE,RIBBON,TELETYPEWRITER: Kleinschmidt part No. 62533A			1	0.5	0.1	5.0		62533A
11P1 F	5815-819-4656	† †	LEVER: Kleinschmidt part No. 62537			1	0.5	0.1	5.0		62537
11P1 F	5815-815-2536	† †	SPRING,HELICAL,EXTENSION: Kleinschmidt part No. 62539			1	0.7	0.2	5.0		62539

Army-ft Monmouth,NJ-MON 47 9-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-346/FG,TT-346A/FG (continued)								
11P1 F	5815-819-4657	† †	STUD,PILOT: Kleinschmidt part #62547			1	0.5	0.1	5.0		62547
11P1 F	5815-819-4658	† †	LEVER: Kleinschmidt part No. 62549			1	0.5	0.1	5.0		62549
11P1 F	5815-980-1795	† †	SPACER: Kleinschmidt part No. 62553			3	0.7	0.2	15.0		62553
11P1 F	5815-819-4659	† †	DIE,SET TAPE PUNCHING: Kleinschmidt part No. 62562A			1	0.7	0.2	5.0		62562A
11P1 F	5815-980-1797	† †	LEVER: Kleinschmidt part No. 63695			1	0.5	0.1	5.0		63695
11P1 F	5315-979-8921	† †	PIN,GROOVED,HEADLESS: Kleinschmidt part No. 63696			1	0.5	0.1	5.0		63696
11P1 F	5815-819-4660	† †	LEVER: Kleinschmidt paet No. 63840A			1	0.5	0.1	5.0		63840A
11P1 F	5815-986-0366	† †	ROLLER TAPE FEED: Kleinschmidt part No. 63962			1	0.5	0.1	5.0		63962
11P1 F	5815-980-1798	† †	GUIDE,TAPE TELETYPEWRITER: Kleinschmidt part No. 64763A			1	0.5	0.1	5.0		64763A
11P1 F	5315-889-2497	† †	PIN,STRAIGHT,HEADLESS: Kleinschmidt part No. 64764			1	0.5	0.1	5.0		64654
11P1 F	5310-815-3221	† †	WASHER,FLAT: Kleinschmidt #64765			1	0.3	0.1	5.0		64765
11P1 F	5340-083-5869	† †	SPACER: Kleinschmidt Part No. 64993			1	0.5	0.1	5.0		64993

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			GROUP 5 FUNCTION AND SELECTOR								
11 P1 F	5815-323-7321	/ /	RELAY, ARMATURE: Kleinschmidt part No. 56130A			1	0.7	0.2	5.0		E1
11 P1 F	5935-296-8675	/ /	CONNECTOR, PLUG, ELECTRICAL: AMPHENOL part No. 26-195			1	0.5	0.1	5.0		P2
11 P1 F	5905-556-5561	/ /	RESISTOR, VARIABLE: 5000 ohms ±20%; 2 w; MIL type RV5NATSA502B			1	0.7	0.2	5.0		R4
11 P1 F	5305-335-0400	/ /	SCREW, CAP SOCKET HEAD: Kleinschmidt part No. 10000			1	0.5	0.1	5.0		10000
11 P1 F	5305-531-9034	/ /	SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group 3)			4					10003
11 P1 F	5305-753-4356	/ /	SCREW, CAP, SOCKET HEAD: (For authorized allownces see Group 3)			8					10004
11 P1 F	5305-655-9483	/ /	SCREW, CAP, SOCKET HEAD: MIL std MS35460-3 (Authorized allowances based on a total of 3 per equipment)			1	1.0	0.3	15.0		10005
11 P1 F	5305-514-7728	/ /	SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group 4)			5					10006
	5305-721-5430	/ /	SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group 4)			2					10008
11 P1 F	5305-297-7966	/ /	SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group 4)			2					10009
11 P1 F	5305-206-2476	/ /	SCREW, CAP, SOCKET HEAD: Kleinschmidt part No. 10010 (Authorized allowances based on a total of 12)			4	1.6	0.8	60.0		10010
11 P1 F	5305-570-5987	/ /	SCREW, CAP, SOCKET HEAD: MIL Std MS35459-17			2	0.8	0.2	10.0		10011
11 P1 F	5305-570-6002	/ /	SCREW CAP, SOCKET HEAD: MIL Std No. MS35460-13			12	1.6	0.8	60.0		10018
11 P1 F	5305-660-2431	/ /	SCREW, CAP, SOCKET HEAD: MIL Std No. MS35460-25			1	0.5	0.1	5.0		10021-01
11 P1 F	5305-545-8374	/ /	SCREW, CAP, SOCKET HEAD: Kleinschmidt part No. 10022			1	0.5	0.1	5.0		10022
	5305-655-6955	/ /	BOLT, INTERNAL WRENCHING: (For authorized allowances see Group 3)			1					10024

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-346/FG,TT-346A/FG (continued)								
11P1 F	5305-274-0405	† †	SCREW,CAP,SOCKET HEAD: MIL std MS35461-4			2	0.8	0.2	10.0		10028
11P1 F	5305-057-1262	† †	SCREW,CAP,SOCKET HEAD: Kleinschmidt part No. 10029 (Authorized allowances based on a total of 2)			1	0.8	0.2	10.0		10029
	5305-545-8374	† †	SCREW,CAP,SOCKET HEAD: (For authorized allowances see Group 3)			4					10032
11P1 F	5305-206-2224	† †	SCREW,CAP SOCKET HEAD: MIL Std MS35460-5			2	0.8	0.2	10.0		10034
11P1 F	5305-208-3619	† †	SCREW,CAP,SOCKET HEAD: Kleinschmidt part No. 10035-01			6	1.4	0.5	30.0		10035-01
11P1 F	5305-805-6598	† †	SCREW,CAP,SOCKET HEAD: Mil std MS35459-3			2	0.8	0.2	10.0		10043
11P1 F	5305-206-2478	† †	SCREW,CAP,SOCKET HEAD: Kleinschmidt part No. 10046			2	0.8	0.2	10.0		10046
11P1 F	5305-721-4490	† †	SCREW,CAP,SOCKET HEAD: MIL STD MS35459-1			2	0.8	0.2	10.0		10058
11P1 F	5305-639-3331	† †	SCREW,CAP,SOCKET HEAD: Kleinschmidt part No. 10060			1	0.5	0.1	5.0		10060
11P1 F	5350-551-5876	† †	SCREW,CAP,SOCKET HEAD: MIL Std MS35459-21			1	0.5	0.1	5.0		10067
11P1 F	5305-297-7700	† †	SCREW,MACHINE: Kleinschmidt part # 10076			1	0.5	0.1	5.0		10076
11P1 F	5306-141-2885	† †	BOLT,MACHINE: Fed Spec FF-S-92,type II,Style 10P			4	0.8	0.2	20.0		10079
11P1 F	5305-543-2594	† †	SCREW,MACHINE: Kleinschmidt part No. 10087			3	1.0	0.3	15.0		10087
	5305-333-4262	† †	SETSCREW: (For authorized allowances see Group 4)			7					10203
11P1 F	5305-333-4251	† †	SETSCREW: MIL std MS51010-41			1	0.5	0.1	5.0		10207

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-346/FG,TT-346A/FG (continued)								
11P1 F	5305-576-5488	† †	SETSCREW: FED SPEC NO. FF-S-103, type III, style No. 4			6	1.4	0.5	30.0		10208
11P1 F	5305-207-8967	†	SETSCREW: MIL Std MS51020-48			24	2.8	1.5	120.0		10209
		†				22	4.2	1.3	110.0		10209
11P1 F	5305-297-7905	† †	SETSCREW: (For authorized allowances see Gr 4)			1					10210
	5305-333-4254	† †	SETSCREW: (For authorized allowances see Gr 4			2					10211
11P1 F	5305-297-7909	† †	SETSCREW: MIL Std MS51027-30			1	0.5	0.1	5.0		10220
11P1 F	5305-297-7894	† †	SETSCREW: MIL Std MS51020-27			2	0.8	0.2	10.0		10221
11P1 F	5305-639-1350	† †	SETSCREW: MIL Std MS51027-29			1	0.5	0.1	5.0		10225
11P1 F	5305-047-3896	†	SETSCREW: MIL Std MS51028-48 (For mounting gear 56257)			2	0.8	0.2	10.0		10234
11P1 F	5305-545-8466	† †	SETSCREW: MIL Std MS51028-29			2	0.8	0.2	10.0		10235
11P1 F	5305-638-0861	†	SETSCREW: Kleinschmidt part No. 10317			3	1.0	0.3	15.0		10317
	5305-206-3537	† †	SCREW,CAP,HEXAGON HEAD: (For authorized allowances see Gr 4)			1					10397
11P1 F	5305-543-2740	† †	WASHER,LOCK: MIL STD MS-35333-74			1	0.3	0.1	5.0		10400
11P1 F	5310-209-3990	† †	WASHER,LOCK: (For authorized allowances see GR 1)			2	0				10403
11P1 F	5310-543-2739	† †	WASHER,LOCK: (For authorized allowances see GR 1)			3					10404

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-346/FG,TT-346A/FG (continued)								
11P1 F	5310-261-6197	† †	WASHER, LOCK: SHAKEPROOF #4010-14-00			6	1.0	0.3	30.0		10406
	5310-282-9584	† †	WASHER, LOCK: (For authorized allowances see GR 4)			4					10405
11P1 F	5310-537-8380	† †	WASHER, LOCK: Kleinschmidt part # 10419			1	0.3	0.1	5.0		10419
11P1 F	5310-637-9606	† †	WASHER, LOCK: Kleinschmidt #10420			2	0.5	0.1	10.0		10420
	5310-013-1196	† †	WASHER, LOCK: (For authorized allowances see GR 1)			19					10429
	5310-209-3871	† †	WASHER, LOCK: (For authorized allowances see GR 3)			14					10430
	5310-198-3711	† †	WASHER, LOCK: (For authorized allowances see GR 3)			10					10431
11P1 F	5310-017-8164	† †	WASHER, LOCK: Mil Std MS35339-58			3	0.7	0.2	15.0		10433
11P1 F	5310-209-3860	† †	WASHER, LOCK: Kleinschmidt #10434			2	0.5	0.1	10.0		10434
11P1 F	5310-576-1352	† †	WASHER, LOCK: MIL Std MS35340-62			2	0.5	0.1	10.0		10438
	5310-227-6574	† †	WASHER, FLAT: (For authorized allowances see GR 3)			4					10450
11P1 F	5310-209-0574	† †	WASHER, FLAT: Kleinschmidt #10454			2	0.5	0.1	10.0		10454
	5310-637-3944	† †	WASHER, FLAT: (For authorized allowances see GR 4)			5					10458
	5310-595-5969	† †	WASHER, (For authorized allowances see GR 4)			4					10459
11P1 F	5340-697-3599	† †	RING,RETAINING: Kleinschmidt #10462			1			5.0		10462
11P1 F	5310-429-2274	† †	WASHER,FLAT: (For authorized allowances see Group 1)			2					10463

SOURCE CODE A	B	C	D	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL 1	2	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION FIGURE NO.	ITEM NO.
							TT-346/FG,TT-346A/FG (continued)								
				5310-637-3945	†	/	WASHER,FLAT: (For authorized allowances see GR 3)			2 6					10464 10464
11P1		F		5310-595-5385	†	†	WASHER,FLAT: Kleinschmidt #10467			2	0.5	0.1	10.0		10467
				5310-551-7541	†	†	NUT,SELF-LOCKING,HEXAGON: (For authorized allowances see GR 1)			8					10500
				5310-523-2035	†	†	NUT,SELF-LOCKING,HEXAGON: (For authorized allowances see GR 3)			5					10501
11P1		F		5310-550-1154	†	†	NUT,PLAIN,HEXAGON: Kleinschmidt # 10504			2	0.8	0.2	10.0		10504
11P1		F		5310-546-6858	†	†	NUT,LOCK: Kleinschmidt #10507			2	0.8	0.2	10.0		10507
11P1		F		5310-208-6617	†	†	NUT,PLAIN,HEXAGON: Kleinschmidt # 10509			3	1.0	0.3	15.0		10509
11P1		F		5310-297-8940	†	†	NUT,PLAIN,HEXAGON: Kleinschmidt part NO. 10512			1	0 0.5	0.1	5.0		10512
				5310-208-6478	†	†	NUT,SELF-LOCKING HEXAGON: (For authorized allowances see GR 3)			2					10525
11P1		F		5310-208-6742	†	†	NUT,PLAIN,HEXAGON: Kleinschmidt # 10529			1	0.5	0.1	5.0		10529
11P1		F		5310-595-5867	†	†	BEARING,SLEEVE: Kleinschmidt #10704			1	0.3	0.1	5.0		10704
9P1		F		3120-542-0187	†	†	BEARING,SLEEVE: Chrysler part No. F-445-1			2	0.5	0.1	10.0		10708
				3110-155-9628	†	†	BEARING,BALL,ANNULAR: (For authorized allowances see GR 4)			1					10753
9P1		F		3110-155-9589	†	†	BEARING,BALL,ANNULAR: MIL Std 102A, Code No. 115-00209-2000			1	0.8	0.2	5.0		10754
9P1		F		3110-533-4611	†	†	BEARING,BALL,ANNULAR: Fafnir part No. 37KDD			2	1.2	0.4	10.0		10756
9P1		F		3110-144-8858	†	†	BEARING,BALL,ANNULAR: MIL Std 102A, Code No. 111-00810-2000			1	0.8	0.2	5.0		10757

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
															FIGURE NO.	ITEM NO.
A B C D								TT-346/FG,TT-346A/FG (continued)								
9P1 F	3110-144-8865	†	†					BEARING,BALL,ANNULAR: MIL Std 102A, Code No. 111-00902-2000			1	0.8	0.2	5.0		10758
11P1 F	3110-155-8418	†	†					BEARING,BALL,ANNULAR: MIL Std 102A, Code No. 115-00619-2004			1	0.8	0.2	5.0		10763
	5315-242-5473	†	†					PIN,COTTER: (For authorized allowances see GR 4)			2					10806
P1 F	5315-598-6077	†	†					PIN,TAPPERED,PLAIN: MIL Std 105-2, type No. 105-2S40-6			1	0.5	0.1	5.0		10852
P1 F	5315-141-1689	†	†					PIN,TAPERED,PLAIN: Kleinschmidt # 10859			2	0.8	0.2	10.0		10859
P1 F	5315-209-7626	†	†					PIN,TAPERED,PLAIN: Kleinschmidt # 10860			2	0.8	0.2	10.0		10860
P1 F	5340-567-2552	†	†					RING,RETAINING: Waldes Kohinoor part #5005-31-S			1	0.8	0.2	5.0		10929
	5340-298-7072	†	†					RING,RETAINING: (For authorized allowances see GR 3)			7					10949
P1 F	5340-282-0778	†	†					RING,RETAINING: Waldes Kohinoor part No. 5133-31-PP			2	1.2	0.4	10.0		10959
	5340-256-2867	†	†					RING,RETAINING: (For authorized allowances see GR 3)			2					10960
	5340-282-0780	†	†					RING,RETAINING: (For authorized allowances see GR 3)			3					10969
11P1 F	5815-356-3235	†	†					LEVER: Sig dwg No. SC-B-69491			1	0.5	0.1	5.0		50014
11P1 F	5310-523-2002	†	†					WASHER,FLAT: SIG dwg SC-B-69325-3			1	0.3	0.1	5.0		50053
11P1 F	5815-330-9942	†	†					BEARING,PIVOT: SIG Dwg SC-B-69495			1	0.5	0.1	5.0		50146
11P1 F	5310-521-8475	†	†					WASHER,FLAT: SIG dwg SC-B-69389-4			4	0.8	0.2	20.0		50147
11P1 F	5310-523-2003	†	†					WASHER,FLAT: SIG dwg SC-B-69389-3			9	1.3	0.5	45.0		50148

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-346/FG,TT-346A/FG (continued)								
11P1 F	5815-240-0188	† †	COLLAR,SHAFT: SIG dwg SC-B-69496			1	0.5	0.1	5.0		50149
	5305-524-5612	†	NUT,PLAIN,PLATE: (For authorized allowances see GR 4)			5					50174
		†				6					50174
11P1 F	5815-523-8656	† †	DISK,CLUTCH: SIG Dwg SC-B-69500			1	0.7	0.2	5.0		50200
11P1 F	5815-294-7390	† †	COLLAR SHAFT: Kleinschmidt part No. 50209			1	0.5	0.1	5.0		50209
11P1 F	5310-521-8729	† †	WASHER,FLAT: SIG dwg SM-B-69322-1			1	0.3	0.1	5.0		50315
11P1 F	5815-600-2698	† †	CAM: SIG dwg SC-B-69594			1	0.7	0.2	5.0		50317A
	5310-596-6990	†	WASHER,FLAT: (For authorized allowances see GR 3)			2					50319
11P1 F	5815-356-3307	† †	POST ANCHOR: Kleinschmidt #50325			1	0.3	0.1	5.0		50325
11P10	5815-203-1678	† †	GEAR,WORM: (60 WPM) SIG dwg SC-B-69681			1	0.7	0.2	5.0		50350
11P1 O	5815-378-5593	† †	GEAR,WORM,WHEEL: SIG dwg SC-B-69663 (60 wpm)			1	0.7	0.2	5.0		50352A
			OR								
11P10	5815-203-1327	† †	GEAR,WORM: SIG dwg SC-B-70482 100WPM			1	0.7	0.2	5.0		50596
11P1 O	5815-351-7944	† †	GEAR,WORM: SIG dwg SC-B-70478 (100 WPM)			1	0.7	0.2	5.0		50597A
11P1 F	5815-203-1730	† †	GEAR,SPUR: SIG dwg SC-B-70522			1	0.7	0.2	5.0		50354A
11P1 F	5815-523-2236	† †	WASHER,FLAT: SIG dwg SC-B-69580			1	0.3	0.1	5.0		50374
	5815-254-4911	† †	COLLAR,SHAFT: (For authorized allowances see Group 4)			1					50391

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-346/FG,TT-346A/FG, (continued)								
11P1 F	5310 -523-2143	† †	WASHER,FLAT: SIG dwg SC-B-69389-2			2	0.5	0.1	10.0		50414
11P1 F	5815-356-3334	† †	FORK,CLUTCH: SIG dwg SM-B-148343			1	0.5	0.2	5.0		50484A
11P1 F	5815-356-3339	† †	BAR,SELECTOR,TELETYPEWRITER: SIG dwg SC-B-69639			29	1.9	0.9	50.0		50502
11P1 F	5815-356-3345	† †	STOP LEVER: SIG dwg SC-B-69483			1	0.5	0.1	5.0		50511
11P1 F	5815-351-7928	† †	GEAR,SPUR: SIG dwg SM-B-148346			1	0.7	0.2	5.0		50512A
11P1 F	5310-521-8723	† †	WASHER,FLAT: SIG dwg SC-B-69325-4			2	0.5	0.1	10.0		50515
11P1 F	5815-607-3904	† †	DRUM CLUTCH: SIG dwg SC-B-70505 Kleinschmidt part No. 57893A,which replaces 50516A			1	0.5	0.1	5.0		
11P1 F	5815-356-3355	† †	ARM: SIG dwg SC-B-69625			1	0.5	0.1	5.0		50535
11P1 F	5815-356-3356	† †	CAM: SIG dwg SC-B-69704			1	0.7	0.2	5.0		50536
11P1 F	5310-595-5382	† †	WASHER,FLAT: SIG dwg SC-B-69322-4			1	0.3	0.1	5.0		50544
11P1 F	5815-622-2015	† †	POST: SIG dwg SC-B-69464			1	0.5	0.1	5.0		50649
11P1 F	5815-351-7948	† †	STUD: SIG dwg SC-B-69465			1	0.5	0.1	5.0		50650
11P1 F	5310-576-5486	† †	NUT,PLAIN,HEXAGON: SIG dwg SC-B-69466			1	0.5	0.1	5.0		50651
11P1 F	5310-638-5179	† †	WASHER,FLAT: SIG dwg SC-B-69322-6			1	0.3	0.1	5.0		50746
	5310-521-8731	† †	WASHER,FLAT: (For authorized allowances see GR 3)			2					50827

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-346/FG,TT-346A/FG (continued)								
11P1 F	5310-523-2005	† †	WASHER,FLAT: SIG dwg SC-B-69907-2			1	0.3	0.1	5.0		50839
11P1 F	5815-356-3446	† †	ROLLER: SIG dwg SC-B-69666			1	0.5	0.1	5.0		50843
11P1 F	5815-233-0954	† †	SPRING,HELICAL,COMPRESSION: SIG dwg SC-B-69507-11			1	0.7	0.2	5.0		50848
11P1 F	5815-598-4965	† †	SPRING,HELICAL,COMPRESSION: SIG dwg SC-B-69326-5			6	1.4	0.6	30.0		50902
11P1 F	5815-598-4995	† †	SPRING,HELICAL,COMPRESSION: SIG dwg SC-B-69337-4			1	0.7	0.2	5.0		50903
11P1 F	5815-598-4978	† †	SPRING,HELICAL,COMPRESSION: SIG dwg SC-B-69326-6			1	0.7	0.2	5.0		50904
11P1 F	5815-570-3491	† †	LEVER SET: SIG dwg SM-B-187564 (Kleinschmidt #56766A, Which replace 51066A)			1	0.7	0.2	5.0		51066A
11P1 F	5815-356-3519	† †	LEVER SET: SIG dwg SC-B-70112 (Kleinschmidt #51598A, replaces 51068A			1	0.7	0.2	5.0		51068A
11P1 F	5815-351-7998	† †	DISK,DRIVING: SIG dwg SC-B-69370			1	0.7	0.2	5.0		51117A
11P1 F	5815-254-4768	† †	COUPLING,SHAFT,FLEXIBLE: Kleinschmidt #51167A			1	0.5	0.1	5.0		51167A
11P1 F	5815-356-3482	†	COLLAR SPACING: SIG dwg SC-B-70427			1	0.5	0.1	5.0		51397
11P1 F	5815-547-7872	† †	CAMSHAFT:: SIG dwg SM-B-148365			1	0.5	0.2	5.0		51398A
11P1 F	5815-393-1908	†	POST,POSITIONING: Kleinschmidt # 52399			1	0.5	0.2	5.0		52399
11P1 F	5310-209-0098	† †	WASHER,FLAT: SIG dwg SC-B-69322-9			2	0.5	0.1	10.0		51408
11P1 F	5815-356-3487	† †	COLLAR,SPACING: SIG dwg SC-B-70256-1			2	0.8	0.2	10.0		51416
11P1 F	5815-219-7016	†	SHAFT: SIG dwg SM-B-157156			1	0.5	0.1	5.0		52417

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-346/FG, TT-346A/FG (continued)								
11 P1 F	5815-597-2295	/ /	SPRING, HELICAL, EXTENSION: Sig dwg No. SM-B-157010-3			1	0.7	0.2	5.0		52169
11 P1 F	5815-597-2281	/ /	SPRING, HELICAL, EXTENSION: Sig dwg No. SM-B-157010-4			1	0.7	0.2	5.0		52171
P1 F	5340-597-9493	/ /	SPRING, HELICAL, EXTENSION: Sig dwg No. SM-B-157010-5			1	0.7	0.2	5.0		52172
11 P1 F	5340-209-9946	/ /	SPRING, HELICAL, EXTENSION: Sig dwg No. SM-B-157010-6			1	0.7	0.2	5.0		52173
11 P1 F	5305-297-7692	/ /	SCREW, SHOULDER: Sig dwg No. SM-B-157051			1	0.5	0.1	5.0		52176
11 P1 F	5310-298-8165	/ /	WASHER, FLAT: Sig dwg No. SM-B-157018-1			1	0.3	0.1	5.0		52283
11 P1 F	5815-395-9455	/ /	PIN, GROOVED, HEADLESS: Sig dwg No. SM-B-148423			1	0.5	0.1	5.0		52288
11 P1 F	5815-396-3395	/ /	SHAFT: Sig dwg No. SM-B-157029			1	0.5	0.1	5.0		52291
11 P1 F	5815-395-9470	/ /	ROLLER, CAM: Sig dwg No. SM-B-157111			1	0.7	0.2	5.0		52354
11 P1 F	5315-393-1907	/ /	LEVER: Sig dwg No. SM-B-157113			2	0.6	0.2	10.0		52362
11 P1 F	5815-395-9478	/ /	LEVER: Sig dwg No. SM-B-157118			1	0.5	0.1	5.0		52368A
11 P1 F	5815-342-6022	/ /	LEVER ASSEMBLY: Sig dwg No. SM-B-149065			1	0.5	0.1	5.0		52394A
11 P1 F	5815-030-0428	/ /	CAM, ASSEMBLY: Sig dwg No. SM-B-157139			1	0.7	0.2	5.0		52398A
11 P1 F	5815-692-6838	/ /	BEARING, PLAIN, SLEEVE: Sig dwg No. SM-B-157141			1	0.5	0.1	5.0		52401
11 P1 F	5310-595-6453	/ /	WASHER, FLAT: Kleinschmidt part No. 52402			2	0.5	0.1	10.0		52402
11 P1 F	5815-392-8230	/ /	PIN, GROOVED, HEADLESS: Sig dwg No. SM-B-157143			1	0.5	0.1	5.0		52403

Army-Ft Monmouth, NJ-MOI

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-346/FG,TT-346A/FG (continued)								
11P1 F	5815-392-8291	† †	PIN,LOCKING: SIG dwg SM-B-157144			2	0.8	0.2	10.0		52404
11P1 F	5815-392-7763	† †	LEVER: SIG dwg SM-B-157145			1	0.5	0.1	5.0		52405
11P1 F	5815-392-7764	† †	LEVER: SIG dwg SM-B-157146			1	0.5	0.1	5.0		52406
11P1 F	5815-393-1909	† †	LATCH,LEVER: SIG dwg SM-B-157150			1	0.5	011	5.0		52411A
11P1 F	5310-209-1499	† †	WASHER,FLAT: Kleinschmidt #52413			1	0.3	0.1	5.0		52413
11P1 F	5310-205-8937	† †	WASHER,FLAT: (For authorized allowances see Group 4)			1					52430
11P1 F	5815-569-0331	† †	GEAR,SPUR: SIG dwg SM-B-157164			1	0.7	0.2	5.0		52431A
11P1 F	5815-392-7782	† †	CAM,ASSEMBLY: SIG dwg SM-B-157180			1	0.7	0.2	5.0		52456A
11P1 F	5815-392-7783	† †	LEVER,ASSEMBLY: SIG dwg SM-B-157183			1	0.5	0.1	5.0		52459A
11P1 F	5815-392-7785	† †	LEVER: SIG dwg SM-B-157187			1	0.5	0.1	5.0		52477A
11P1 F	5815-521-1388	† †	LEVER: Kleinschmidt 52478A			1	0.5	0.1	5.0		52478A
11P1 F	5815-392-7787	† †	LEVER: SIG dwg SM-B-157193			1	0.5	0.1	5.0		52483
11P1 F	5815-392-7788	† †	LEVER: SIG dwg SM-B-157194			1	0.5	0.1	5.0		52484
11P1 F	5815-392-7791	† †	BRACKET: SIG dwg SM-B-148446			1	0.3	0.1	5.0		52529
11P1 F	5815-096-7422	† †	SHIM: (For authorized allowances see Group 4)			2					52577
	5815-092-1438	† †	SHIM: (For authorized allowances see Group 4)			2					52578

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-346/FG,TT-346A/FG (continued)								
11P1 F	5815-392-7819	†	LEVER: SIG dwg SM-B-157293			1	0.5	0.1	5.0		52646
11P1 F	5310-637-3934	†	WASHER,FLAT: SIG dwg SM-B-157016-2			1	0.3	0.1	5.0		52648
11P1 F	5310-595-6481	†	WASHER,FLAT: Kleinschmidt #52649			3	0.7	0.2	15.0		52649
11P1 F	5815-396-3396	†	LEVER: SIG dwg SM-B-157295			1	0.5	0.1	5.0		52653
11P1 F	5815-396-3397	†	LEVER: SIG dwg SM-B-157299			1	0.5	0.1	5.0		52657
11P1 F	5815-392-7824	†	NUT,ADJUSTING: SIG dwg SM-B-157302			1	0.5	0.1	5.0		52664
11P1 F	5310-298-8166	†	WASHER,FLAT: SIG dwg SM-B-157016-3			1	0.3	0.1	5.0		52679
11P1 F	5815-392-7828	†	CLAPPER,SIGNAL BELL: Kleinschmidt #52682A			1	0.3	0.1	5.0		52682A
11P1 F	5815-096-7462	†	SCREW,ADJUSTING: SIG dwg SM-B-148458			2	0.8	0.2	10.0		52688
11P1 F	5340-200-6613	†	SPRING,HELICAL,COMPRESSION: SIG dwg SM-B-148550			16	2.4	1.5	80.0		52940
11P1 F	5815-597-2301	†	SPRING,HELICAL,EXTENSION: SIG dwg SM-B-157011-10			1	0.7	0.2	5.0		53139
11P1 F	5815-597-2277	†	SPRING,HELICAL,EXTENSION: SIG dwg SM-B-157011-11			1	0.7	0.2	5.0		53140
11P1 F	5815-597-2278	†	SPRING,HELICAL,EXTENSION: SIG dwg SM-B-157010-10			1	0.7	0.2	5.0		53141
11P1 F	5305-297-7694	†	SCREW,MACHINE: Kleinschmidt #53183			4	1.2	0.4	20.0		53183
11P1 F	5310-298-8168	†	WASHER,FLAT: Kleinschmidt #53261			4	0.8	0.2	20.0		53261
11P1 F	5815-356-3486	†	POST SHOULDERED: SIG dwg SM-B-69807			1	0.5	0.1	5.0		53268

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-346/FG,TT-346A/FG (continued)								
11P1 F	5305-393-1931	†	STUD: SIG dwg SC-B-69695			1	0.5	0.1	5.0		53269
11P1 F	5815-392-7917	†	DETENT DIAL: SIG dwg SM-B-148659			1	0.5	0.1	5.0		53306A
11P1 F	5310-298-8157	†	WASHER,FLAT: SIG dwg SC-B-69325-6			1	0.3	0.1	5.0		53453
11P1 F	5815-322-5574	† †	LEVER SET: Kleinschmidt #53540A			1	0.5	0.1	5.0		53540A
11P1 F	5815-219-6307	† †	MOUNTING ARM: SIG dwg SM-B-157506			1	0.3	0.1	5.0		53568A
11P1 F	5815-664-2138	† †	SPRING,HELICAL,EXTENSION: SIG dwg SM-B-157010-20			1	0.7	0.2	5.0		53569
P1 F	5307-096-7426	† †	STUD,EXTENSION: SIG dwg SM-B-149014			2	0.8	0.2	10.0		53597
11P1 F	5815-219-7022	† †	SPACER: SIG dwg SM-B-157014-5			3	1.0	0.3	15.0		53602
11P1 F	5815-301-4611	† †	RETAINER,BALL: SIG dwg SM-B-148761			6	1.4	0.6	30.0		53647A
11P1 F	5815-396-3401	† †	PLATE,RETAINING: SIG dwg SM-B-157525			1	0.3	0.1	5.0		53652
11P1 F	5815-359-9510	† †	ARM: SIG dwg SM-B-148776			1	0.5	0.1	5.0		53802A
11P1 F	5305-297-3998	† †	SCREW,MACHINE: SIG dwg SM-B-148801			3	1.0	0.3	15.0		53972
11P1 F	5815-309-3884	† †	COLLAR,SHAFT: SIG Dwg SM-B-157543			3	1.0	0.3	15.0		53973
11P1 F	5945-257-6365	† †	ARMATURE ELECTROMAGNETIC ACTUATOR: kleinschmidt part #54092A			1	0.7	0.2	5.0		54092A
11P1 F	5310-521-8552	† †	WASHER,KEY: SIG dwg SM-B-186915			5	1.4	0.5	25.0		54566
11P1 F	5815-322-5581	† †	COLLAR,DRIVE SHAFT: SIG dwg SM-B-171537			1	0.5	0.1	5.0		54928

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
															FIGURE NO.	ITEM NO.
A B C D								TT-346/FG,TT-346A/FG (continued)								
11P1 F	5815-340-3720	†	†					DISK,FRICTION: SIG dwg SM-B-186882-2			1	0.7	0.2	5.0		54931
11P1 F	5815-663-3298	†	†					SPRING,HELICAL,COMPRESSION: Kleinschmidt #54932			1	0.7	0.2	5.0		54932
11P1 F	5815-528-5517	†	†					WASHER,THRUST: SIG dwg SM-B-187020			5	0.9	0.3	25.0		55001
11P1 F	5815-600-3048	†	†					DETENT: SIG dwg SM-B-187022			1	0.5	0.1	5.0		55004A
11P1 F	5815-322-5589	†						SPACER,SLEEVE: SIG dwg SM-B-187023			1	0.5	0.1	5.0		55006
11P1 F	5815-322-5590	†	†					SLEEVE,ECCENTRIC: SIG dwg SM-B-187024			1	0.3	0.1	5.0		55007
11P1 F	5815-600-2890	†	†					PIVOT,LEVER DETENT: SIG dwg SM-B-187025			1	0.5	0.1	5.0		55008
11P1 F	5815-834-5524	†						SPRING,HELICAL EXTENSION: SIG dwg SM-B-171539			5	1.9	0.8	25.0		55009
11P1 F	5310-595-6161	†	†					WASHER,FLAT: SIG dwg SM-B-171646			1	0.3	0.1	5.0		55076
11P1 F	5815-591-0870	†	†					STUD,ECCENTRIC: SIG dwg SM-B-187165			3	1.0	0.3	15.0		55738
11P1 F	5815-340-3732	†	†					ECCENTRIC: SIG dwg SM-B-187361			1	0.5	0.1	5.0		56076
11P1 F	5815-663-3333	†	†					SPRING,HELICAL,COMPRESSION: SIG dwg SM-B-171535			2	1.0	0.3	10.0		56091
11P1 F	5306-600-3058	†	†					BOLT,MACHINE: SIG dwg SM-B-196656			2	0.8	0.2	10.0		56124
11P1 F	5815-600-2901		†					FULCRUM FIGURES: Kleinschmidt #56176			1	0.5	0.1	5.0		56176
11P1 F	5815-600-2900		†					BAR,ADJUSTING: Kleinschmidt #56178			2	0.8	0.2	10.0		56178
11P1 F	5815-219-7023	†	†					STUD,ECCENTRIC: SIG dwg SC-B-70566			2	0.8	0.2	10.0		56185A

SOURCE CODE				FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A	B	C	D															FIGURE NO.	ITEM NO.
											TT-346/FG, TT-346A/FG (continued)								
11	P1	F		5815-323-7322	/	/					COLLAR, SHAFT: Sig dwg SM-B-187690			1	0.5	0.1	5.0		56246
11	P1	F		5815-340-3737	/	/					CLUTCH, FRICTION: Kleinschmidt #56248			1	0.7	0.2	5.0		56248
11	P1	F		5815-663-3313	/	/					SPRING, HELICAL, COMPRESSION: SIG dwg SM-B-187689			1	0.7	0.2	5.0		56249
11	P1	F		5815-203-1423	/	/					GEAR, SPUR: SIG dwg SM-B-187450			1	0.7	0.2	5.0		56257
11	P1	F		5815-523-8666	/	/					GEAR SPUR: SIG dwg SM-B-187475			1	0.7	0.2	5.0		56330A
11	P1	F		5815-570-3530	/	/					LEVER: SIG dwg SM-B-187121			1	0.5	0.1	5.0		56536A
11	P1	F		5815-588-0937	/	/					STUD, PILOT: SIG dwg SM-B-187575			1	0.5	0.1	5.0		56539
11	P1	F		5815-570-3529	/	/					SPRING, FLAT: SIG dwg SM-B-187124			1	0.7	0.2	5.0		56540
11	P1	F		5815-590-8020	/	/					LEVER: Kleinschmidt #56593			1	0.5	0.1	5.0		56593
11	P1	F		5815-586-7764	/	/					LEVER: SIG dwg SM-B-314722			1	0.5	0.1	5.0		56736
11	P1	F		5815-588-0938	/	/					LEVER: SIG dwg SM-B-314724			1	0.5	0.1	5.0		56738A
	P1	F		5330-784-7868	/	/					DISK, FRICTION: Kleinschmidt #61343A (Kleinschmidt part #61343A, replaces 56273 and 56764)	set		1	0.7	0.2	5.0		50846, 56273, 56764
	P1	F		5330-776-2693	/	/					DISK, FRICTION: #61344A, REpl 50013, and 56765)			1	0.7	0.2	5.0		56765, 50013
11	P1	F		5815-600-3005	/	/					COLLAR, CLAMP: SIG dwg SM-B-314726			1	0.5	0.1	5.0		56832A
11	P1	F		5815-574-6624	/	/					COLLAR, CLAMP: SIG dwg SM-B-314727			1	0.5	0.1	5.0		56833A
11	P1	F		5815-558-3010	/	/					SHIM: SIG dwg SM-B-171480			2	1.0	0.3	10.0		57072
11	P1	F		5815-586-0404	/	/					SHIM: SIG dwg SM-B-171620			2	1.0	0.3	10.0		57073

Army-Ft Monmouth,NJ-MC

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A B C D										FIGURE NO.	ITEM NO.
			TT-346/FG,TT-346A/FG (continued)								
11P1 F	5815-588-0939	† †	SHAFT: SIG dwg SM-B-314738			1	0.5	0.1	5.0		57142
11P1 F	5815-588-0940	† †	SHAFT: SIG dwg SM-B-314745			1	0.5	0.1	5.0		57159
11P1 F	5310-588-0979	† †	NUT,PLAIN,PLATE: SIG dwg SM-B-314842			1	0.5	0.1	5.0		57165
11P1 F	5815-588-0946	† †	CAGE,FRAME ASSEMBLY: SIG dwg SM-B-314791			1	0.3	0.1	5.0		57271A
11P1 F	5815-588-0947	† †	BAR,SELECTOR,TELETYPEWRITER: SIG dwg SM-B-314797			3	1.3	0.5	15.0		57277
11P1 F	5815-602-8004	† †	NUT,PLAIN,PLATE: SIG dwg SM-B-185288			1	0.5	0.1	5.0		57669
11P1 F	5815-624-9986	†	PLATE,LOCKING: Kleinschmidt #57896			2	0.5	0.1	10.0		57896
11P1 F	5815-757-2263	†	PLATE,CLAMP: Kleinschmidt part # 60678			1	0.3	0.1	5.0		60678
11P1 F	5815-845-1035	†	BUSHING,SLEEVE: Kleinschmidt #60679			1	0.5	0.1	5.0		60679
11P1 F	5815-889-3216	†	SPRING,HELICAL,EXTENSION: Kleinschmidt #61000			5	1.9	0.8	25.0		61000
11P1 F	5815-791-6061	†	STOP: SIG dwg SC-B-69498			1	0.3	0.1	5.0		61001
11P1 F	5815-672-0043	† †	RING,SET,CODE TELETYPEWRITER: Kleinschmidt part #61059A			1	0.5	0.1	5.0		61059A
11P1 F	5330-846-7712	†	WASHER,NONMETALLIC: Kleinschmidt No. 61469			1	0.8	0.2	5.0		61469
11P1 F	5330-841-6381	†	WASHER,NONMETALLIC: Kleinschmidt #61471			3	1.4	0.5	15.0		61471
11P1 F	5330-844-0679	†	WASHER,NONMETALLIC: Kleinschmidt part No. 61477			2	1.2	0.4	10.0		61477
11P1 F	5330-841-7420	†	FELT,MECHANICAL,PREFORMED: Kleinschmidt #61478			2	1.2	0.4	10.0		61478

Army-Ft Monmouth,NJ-MON 475-63

SOURCE CODE				FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A	B	C	D															FIGURE NO.	ITEM NO.
											TT-346/FG,TT-346A/FG (continued)								
				5330-841-6380	†						WASHER,NONMETALLIC: (For authorized allowances see Group 4)			4					61479
11	P1	F		5330-841-7413		†					WASHER,NONMETALLIC: Kleinschmidt #61485			1	0.8	0.2	5.0		61485
11	P1	F		5330-841-6382		†					WASHER,NONMETALLIC: Kleinschmidt #61488			1	0.8	0.2	5.0		61488
11	P1	F		5330-840-6514	†						WASHER,NONMETALLIC: Kleinschmidt #61491			1	0.8	0.2	5.0		61491
11	P1	F		5330-844-0678	†						WASHER,NONMETALLIC: Kleinschmidt #61492			1	0.8	0.2	5.0		61492
11	P1	F		5330-841-0915	†						FELT,STRIP: Kleinschmidt #61496			1	0.8	0.2	5.0		61496
11	P1	F		5815-475-1174	†	†					MAGNET,PERMANENT: Kleinschmidt # 61973			1	0.5	0.1	5.0		61973
11	P1	F									GROUP 6 BASE ASSEMBLY								
11	P1	F		5910-549-3118	†	†					CAPACITOR,FIXED,ELECTROLYTIC: 20 uf 200 vdc; Kleinschmidt #20213			1	0.7	0.2	5.0		C1
11	P1	F		5910-112-7401	†	†					CAPACITOR,FIXED,PAPER DIELECTRIC: 500,000 mmf +20%, 600 vdcw; MIL-C-25A, type No CP53B1DF504V			1	0.7	0.2	5.0		C3
11	P1	F		6130-523-5816	†	†					RECTIFIER,METALLIC: SIG dwg SM-B-186908			1	0.7	0.2	5.0		CR1
11	P1	O		5920-224-5269	†	†					FUSE,CARTRIDGE: 1.6 amp, 125v, max; Littelfuse No. 31301.6			2	15.6	12.0	50.0		F1,F2
11	P1	F		5915-523-1968	†	†					FILTER,RADIO,INTERFERENCE: SIG dwg SM-B-314938			1	0.7	0.2	5.0		FL1
11	P1	F		5935-524-5541	†	†					CONNECTOR,RECEPTACLE,ELECTRICAL: Amphenol part No. 26-198			1	0.5	0.1	5.0		J2
11	P1	F		5935-521-0537	†	†					CONNECTOR,RECEPTACLE,ELECTRICAL: SIG dwg SM-B-148662			1	0.5	0.1	5.0		J3
11	P1	F		5935-699-0873	†	†					CONNECTOR,PLUG,ELECTRICAL: Kleinschmidt part No. 20272			1	0.5	0.1	5.0		J4

SOURCE CODE A	B	C	D	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION FIGURE NO.	ILLUSTRATION ITEM NO.
						TT-346/FG,TT-346A/FG (continued)								
11	P1	F		5935-149-3230	† †	CONNECTOR,RECEPTACLE,ELECTRICAL: MIL-C-5015,ANA type No. AN3102A-14S-2S			1	0.5	0.1	5.0		J6
11	P1	F		5935-283-1230	† †	PLUG,TELEPHONE: JAN type PJ-055R			1	0.5	0.1	5.0		P1
11	P1	F		5935-283-3392	† †	CONNECTOR,PLUG,ELECTRICAL: SIG dwg SC-DL-69167			1	0.5	0.1	5.0		P5
11	P1	F		5905-190-8889	† †	RESISTOR,FIXED,COMPOSITION: 100 ohms ±5%; 1/2w; MIL type RC20GF101J			1	0.7	0.2	5.0		R1
11	P1	F		5905-508-0819	† †	RESISTOR,FIXED,WIRE WOUND: 8,000 ohm ±7.5%; 8w; Kleinschmidt #20039			1	0.7	0.2	5.0		R2
11	P1	F		5905-508-0563	† †	RESISTOR,FIXED,WIRE WOUND: 5,600 ohms ±7.5%; 8w; Kleinschmidt part #20040			1	0.7	0.2	5.0		R3
11	P1	F		5905-683-6375	† †	RESISTOR,FIXED,WIRE WOUND: 250 ohms ±10%; 50w; Kleinschmidt #59994			1	0.7	0.2	5.0		R5
11	P1	F		5930-752-2672	† †	SWITCH,TOGGLE: MIL-S-3950, Part # MS-35059-15			1	0.7	0.2	5.0		S1
11	P1	F		5930-655-1515	† †	SWITCH,TOGGLE: MIL Std MS35058-23			1	0.7	0.2	5.0		S2
11	P1	F		5930-050-2704	† †	SWITCH,TOGGLE: MIL-S-3950,part No. MS-35059-9			1	0.7	0.2	5.0		S4
11	P1	F		5950-660-7480	† †	TRANSFORMER,POWER,STEP-DOWN: Kleinschmidt part No. 59672			1	0.7	0.2	5.0		T1
	P1	F		5940-502-7583	† †	TERMINAL BOARD: Raytheon #S247-1004G7			1	0.5	0.1	5.0		TB1
11	P1	F		5920-556-0144	† †	FUSEHOLDER: MIL SPEC MIL-F-19207, type FNH20G			2	0.5	0.1	10.0		XF1,XF2
11	P1	F		5305-531-9034	† †	SCREW, CAP,SOCKET HEAD: (For authorized allowances see GR 3)			8					10003
				5305-753-4356	† †	SCREW, CAP,SOCKET HEAD: (For authorized allowances see GR 3)			1					10004
				5305-655-9483	† †	SCREW, CAP,SOCKET HEAD: (For authorized allowances see GR 4)			2					10005

Army-Ft Monmouth,NJ-MO

SOURCE CODE				FEDERAL STOCK NUMBER	DESIGNATION BY MODEL						DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
A	B	C	D															FIGURE NO.	ITEM NO.
											TT-346/FG, TT-346A/FG (continued)								
				5305-721-5430	/	/					SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group 4)			2					10008
11	P1	F		5305-274-0401	/	/					SCREW, CAP, SOCKET HEAD: MIL Std MS35461-1			1	0.5	0.1	5.0		10008-01
				5305-206-2476	/	/					SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group 5)			8					10010
11	P1	F		5305-206-2470	/	/					SCREW, CAP, SOCKET HEAD: Kleinschmidt part No. 10013			3	1.0	0.3	15.0		10013
11	P1	F		5305-514-7729	/	/					SCREW, CAP, SOCKET HEAD: Kleinschmidt part No. 10014			1	0.5	0.1	5.0		10014
				5305-297-7962	/	/					SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group 3)			1					10025
				5305-057-1262	/	/					SCREW, CAP, SOCKET HEAD: (For authorized allowances see Group 5)			1					10029
				5305-639-0511	/	/					SCREW, CAP, SOCKET HEAD: (F/AA Group 3)			1					10037
11	P1	F		5305-514-6805	/	/					SCREW, CAP, SOCKET HEAD: Kleinschmidt part No. 10055			2	0.8	0.2	10.0		10055
11	P1	F		5305-637-7903	/	/					SCREW, MACHINE: Kleinschmidt part No. 10106			2	0.8	0.2	10.0		10106
11	P1	F		5305-298-8084	/	/					SCREW, MACHINE: Kleinschmidt part No. 10166			2	0.8	0.2	10.0		10166
11	P1	F		5305-292-6707	/	/					SCREW, MACHINE: Kleinschmidt part No. 10252			6	1.4	0.5	30.0		10252
9	P1	F		5305-208-1862	/	/					SCREW, MACHINE: Kleinschmidt part No. 10321			2	0.8	0.2	10.0		10321
11	P1	F		5305-206-4876	/	/					SCREW, MACHINE: FED SPEC FF-S-92, type I, Style 8S			2	0.8	0.2	10.0		10335
11	P1	F		5305-292-8400	/	/					SCREW, MACHINE: Kleinschmidt part No. 10354			3	1.0	0.3	15.0		10354
				5305-207-7484	/	/					SCREW, MACHINE: (For Authorized allowances see Group 1)			2					10357
11	P1	F		5305-208-6168	/	/					SCREW, MACHINE: Kleinschmidt part No. 10367			4	1.2	0.4	20.0		10367

Army-Ft Monmouth,NJ-MC

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-346/FG,TT-346A/FG (continued)								
	5310-209-3990	† †	WASHER,LOCK: (For authorized allowances see GR 1)			5					10403
	5310-543-2739	† †	WASHER, LOCK: (For authorized allowances see GR 1)			14					10404
	5310-282-9584	† †	WASHER, LOCK: (For authorized allowances see GR 4)			7					10405
	5310-013-1196	† †	WASHER, LOCK: (For authorized allowances see GR 1)			18					10429
	5310-209-3871	† †	WASHER, LOCK: (For authorized allowances see GR 3)			14					10430
11P1 F	5310-596-4547	† †	WASHER, LOCK: OHMITE part No. D85562			2	0.8	0.2	10.0		10456
	5310-637-3944	† †	WASHER, FLAT: (For authorized allowances see GR 4)			2					10458
11P1 F	5310-596-7580	† †	WASHER,FLAT: Kleinschmidt part No. 10481			8	1.2	0.4	40.0		10481
	5310-551-7541	† †	NUT,SELF-LOCKING HEXAGON: (For authorized allowances see GR 1)			3					10500
	5310-523-2035	† †	NUT,SELF-LOCKING HEXAGON: (For authorized allowances see GR 3)			3					10501
11P1 F	5310-576-5487	† †	NUT,PLAIN,HEXAGON: Kleinschmidt part No. 10505			2	0.8	0.2	10.0		10505
11P1 F	5310-208-4124	† †	NUT,PLAIN,HEXAGON: MIL-S-933, type A			1	0.5	0.1	5.0		10516
	5310-208-6478	† †	NUT,SELF-LOCKING,HEXAGON: (For authorized allowances see GR 3)			4					10525
11P1 F	5310-197-2298	† †	NUT,SELF-LOCKING HEXAGON: MIL Std MS20365-440			2					10540
11P1 F	5340-096-7157	† †	MOUNT,RESILIENT: Lord part No. 150PDN432-12			4	0.8	0.2	20.0		10915
11P1 F	5305-209-4803	† †	SCREW,CAP,SOCKET HEAD: Kleinschmidt part No. 11500			1	0.5	0.1	5.0		11500

Army-Ft Monmouth,NJ-MON 47?-63

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-346/FG,TT-346A/FG (continued)								
11P1 F	5305-826-7780	† †	SCREW,MACHINE: Kleinschmidt #11700			1	0.5	0.1	5.0		11700
11P1 F	5940-688-2382	† †	TERMINAL STUD: Kleinschmidt #20357			2	0.5	0.1	10.0		20357
	5940-642-4428	† †	TERMINAL STUD: (For authorized allowances see GR 1)			1					20379
11P1 F	5920-244-5150	† †	CAP,ELECTRICAL: Bussman #9435-1/2			2	0.5	0.1	10.0		20460
11P1 F	6145-283-9634	† †	CORD,ELECTRICAL: MIL-C-3884 type No. COS-2(18) (Authorized allowances will be a minimum of or a multiple of 8 feet)	ft		8	*	*	120.0		20636-75.60
11P1 F	6145-660-9321	† †	CABLE,POWER,ELECTRICAL: MIL-C-3432 type No. CO-02MFG(2/18)SJ0375 (Authorized allowances will be a minimum of or a multiple of 8 feet)	ft		8	*	*	120.0		20640-96.00
11P1 F	5940-199-9606	†	TERMINAL LUG: Kleinschmidt #20705			4	0.8	0.2	20.0		20705
11P1 F	5940-231-4430	† †	TERMINAL LUG: AMP part No. 7-32562			6	1.0	0.3	30.0		20706
11P1 F	5940-231-4431	† †	TERMINAL LUG: AMP part No. 7-30697			1	0.3	0.1	5.0		20710
11P1 F	5975-378-3587	† †	BUSHING,STRAIN RELIEF: Heyco part No. SR-6P			1	0.5	0.1	5.0		20713
11P1 F	5940-666-3355	† †	TERMINAL LUG: Kleinschmidt #20721 (for power cable termination)			1	0.3	0.1	5.0		20721
P1 F	5325-174-5331	† †	GROMMET,RUBBER: Atlantic Inida Rubber part No. 2538			1	0.5	0.1	5.0		20726
11P1 F	5940-549-8991	†	TERMINAL LUG: Amp part No. 7-34123			1	0.3	0.1	5.0		20766
11P1 F	5975-319-0661	† †	CLAMP,ELECTRICAL: Heyman #SR-7P-1			1	0.3	0.1	5.0		20835
11P1 F	5940-271-7322	† †	TERMINAL LUG: AMP Part No. 7-321021			1	0.3	0.1	5.0		20838

Army-Ft Monmouth,NJ-M

SOURCE CODE	FEDERAL STOCK NUMBER	DESIGNATION BY MODEL	DESCRIPTION	UNIT OF ISSUE	EXP	QTY IN UNIT	3RD-FIELD	4TH-FIELD	5TH DEPOT	ILLUSTRATION	
										FIGURE NO.	ITEM NO.
A B C D			TT-346/FG,TT-346A/FG (continued)								
10P1 F	5325-249-6340	† †	GROMMET,RUBBER: Atlantic India Rubber part No. 2113			1	0.5	0.1	5.0		21000
11P1 F	5310-521-8730	† †	WASHER,FLAT: SIG dwg SC-B-69325-1			2	0.5	0.1	10.0		50887
10P1 F	5325-281-6576	† †	GROMMET,RUBBER: Kleinschmidt #52254			4	1.2	0.4	20.0		52254
11P1 F	5305-594-1028	† †	SCREW,SHOULDER: Kleinschmidt #52701			4	1.2	0.4	20.0		52701
11P1 F	5302-576-6701	† †	SCREW,MACHINE: Kleinschmidt #53336			8	1.9	0.8	40.0		53336
11P1 F	5815-096-7284	† †	POST SPACING: SIG dwg SM-B-149033			8	1.2	0.4	40.0		54177
11P1 F	5815-096-7429	† †	POST,SPACING: Kleinschmidt #54183			6	1.0	0.3	30.0		54183
P1 F	5340-096-7158	† †	MOUNT,RESILIENT: Lord part No. J-1385-5			4	0.8	0.2	20.0		54189
11P1 F	5330-641-3375	† †	WASHER,NONMETALLIC: Kleinschmidt #54561			4	1.4	0.5	20.0		54561
11P1 F	5310-591-2550	†	NUT,PLAIN,PLATE: Kleinschmidt #57309			1	0.5	0.1	5.0		57309
11P1 F	5310-588-0977	† †	WASHER,FINISHING: SIG Dwg SM-B-314815			4	1.2	0.4	20.0		57311
11P1 F	5815-601-4199	† †	STUD: KLEINSCHMIDT #57406			4	1.2	0.4	20.0		57406
11P1 F	5310-685-1646	† †	WASHER,FINISHING: Kleinschmidt #57407			8	1.2	0.4	40.0		57407

Army-Ft Monmouth,NJ-MON 475-63

By Order of Secretary of the Army:

EARLE G. WHEELER,
General, United States Army,
Chief of Staff.

Official:
J. C. LAMBERT,
Major General, United States Army,
The Adjutant General.

Distribution:

Active Army:

USASA (2)
CNGB (1)
CSigO (7)
CofT (1)
CofEngrs (1)
TSG (1)
CofSptS (1)
USACECDA (1)
USACECDA, Monmouth Ofc (1)
USAMC (5)
USASMCOM (2)
USCONARC (5)
ARADCOM (2)
ARADCOM Rgn (2)
OS Maj Comd (3)
OS Base Comd (2)
LOGCOMD (2)
USAMICOM (4)
USA Avn & Sur Mat Comd (1)
USAECOM (7)
USASCC (4)
MDW (1)
Armies (2)
Corps (2)
507th USASA Gp (2)
508th USASA Gp (2)
318th USASA Bn (2)
319th USASA Bn (2)
320th USASA Bn (2)
321st USASA Bn (2)
177th USASA Co (2)
182nd USASA Co (2)
183rd USASA Co (2)
184th USASA Co (2)
USATC AD (2)
USATC Armor (2)
USATC Engr (2)
USASTC (3)
USATC Inf (2)
Instl (2) except
  Ft Monmouth (63)
  Ft Gordon (5)
GENDEP (OS) (2)
Sig Dep (OS) (12)
Sig Sec, GENDEP (5)
Army Dep (2) except
  Tobyhanna (12)
  Lexington (12)
  Sacramento (28)
  Ft Worth (8)
  Letterkenny (5)
Svc Colleges (2)
Br Svc Sch (2)
WRAMC (2)
Army Tml (1)
USAOSA (1)
POE (1)
AMS (1)
USA Elct Mat Agcy (9)
USA Sig Comm Scty Agcy (2)
Chicago Proc Dist (1)
Army Pic Cen (2)
USA Mbl Spt Cen (1)
Sig Fld Maint Shops (3)
Joliet Arsenal (2)
1st USASA Fld Sta (5)
4th USASA Fld Sta (2)
9th USASA Fld Sta (2)
TUSLOG, Det 27 (2)
USA Elct RD Actv, Ft Huachuca (10)
USA Elct RD Actv, White Sands (13)
USAERDL Trp Comd (10)
USA Corps (3)
JUSMMAT (2)
MAAG, Iran (2)
Units org under fol TOE:
  (2 copies each UNOINDC)
  11-16
  11-57
  11-97
  11-98
  11-117
  11-155
  11-157
  11-500 (AA-AE) (4)
  11-557
  11-587
  11-592
  11-597

NG: State AG (3); Units same as Active Army except allowance is one (1) copy to each unit.
USAR: None.
For explanation of abbreviations used, see AR 320-50.

TM 11-5815-257-35P REPERFORATORS, TELETYPEWRITER TT-107/FG, TT-107B/FG, TT-109/FG, TT-345/FG, TT-345A/FG, TT-346/FG, AND TT-346A/FG—1964